

AN INDEX TO EPITHETS TREATED BY
KING AND ROBINSON: EUPATORIEAE (ASTERACEAE)

Michael J. Warnock, Sam Houston State University, Huntsville, TX

SUMMARY

Epithets of the Eupatorieae (Asteraceae) which have been treated by King and Robinson since 1965 are indexed. Basionyms and present combinations are cross listed. Data are also provided for the geographic range of most taxa.

INTRODUCTION

While attempting to curate specimens of Asteraceae in the Warner Herbarium (SHST), considerable difficulties were encountered in assigning the proper name to many taxa. These difficulties were not limited to the usual process of identifying the plants, even though I was working with many Mexican and Peruvian plants in addition to the North American specimens. Once the plants had been worked through the key, the problem became one of tracing the present name for the species. Here, I was confronted with the massive numbers of nomenclatural changes presented in the last several years by R. M. King and H. Robinson. The nomenclatural activities of these two workers have been particularly profound in the Eupatorieae but have greatly affected other tribes of the Asteraceae as well.

As compared to other tribes in the Asteraceae, the Eupatorieae is medium sized—2000+ species. However, in contrast to most of the other tribes of 500 or more species, the Eupatorieae had very few recognized genera before the work of King & Robinson. Herein lies the fundamental difficulty in assigning proper nomenclatural combinations to specimens. That is, nearly all species once considered *Eupatorium* (most of the tribe) are now treated as belonging to other genera. Additionally, King & Robinson have published their changes in a large number of papers, treated related taxa in several different papers and even the same epithet has been transferred to different genera in different papers. Irrespective of the systematics of the group and King & Robinson's treatments of the taxa (I do not know the plants well enough to comment on how "good" their treatments are), the amount of material that a worker must sift through in order to apply the current names to a plant he may be working on is tremendous.

For workers not familiar with the plants, the time and effort may not be worthwhile and the work goes undone or is done but by using a possibly incorrect name. Particularly in larger institutions with many more specimens than I have, the amount of work involved in refiling all the specimens is prohibitive and may

also contribute to the lack of general acceptance of the work of King & Robinson. Especially in Latin America, where most members of the Eupatorieae grow, access to the papers of King & Robinson is difficult. This further complicates the difficulties of those individuals who are dealing most closely with the plants. This index to epithets of the Eupatorieae is intended to address these problems by cross referencing epithets in order to simplify the process of shifting specimens from one generic folder to another.

METHODS

Papers by King & Robinson since 1965 and pertaining to the nomenclature of the Eupatorieae were examined and each given a number as listed in literature cited. Most of these papers were published in the series "Studies in the Eupatorieae (Asteraceae)" I-CCXXII. With this large number of papers already numbered and more or less in chronological sequence, I have retained those numbers in the index. This is intended to reduce confusion as workers use the references to consult the original work or works on a taxon. However, this procedure has resulted in a small number of papers (224-235 in literature cited) being treated out of chronological sequence. Therefore, workers interested in chronological order of treatment of an epithet by King & Robinson need to keep this in mind while using the index. In the index, the numbers listed with the papers in literature cited are used as a shorthand means for referencing them. Thus, where *Acritopappus harleyi* is followed by 166,189 in the index, this means that paper 166 (King & Robinson 1977 Phytologia 38: 99-105) and paper 189 (King & Robinson 1980 Phytologia 45: 142-157) in literature cited contain information about *Acritopappus harleyi*.

Each paper was read and the pertinent data for the index were extracted. Only taxonomic papers were included. The numerous phytochemical papers coauthored by King & Robinson over the same time period were not referenced for the index. Orthographic errors in citations were corrected when they were noted. The categories for each recognized species entry in the index are:

1. epithet.
2. authority(ies).
3. year of publication (listed only if described in that genus) OR generic source of basionym (for taxa which have been transferred into the genus).
4. geographic range.
5. reference listing.

Each synonymized species epithet has the following categories:

1. epithet.
2. authority(ies).
3. year of publication.
4. present nomenclatural combination.
5. reference for transfer to new combination.

In some instances, not all of the information was available. For example, geographic range is missing from a number of listings because the ranges were not referenced in the papers. Other listings where data are missing are primarily for epithets which have not been transferred by King & Robinson but have been discussed in the papers about other taxa. In some instances, this presents somewhat of a difficulty in a nomenclatural sense. For example, in reference 232, King & Robinson make a number of statements indicating placement of epithets from *Eupatorium* into other genera. Most of the statements have been formalized by valid transfer of the epithets in previous or subsequent papers—some have not. However, all are cross referenced under both genera in the index. In other instances, King & Robinson mention taxa in their discussions of new taxa or new combinations. These "mentioned" taxa have, in many cases, been placed in the genus by other authors. However, by citing them, King & Robinson have tacitly—and usually explicitly—accepted them and they are therefore listed in the index. This latter case is particularly apparent in some of the older genera such as *Adenostemma*.

As an aid to determining the number of species accepted in a genus by King & Robinson, two things have been done. 1) The number of species listed by King & Robinson in their most recent discussion of the genus is listed when such a number is mentioned. For most genera, this is reference 233 but for many others, it is reference 235. 2) Epithets in synonymy from a genus are marked with a dagger (†). This provides a quick visual reference for actual number of species treated in a genus.

An example of how the index works is as follows:

Acanthostyles

saucechicoensis (Hieron.) K. & R. (*Eupatorium*) Argentina 52

The line above means that the epithet *saucechicoensis* was originally published by Hieronymus to refer to a plant considered a *Eupatorium* but which has been transferred by King & Robinson to *Acanthostyles*. The transfer was made in reference 52. The cross reference for the same nomenclatural transfer is shown below.

Eupatorium

†*saucechicoense* Hieron. 1897 = *Acanthostyles saucechicoensis* 52

The index is alphabetical by genus and alphabetical by species within genera.

CONCLUSIONS

The index is intended to provide workers with a simplified means for assigning current nomenclatural combinations to specimens from the Eupatoreiae. It is not intended as a rejection or acceptance of the work of King & Robinson; simply an index to that work. However, if this paper eases the nomenclatural difficulties of researchers working in the Eupatoreiae, it may well lead to more substantial

conclusions as to the relative merits of various treatments of the group. Even if this index only allows herbarium workers to systematically file their collections, it will have accomplished its purpose. Any errors in citation are just that. No new names or combinations are intended in this work.

- Acanthostyles* K. & R. 1971 2 spp. 51,52,53,233
 - buniifolius* (H. & A.) K. & R. (*Eupatorium*) southern South America 52
 - saucechicoensis* (Heiron.) K. & R. (*Eupatorium*) Argentina 52
- Acritopappus* K. & R. 1972 13 spp. 87,88,107,233,235
 - confertus* (Gardn.) K. & R. (*Decachaeta, Ageratum*) Brasil 16,109,189
 - connatifolius* (Soares Nunes) K. & R. (*Ageratum*) Brasil 204
 - hagei* K. & R. 1980 Brasil 189
 - harleyi* K. & R. 1977 Brasil 166,189
 - heterolepis* (Baker) K. & R. (*Ageratum*) Brasil 189
 - irwinii* K. & R. 1972 Brasil 109,189
 - longifolius* (Gardn.) K. & R. (*Decachaeta, Alomia*) Brasil 16,88,109,166,189
 - micropappus* (Baker) K. & R. (*Ageratum*) Brasil 88,166,189
 - morii* K. & R. 1980 Brasil 189
 - prunifolius* K. & R. 1980 Brasil 189
 - santosii* K. & R. 1980 Brasil 189
 - subtomentosus* K. & R. 1980 Brasil 189
 - teizeirae* K. & R. 1980 Brasil 189
- †*Addisonia* Rusby 1893 = *Heleoegyne* 11,233
 - †*virgata* Rusby 1893 = *Heleoegyne virgata* 11
- Adenocritonia* K. & R. 1976 1 sp. 158,233
 - adamsii* K. & R. 1976 (*Eupatorium critoniforme* var. *pubescens*) Jamaica 158
- Adenostemma* Forst. & Forst. 1776 30 spp. 11,24,218,235
 - berteri* DC. West Indies, Nicaragua 127,229
 - brasiliiana* eastern South America 127
 - cuatrecasasii* K. & R. 1974 Venezuela, Colombia 127
 - erecta* (Sw.) 11
 - fosbergii* K. & R. 1974 Colombia, Ecuador, Peru 127
 - hirtiflora* Benth. Guatemala 127
 - involucrata* K. & R. 1974 Brasil 127
 - lanceolata* Miq. Pacific 127
 - lavenia* (L.) O. Ktze. Ceylon 127,229,233
 - †*nutans* Greenm. 1912 = *Gymnocoronis nutans* 127
 - †*pakaraimae* Maguire & Wurdack 1957 = *Sciadocephala pakaraimae* 127
 - parvifolia* (Bl.) DC. Java 127
 - perrottetii* DC. Africa 127
 - platyphylla* Cass. 1822 Panama, South America 127,229,230
 - suffruticosa* Brasil 127
 - verbesina* (L.) O. Ktze. West Indies, South America 127
 - viscosa* Forst. & Forst. 1796 Indian and Pacific Oceans 11,127
 - vitiensis* H. Robins. 1974 Fiji 127
- Ageratella* Gray ex Wats. 1887 2 spp. 11,165,233,235
 - microphylla* (Sch.-Bip.) Gray (*Ageratum*) Mexico 7,11,16,100
- †*Ageratina* O. Hoffm. 1900 = *Ageratinastrum* 11
 - †*goetzeana* O. Hoffm. 1900 = *Ageratinastrum goetzeanum* 11

- Ageratina* Spach 1841 230 spp. 11,20,22,23,29,32,38,46,63,64,86,156,171,196,217,222,223,226, 235
- abronia (Klatt) K. & R. (*Eupatorium*) 85
 - acutidentata (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
 - adenachaenia (Sch.-Bip. ex Klatt) K. & R. (*Eupatorium*) Mexico 19
 - adenophora (Spreng.) K. & R. (*Eupatorium*) India, Mexico, US, South America, Australia 19,100,229,233
 - aegirophylla (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
 - allenii (Standl.) K. & R. (*Eupatorium*) 85
 - almedae K. & R. 1978 Costa Rica 168
 - altissima (L.) K. & R. (*Eupatorium*, *Ageratum*) US 19,85,229,230,233
 - ambylepis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,128
 - ampla (Benth.) K. & R. (*Eupatorium*) Colombia 19,168
 - anchista (Grashoff & Beaman) K. & R. (*Eupatorium*) Guatemala, Honduras 85
 - angustifolia (H.B.K.) K. & R. (*Mikania*) Colombia 19,168
 - anisochroma (Klatt) K. & R. (*Eupatorium*) Costa Rica 19,85,229,230
 - apollinarei (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19
 - arbutifolia (Benth.) K. & R. (*Eupatorium*) Colombia 19,168
 - aristeguietii K. & R. 1977 Venezuela 162
 - aristei (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19,168
 - aromatica (L.) Spach (*Eupatorium*, *Kyrstenia*) US 11,19,229,233
 - arsenei (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,100
 - articulata (Sch.-Bip. ex Heiron.) K. & R. (*Eupatorium*) Venezuela 19
 - aschenborniana (Schauer) K. & R. (*Eupatorium*) Mexico, Central America 19,85,100,125, 168,229,230,233
 - atrocordata (B.L. Robins.) K. & R. (*Eupatorium*) Mexico, Guatemala 19,168
 - austin-smithii K. & R. 1974 Costa Rica 128
 - azangoroensis (Sch.-Bip. ex Wedd.) K. & R. (*Eupatorium*) Ecuador, Peru 19,230
 - baccharoides (H.B.K.) K. & R. (*Eupatorium*) Colombia 19,168
 - badia (Klatt) K. & R. (*Eupatorium*) Costa Rica, Mexico 19,85,128
 - barbensis K. & R. 1972 Costa Rica 85,128,230
 - bellidifolia (Benth.) K. & R. (*Eupatorium*) Mexico 19,100,230
 - betulifolia (Greene) K. & R. (*Kyrstenia*) Colombia 19
 - †bimatra (Standl. & L.O. Williams) K. & R. (*Eupatorium*) 19 = *Ageratina molinæ* 85 = *Fleischmannia microstemon* 229
 - blepharilepis (Sch.-Bip.) K. & R. (*Eupatorium*) Mexico 19,100
 - boyacensis K. & R. 1972 Colombia 85,168
 - brandegeana (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
 - brevipes (DC.) K. & R. (*Eupatorium*) Mexico 19,100
 - burgeri K. & R. 1972 Costa Rica 85
 - bustumanta (DC.) K. & R. (*Eupatorium*) Mexico 19,168
 - caeciliae (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala 19
 - calaminthifolia (H.B.K.) K. & R. (*Eupatorium*) Mexico 19,100
 - calderillensis (Heiron.) K. & R. (*Eupatorium*) Bolivia 19
 - calophylla (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,100
 - camachensis (Heiron.) K. & R. (*Eupatorium*) Bolivia 19
 - campyloclada (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,100
 - cardiophylla (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,100,168
 - carmonis (Standl. & Steyermark) K. & R. (*Eupatorium*) Mexico, Guatemala 168,207
 - cartagoensis K. & R. 1972 Costa Rica 85
 - cerifera (McVaugh) K. & R. (*Eupatorium*) Mexico 85,100

Ageratina continued

- chachapoyasensis* (Cuatrecasas) K. & R. (*Eupatorium*) Peru 19,168
chapalensis (Wats.) K. & R. (*Eupatorium*) Mexico 19
†chiapensis (B.L. Robins.) K. & R. (*Eupatorium*) 19,100 = *Ageratina vernalis* 232
chiriquensis (B.L. Robins.) K. & R. (*Eupatorium*) Panama 19,85,229
choricephala (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,100
choricephaloidea (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19
ciliata (Less.) K. & R. (*Eupatorium*) Mexico 19
collodes (B.L. Robins. & Greenm.) K. & R. (*Eupatorium*) Mexico 19
conspicua (Kunth & Bouche) K. & R. (*Eupatorium*) Mexico 19,230
contorta (C.D. Adams) K. & R. (*Eupatorium*) Jamaica 85
corylifolia (Griseb.) K. & R. (*Eupatorium*) West Indies 19
costaricensis K. & R. 1972 Costa Rica 85,229,230
crassiceps (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19,168
†crassiramea (B.L. Robins.) K. & R. (*Eupatorium*) Mexico, Central America 19 =
Pachythamnus crassirameus 66
cremasta (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
crenata (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,100
croatii K. & R. 1975 Panama 135,229
cronquistii K. & R. 1978 Mexico 168
cuatrecasasii K. & R. 1972 Colombia 85,168
cuencana (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 19
cupressora (Standl. & Steyermark) K. & R. (*Eupatorium*) 85 = *Piptothrix areolare* 232
cutervoensis (Heiron.) K. & R. (*Eupatorium*) Ecuador, Peru 19
cuzcoensis (Heiron.) K. & R. (*Eupatorium*) Peru 19,168
cylindrica (McVaugh) K. & R. (*Eupatorium*) Mexico 85,100
dasyneura (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19
davidsei K. & R. 1978 Colombia 168
deltoides (Jacq.) K. & R. (*Eupatorium*) Mexico 19
dendroides (Spreng.) K. & R. (*Eupatorium*) Ecuador 19,164,168
desquamans (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
dictyoneura (Urban) K. & R. (*Eupatorium*) Haiti 19
diversipila K. & R. 1972 Costa Rica 85
dolichobasis (McVaugh) K. & R. (*Eupatorium*) Mexico 85,100
dombeyana (DC.) K. & R. (*Eupatorium*) Peru 19,168
durangensis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
elegans (H.B.K.) K. & R. (*Eupatorium*) Colombia 19,168
eniza (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,168
ernstii K. & R. 1978 Mexico 168
esmeraldae (Cuatrecasas) K. & R. (*Eupatorium*) Ecuador 85
espinosara (Gray) K. & R. (*Eupatorium*) Mexico 19,100
etensis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
eztovenenosa (Klatt) K. & R. (*Eupatorium*) Ecuador 19,168,230
fastigiata (H.B.K.) K. & R. (*Eupatorium*) Colombia 19,168
flaviseta (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19,168
flourensifolia (B.L. Turner) K. & R. (*Eupatorium*) 204
†fosbergii K. & R. 1974 Guatemala 128 = *Ageratina atrocordata* 168
funckii (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19
geminata (McVaugh) K. & R. (*Eupatorium*) Mexico 85,100
gilbertii (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19
glabrata (H.B.K.) K. & R. (*Eupatorium*) Mexico 19,168
glandulifera (Heiron.) K. & R. (*Eupatorium*) Ecuador 19,162

Ageratina continued

- glaucia* (Sch.-Bip. ex Klatt) K. & R. (*Eupatorium*) Mexico 19
glechonophylla (Less.) K. & R. (*Eupatorium*) Chile, Ecuador 19
glischra (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
gloclada (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 19,168
glyptophlebia (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19,168
gracilenta (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19
gracilis (H.B.K.) K. & R. (*Eupatorium*) Colombia 19
grandidentata (DC.) K. & R. (*Eupatorium*) Mexico 19
gynoxioides (Wedd.) K. & R. (*Eupatorium*) Colombia 19,168,202
haibertiana (McVaugh) K. & R. (*Eupatorium*) Mexico 85,100
hartii (Urban) K. & R. (*Eupatorium*) Jamaica 19
havanensis (H.B.K.) K. & R. (*Eupatorium*) US, Mexico, West Indies 19
hebes (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
hederifolia (Gray) K. & R. (*Eupatorium*) Mexico 19
helenae K. & R. 1972 Guatemala 85,232
herbacea (Gray) K. & R. (*Eupatorium ageratifolium* var. *herbaceum*) US 19
hidalgensis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
hintonii K. & R. 1974 Mexico 128
humboldtii (Heiron.) K. & R. (*Eupatorium*) South America 19,168
hyssopina (Gray) K. & R. (*Eupatorium*) Mexico 19
ibaguensis (Sch.-Bip. ex Heiron.) K. & R. (*Eupatorium*) Venezuela 19,162
illita (Urban) K. & R. (*Eupatorium*) Santo Domingo 19
infierillensis K. & R. 1972 Peru 85
intercostulata (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19
intibicensis K. & R. Honduras 168
iodotricha (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 19
irrassa (B.L. Robins.) K. & R. (*Eupatorium calaminthifolium* var. *irrasum*) Mexico 19
isolepis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,85
izioclada (Benth. ex Oerst.) K. & R. (*Eupatorium*) Costa Rica 19,85,229,230
jahnii (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 19,168
kupperi (Suesseng.) K. & R. (*Eupatorium*) Costa Rica 19,85
lasia (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,85
lasioneura (H. & A.) K. & R. (*Eupatorium*) Mexico 85,100
latipes (Benth.) K. & R. (*Eupatorium*) Colombia 164,168
lemonii (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,85,100
leptodictyon (Gray) K. & R. (*Eupatorium*) Mexico 19,100
lebmannii (Sch.-Bip. ex Klatt) K. & R. (*Eupatorium*) Mexico 19
ligustrina (DC.) K. & R. (*Eupatorium*) Mexico 19,85,204,230
lobulifera (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19
loeseneri (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
†*longipetiolata* (Sch.-Bip. ex Rusby) K. & R. (*Eupatorium*) Bolivia 85 = *Kaunia longipetiolata* 202
lopezmirandae K. & R. 1978 Peru 168
lorentzii (Heiron.) K. & R. (*Eupatorium*) Argentina 19
luciae-brauniae (Fernald) K. & R. (*Eupatorium*) Kentucky 19
lucida (Ortega) K. & R. (*Eupatorium*) Mexico 19
macbridei (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19,168
macvaughii K. & R. 1978 Mexico 168
mairetiana (DC.) K. & R. (*Eupatorium*) Mexico 19,100,230
malacolepis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,100,168
mariara (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19

Ageratina continued

- miquihuana* (B.L. Turner) K. & R. (*Eupatorium*) Mexico 164,204
modesta (Kunth) K. & R. (*Eupatorium*) Mexico 85
molinae K. & R. 1972 85 = *Fleischmannia microstemon* 229
mortoniana (Alain) K. & R. (*Eupatorium*) Cuba 19
muelleri (Sch.-Bip. ex Klatt) K. & R. (*Eupatorium*) Mexico 11,19,100,229
multiserrata (Sch.-Bip.) K. & R. (*Eupatorium*) Mexico 85
mutisiiensis (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 85,168
mygindifolia (Gray) K. & R. (*Eupatorium*) Mexico 19
nelsonii K. & R. 1972 Mexico 85
nerifolia (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 19,168
oaxacana (Klatt) K. & R. (*Eupatorium*) Mexico 156
oceanensis (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19,85,168
occidentalis (Hook.) K. & R. (*Eupatorium*) US 19
oligocephala (DC.) K. & R. (*Eupatorium*) Mexico 19
ovilla (Standl. & Steyerl.) K. & R. (*Eupatorium*) Guatemala, Mexico 19,168
pachypoda (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
pacifica (B.L. Robins. ex I. M. Johnston) K. & R. (*Eupatorium*) Mexico 19
pampalicensis (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19
paramensis (Aristeguieta) K. & R. (*Eupatorium*) Venezuela 19,168
paucibracteata (Alain) K. & R. (*Eupatorium*) Cuba 19
paupercula (Gray) K. & R. (*Eupatorium*) US, Mexico 19
pazcuarensis (H.B.K.) K. & R. (*Eupatorium*) Mexico 19,85,100,232
pelotrophe (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
pentlandiana (DC.) K. & R. (*Eupatorium*) Peru 19,66,168
peracuminata K. & R. 1978 Mexico 168
petiolaris (Moc. & Ses. ex DC.) K. & R. (*Eupatorium*) Mexico 19,100,168,230
photina (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
pichinchensis (H.B.K.) K. & R. (*Eupatorium*) Colombia, Ecuador 19,230
piurae (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19,168
plethadenia (Standl. & Steyerl.) K. & R. (*Eupatorium*) Guatemala 85
pomaderrifolia (Benth.) K. & R. (*Eupatorium*) Colombia 19,168
popayanensis (Heiron.) K. & R. (*Eupatorium*) Colombia 19,168
porriginosa (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
pringlei (B.L. Robins. & Greenm.) K. & R. (*Eupatorium*) Mexico 19,230
prionobia (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
proba (N.E. Brown) K. & R. (*Eupatorium*) Peru 164
prunellifolia (H.B.K.) K. & R. (*Eupatorium*) Mexico 19,100,232
prunifolia (H.B.K.) K. & R. (*Eupatorium*) Ecuador 19,168
pseudochilca (Benth.) K. & R. (*Eupatorium*) Ecuador 19,168,230
psilotorda (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19,168
purpusii (Brandeg.) K. & R. (*Eupatorium*) Baja California 19,100
rafaelensis (Coulter.) K. & R. (*Eupatorium*) Mexico 19
ramonensis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
remiana (Phil.) K. & R. (*Eupatorium*) 207
repens (B.L. Robins.) K. & R. (*Fleischmannia*) Mexico 18,19
resiniflua (Urban) K. & R. (*Eupatorium*) Puerto Rico 19
reticulifera (Standl. & Williams) K. & R. (*Eupatorium*) Costa Rica 19,85,168
rhodopappa (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19
rhodopoda (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
rhomboidea (H.B.K.) K. & R. (*Eupatorium*) Mexico 19,100
rhypodes (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 19

Ageratina continued

- rhytidodes* (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19
riparia (Regel) K. & R. (*Eupatorium*) Mexico, West Indies, Australia 19,229,233
rivalis (Regel) K. & R. (*Eupatorium*) Mexico 19
roraimensis (N.E. Brown) K. & R. (*Eupatorium*) British Guiana, Venezuela 19
rothrockii (Gray) K. & R. (*Eupatorium*) US, Mexico 19
rubricaulis (H.B.K.) K. & R. (*Eupatorium*) Mexico 19,100
rufa (Greene) K. & R. (*Kyrstenia*) Mexico 19
rupicola (B.L. Robins. & Greenm.) K. & R. (*Eupatorium*) Mexico 19
salicifolia K. & R. 1978 Mexico 168
saltillensis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19
salvadorensis K. & R. 1978 El Salvador 168
schaffneri (Sch.-Bip. ex B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,100
scopulora (Wedd.) K. & R. (*Eupatorium*) Peru 19,85
scorodoniooides (Gray) K. & R. (*Eupatorium*) Mexico 19,100
shastensis (Taylor & Stebbins) K. & R. (*Eupatorium*) 190
simulans (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19,168
sinaloensis K. & R. 1978 Mexico 168
skutchii (B.L. Robins.) K. & R. (*Eupatorium*) Mexico, Central America 19
sodiroi (Heiron.) K. & R. (*Eupatorium*) Ecuador 19
sotarenensis (Heiron.) K. & R. (*Eupatorium*) Colombia 19
standleyi K. & R. 1972 Costa Rica 85
sternbergiana (DC.) K. & R. (*Eupatorium*) Peru 19,85
stevioides (Steyermark) K. & R. (*Eupatorium*) Venezuela 19,168
stictophylla (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19,168
stricta (Gray) K. & R. (*Eupatorium*) Mexico 19
subcordata (Benth. ex Oerst.) K. & R. (*Eupatorium*) Costa Rica 19,85,101,230
subferruginea (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19,168
subglabra K. & R. 1972 Costa Rica 85
subinclusa (Klatt) K. & R. (*Eupatorium*) 164,168,232
subintegra (Greene) K. & R. (*Kyrstenia*) Mexico 19,100
~~†~~*subpenninervia* (Sch.-Bip. ex Klatt) K. & R. (*Eupatorium*) 164 = *Ageratina subinclusa*
168
tambillensis (Heiron.) K. & R. (*Eupatorium*) Peru 19
tarmensis (B.L. Robins.) K. & R. (*Eupatorium*) Peru 19
tenuis (R.E. Fries) K. & R. (*Eupatorium*) Argentina 19
tetragona (Schrad.) K. & R. (*Eupatorium*) Mexico 19
theifolia (Benth.) K. & R. (*Eupatorium*) Colombia, Venezuela 19,168
thyrsiflora (Greene) K. & R. (*Kyrstenia*) Mexico 19,100
unifolia (H.B.K.) K. & R. (*Eupatorium*) Colombia 19,85,168
tomentella (Schrad.) K. & R. (*Eupatorium*) Mexico 19
tonduzii (Klatt) K. & R. (*Eupatorium*) Costa Rica 19,85
trapezoidea (Kunth) K. & R. (*Eupatorium*) Mexico 85
triniona (McVaugh) K. & R. (*Eupatorium*) Mexico 85,100
tristis (DC.) K. & R. (*Eupatorium*) Jamaica 19
urbanii (Ekman ex Urban) K. & R. (*Eupatorium*) Haiti 19
vacciniifolia (Benth.) K. & R. (*Eupatorium*) Colombia 19,168
vallincola (DC.) K. & R. (*Eupatorium*) Peru 19
ventillana (Cuatrecasas) K. & R. (*Eupatorium*) Peru 19
venulosa (Gray) K. & R. (*Eupatorium*) Mexico 19
vernalis (Vatke & Kurtz) K. & R. (*Eupatorium*) Mexico, Guatemala 19,100,232
vernucosa (Sch.-Bip. ex Greenm.) K. & R. (*Eupatorium*) Mexico 19

Ageratina continued

- viburnoides* (DC.) K. & R. (*Eupatorium*) Mexico 19
viscosa (H.B.K.) K. & R. (*Eupatorium*) Colombia 19,85,164,168
viscosissima (Rolle) K. & R. (*Eupatorium*) Mexico 100,207
vulcanica (Benth. ex Oerst.) K. & R. (*Eupatorium*) Central America 19,85
whitei K. & R. 1974 Panama 128
wrightii (Gray) K. & R. (*Eupatorium*) Mexico, US 19,100
wurdackii K. & R. 1978 Peru 168
zanthonchiora (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 19,168
zinifolia (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 19,90
zunilana (Standl. & Steyerl.) K. & R. (*Eupatorium*) Guatemala 19
- Ageratinastrum* Mattf. 1932 (*Ageratina* O. Hoffm.) 11
goetzeanum (O. Hoffm.) Mattf. (*Ageratina*) 11
- †*Ageratiopsis* Sch.-Bip. ex Benth. & Hook. nom. nud. 1873 = *Ageratina* 11,19,229
 †*ageratoides* (L.) Sch.-Bip. ex Benth. & Hook. (*Eupatorium*) 11 = *Ageratum altissimum*
 229 = *Ageratina altissima* 19
- Ageratum* L. 1753 40 spp. 11,13,44,87,89,131,184,193,194,235
albidum (DC.) Hemsl. 1881 Mexico 88
 †*album* Willd. ex Steud. 1821 nom. nud. = *Ageratum conyzoides* 229
 †*altissimum* L. 1753 = *Ageratina altissima* 19
 †*arbutifolium* H.B.K. 1818 = *Phania arbutifolia* 11 = *Oxylobus arbutifolia* 157
ballotifolium (Maguire, Steyerl. & Wurdack) K. & R. (*Alomia*) Venezuela 88
benjamin-lincolni K. & R. 1972 (*Alomia guatemalensis*) Guatemala 88,229
 †*campuloclinioides* Baker 1876 = *Campuloclinium campuloclinioides* 130
candidum Barroso 1965 Brasil 88
chiriquense (B.L. Robins.) K. & R. (*Alomia*) Panama 88
chorlianum Standl. & Steyerl. 1944 Guatemala, Honduras 88
coeruleum (Cass.) K. & R. (*Coelestina*, *Caelestina*) 11,233
 †*coeruleum* Sieber ex Baker 1876 nom. nud. = *Hebeclinium macrophyllum* 229
 †*connatifolium* Soares Nunes 1981 = *Acritopappus connatifolius* 204
conyzoides L. 1753 India, Hong Kong 11,88,100,114,229,232,233
 †*confertum* (Gardn.) Benth. & Hook. (*Decachaeta*) 16 = *Acritopappus confertus* 109
cordifolium Roxb. 1832 = *Ageratum conyzoides* 229
 †*corymbosum* (DC.) Baker (*Agrianthus*) = *Stylotrichum corymbosum* 186
corybosum Zuccag. ex Pers. 1807 US, Mexico, Central America 88,100
dominguense Spreng. excluded by K. & R. but did not say where 88
echioides (Less.) Hemsl. (*Isocarpha*) Mexico, Guatemala 88,100,232
elassocarpum Blake 1924 Mexico 88
ellipticum B.L. Robins. 1930 Belize 88
fastigiatum (Gardn.) K. & R. (*Isocarpha*) Brasil 88
 †*febrifugum* Ses. ex DC. 1836 nom. nud. = *Pigeria trinervia* 229
gaumeri B.L. Robins. 1911 Guatemala, Mexico 88,234
 †*glomeratum* Barroso & King 1971 228 = *Cavalcantia glomerata* 195
guatemalense Johnson 1971 Guatemala 88
 †*gwanense* Aubl. 1775 = *Hebeclinium macrophyllum* 229
 †*heterolepis* Baker 1876 = *Acritopappus heterolepis* 189
 †*hirsutum* Lam. 1810 = *Ageratum conyzoides* 229
 †*hirtum* Lam. 1783 = *Ageratum conyzoides* 229
houstanianum Mill. 1768 Mexico, Central America, West Indies, Colombia 88,100,164,
 229,230,232,233
 †*humile* Salisb. 1796 = *Ageratum conyzoides* 229
illitii K. & R. 1974 Ecuador 118

Ageratum continued

- isocarphoides* (DC.) Hemsl. 1881 Mexico 88,232,234
latifolium Cav. Peru 229
littorale Gray 1880 US, West Indies, Belize 88
lucidum B.L. Robins. 1901 Mexico 88,100
kundellii K. & R. 1978 Guatemala 234
maritimum H.B.K. 1818 Mexico, West Indies 88
 \dagger *melissifolium* DC. 1836 = *Sympyopappus melissifolius* = *Platypodanthera melissifolia* 94
 \dagger *mexicanum* Sims = *Ageratum houstonianum* 229
microcarpum (Benth. ex Oerst.) Hemsl. (*Coelestina*, *Alomia*) Costa Rica, Honduras,
 Nicaragua 88,229,232
microcephalum Hemsl. 1881 Mexico 88
 \dagger *micropappum* Baker 1876 = *Acritopappus micropappus* 166
 \dagger *microphyllum* Sch.-Bip. = *Ageratella microphylla* 7
myriadienum (Sch.-Bip. ex Baker) K. & R. (*Alomia*) Brasil 88
nelsonii (B.L. Robins.) M.F. Johnson 1971 Guatemala, Mexico 88,230,234
oerstedii B.L. Robins. 1913 Costa Rica 88
oliveri K. & R. 1974 Panama 126,227
paleaceum (DC.) Hemsl. 1881 Mexico 88,100
panamense B.L. Robins. 1934 (*Ageratum rivale* B.L. Robins.) Panama 229
peckii B.L. Robins. 1911 Belize 88
perplexans M.F. Johnson 1971 Bolivia 88
petiolatum (H. & A.) Hemsl. 1881 Costa Rica, Nicaragua, Panama 88,229
pinetorum (L.O. Williams) K. & R. (*Alomia*) Honduras 88
platylepis (B.L. Robins.) K. & R. (*Alomia*) Guatemala 88,234
platyptodium B.L. Robins. 1913 Mexico 88,100
radicans B.L. Robins. 1911 Belize 88
 \dagger *reedii* K. & R. 1972 Costa Rica 88 = *Ageratum petiolatum* 229
riparium B.L. Robins. 1913 Costa Rica, Panama 88,229
 \dagger *rivale* B.L. Robins. 1934 = *Ageratum panamense* 229
rivale Ses. & Moc. 1889 229
 \dagger *robinsonianum* (L.O. Williams) L.O. Williams (*Alomia*) = *Ageratum rugosum* 164
rugosum Coult. 1895 Mexico, Central America 88,164,230
scopoideum Baker 1876 Guayana 88
 \dagger *sessilifolium* Schauer 1847 = *Trichocoronis sessilifolia* 27
stachyofolium B.L. Robins. 1901 Mexico 88
standleyi B.L. Robins. 1930 Honduras 88
tomentosum (Benth. ex Oerst.) Hemsl. 1881 Mexico, Costa Rica 88
 \dagger *twendlandii* B.L. Robins. 1913 = *Ageratum rugosum* 164 = *Ageratum houstonianum* 229
 \dagger *wrightii* Gray 1849 = *Trichocoronis wrightii* 27
Agrianthus Mart. ex DC. 1836 6 spp. 70,96,175,177,184,185,233,235
campestris Mart. ex DC. 1836 Brasil 11
 \dagger *corymbosum* DC. = *Ageratum corymbosum* (DC.) Baker = *Stylotrichum corymbosum* 186
Alomia H.B.K. 1818 5 spp. 11,102,109,165,189,193,228,232,233,235
ageratooides H.B.K. 1818 Mexico 11,87
 \dagger *angustata* (Gardn.) Benth. (*Piqueria*) = *Gardnerina angustata* 206
alata Hemsl. 1881 Mexico 87
 \dagger *ballotifolia* Maguire, Steyermark. & Wurdack 1957 = *Ageratum ballotifolium* 88
callosa (Wats.) B.L. Robins. 1913 Mexico 87,100
 \dagger *chiriquensis* B.L. Robins. 1920 = *Ageratum chiriquense* 88
 \dagger *cinerea* Benth. ex Baker 1876 = *Trichogonia cinerea* 92
 \dagger *cordata* Blake 1947 = *Blakeanthus cordatus* 88,89

Alomia continued

- †*dubia* B.L. Robins. 1906 = *Trichogonia dubia* 92
 †*guatemalensis* B.L. Robins. 1913 = *Ageratum benjamin-lincolni* 88
hintonii K. & R. 1972 Mexico 87
 †*longifolia* (Gardn.) B.L. Robins. (*Decachaeta*) 16 = *Acritopappus longifolius* 88
 †*microcarpa* (Benth. ex Oerst.) B.L. Robins. (*Coelestina*) = *Ageratum microcarpum* 229
 †*myriadenia* Sch.-Bip. ex Baker 1876 = *Ageratum myriadenium* 88
 †*pinetorum* L.O. Williams 1964 = *Ageratum pinetorum* 88
 †*platylepis* B.L. Robins. 1913 = *Ageratum platylepis* 88
 †*pohlii* Baker 1876 = *Teizeiranthus pohlii* 212
 †*regnellii* Malme 1899 = *Alomiella regnellii* 107
 †*robinsoniana* L.O. Williams 1964 = *Ageratum robinsonianum* = *Ageratum rugosum* 164
stenolepis Blake 1937 Mexico 87
 †*twendlandii* B.L. Robins. 1913 = *Ageratum rugosum* 164
Alomiella K. & R. 1972 2 spp. 87,221,233
regnellii (Malme) K. & R. (*Alomia*) Brasil 107
Amboroa Cabrera 1956 2 spp. 233,235
geminata Cabrera 1956 Bolivia 11
wurdackii K. & R. 1975 Peru 147
 †*Ammopursus* Small 1924 = *Liatris* 11,225,233
 †*tohlingerae* (Blake) Small (*Lacinaria*) = *Liatris* 11
Amolinia K. & R. 1972 1 sp. 99,176,233
 heydeana (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 99
Antillia K. & R. 1971 1 sp. 42,43,233,235
 brachychaeta (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 43
Aristeguietia K. & R. 1975 22 spp. 139,142,196,208,217,233
 amethystina (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 139
 anisodonta (B.L. Robins.) K. & R. (*Eupatorium*) Peru 139
 arborea (H.B.K.) K. & R. (*Eupatorium*) 139
 ballii (Oliver) K. & R. (*Eupatorium*) Peru 139
 buddleifolia (Benth.) K. & R. (*Eupatorium*) Ecuador 139,230
 cacalioides (H.B.K.) K. & R. (*Eupatorium*) Ecuador 139
 chimborazensis (Heiron.) K. & R. (*Eupatorium*) Ecuador 139
 cursorii (B.L. Robins.) K. & R. (*Eupatorium*) Peru 139
 dielsii (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 139,230
 diplodictyon (B.L. Robins.) K. & R. (*Eupatorium*) Peru 139
 discolor (DC.) K. & R. (*Eupatorium*) Peru 139
 gascae (B.L. Robins.) K. & R. (*Eupatorium*) Peru 139
 gayana (Wedd.) K. & R. (*Eupatorium*) Peru 139
 glutinosa (Lam.) K. & R. (*Eupatorium*) Ecuador 139,230
 lamijolia (H.B.K.) K. & R. (*Eupatorium*) Colombia, Ecuador 58,139
 †*pereziooides* (B.L. Robins.) K. & R. (*Eupatorium*) 139 = *Bartlettina pereziooides* 197
 persicifolia (H.B.K.) K. & R. (*Eupatorium*) Ecuador 139
 pseudoarborea (Heiron.) K. & R. (*Eupatorium*) Peru 139
 salvia (Colla) K. & R. (*Eupatorium*) Chile 58,139
 tahonensis (Heiron.) K. & R. (*Eupatorium*) Peru 139
 tatamensis (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 139
 †*Arrojadoa* Mattf. 1923 = *Arrojadocharis* 11,233
 †*prazeliooides* Mattf. 1923 = *Arrojadocharis prazeliooides* 11,184
Arrojadocharis Mattf. 1930 2 spp. 177,185,233,235 (*Arrojadoa*)
 prazeliooides (Mattf.) Mattf. (*Arrojadoa*) Brasil 11,184
 santosii K. & R. 1979 Brasil 184

- Artemisia* 11
tenuisolia Willd. = *Traganthes tenuisolia* = *Eupatorium capillifolium* 11
Asanthus K. & R. 1972 3 spp. 79,165,233
solidaginifolius (Gray) K. & R. (*Brickellia*) Mexico 79
squamulosus (Gray) K. & R. (*Brickellia*) Mexico, US 79
thyrsiflorus (Gray) K. & R. (*Brickellia*) Mexico 79,100
Aschenbornia Schauer 1847 11
heteropoda Schauer 1847 11
Ascidioxyne Cuatrecasas 1965 2 spp. 11,131
wurdackii Cuatrecasas 1965 Peru 7,11,233
Asplundianthus K. & R. 1975 9 spp. 141,233
arcuans (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 141
densus (Benth.) K. & R. (*Eupatorium*) Colombia 141
pseudoglomeratus (Heiron. ex Sodiro) K. & R. (*Eupatorium*) Ecuador 141,230
pseudostuebelii K. & R. 1975 Colombia 141,142
sagasteguui K. & R. 1978 Peru 180
scabrifolius (B.L. Robins.) K. & R. (*Eupatorium*) Peru 141,180
smilacinus (H.B.K.) K. & R. (*Eupatorium*) Colombia 141
stuebelii (Heiron.) K. & R. (*Eupatorium*) Ecuador 141,180
toroi (B.L. Robins.) K. & R. 1934 (*Eupatorium*) Colombia 141
trachyphyllus (Heiron.) K. & R. (*Eupatorium*) Peru 141
Astrobrickellia K. & R. 1972 3 spp. 82,165,233
arnottii (Baker) K. & R. (*Eupatorium*) Brasil 82
bakeriana (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 82
patens (Don ex H. & A.) K. & R. (*Eupatorium*) South America 82
Astrocritonia K. & R. 1975 4 spp. 143,199,233
angulicaulis (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 39,143
rosea (Gardn.) K. & R. (*Eupatorium*) Brasil 143
taunayana (Glaziou ex B.L. Robins.) K. & R. (*Eupatorium*) Brasil 164
velutina (Gardn.) K. & R. (*Eupatorium*) Brasil 143
Austroeupatorium K. & R. 1970 11 spp. 24,26,183,226,227,235
apense (Chod.) K. & R. (*Eupatorium*) 215
chaparensis (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 26
decemflorum (DC.) K. & R. (*Eupatorium*) 190 = *Austroeupatorium inulifolium* 229
entreriense (Heiron.) K. & R. (*Eupatorium*) Uruguay 26
inulifolium (H.B.K.) K. & R. (*Eupatorium*) South America 26,155,190,215,229,230,233
laetevirens (H. & A.) K. & R. (*Eupatorium*) Brasil, Paraguay 26
†mapiriense (Heiron.) K. & R. (*Eupatorium*) 26 = *Austroeupatorium decemflorum* 190
monardifolium (Walp.) K. & R. (*Eupatorium*) 26 = *Austroeupatorium silphiifolium* 215
mori K. & R. 1982 Brasil 212
neglectum (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 26
paulinum (DC.) K. & R. (*Eupatorium*) Brasil 26
petrophilum (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 26
picturatum (Malme) K. & R. (*Eupatorium*) Brasil 26
rosmarinaceum (Cabrera & Vittel) K. & R. (*Eupatorium*) 207
rosmarinifolium (Ses. & Moc.) K. & R. (*Eupatorium*) Brasil 26
silphiifolium (Mart.) K. & R. (*Eupatorium*) Brasil 26,212,215,229
†tweedianum (H. & A.) K. & R. (*Eupatorium*) 26 = *Hatschbachiella tweediana* 71
Ayapania Spach 1841 15 spp. 31,40,97,100,103,104,106,107,194,228,235
amygdalina (Lam.) K. & R. (*Eupatorium*) Costa Rica, Venezuela, Bolivia 30,159,229,233
ecuadoriensis K. & R. 1976 Ecuador 159,230
elata (Steetz) K. & R. (*Eupatorium*) Peru, Central America 114,159,229

Ayapana continued

- haughtii* K. & R. 1976 Colombia 159
hylophila (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 30,159
jaramillii K. & R. 1970 Colombia 30,159
lanceolata K. & R. 1976 Peru 159
 \dagger *officinalis* Spach 1841 = *Ayapana triplinervis* 30
ornatiloba (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 30
ornithophora (B.L. Robins.) K. & R. (*Eupatorium*) 32,159
pilluanensis (Heiron.) K. & R. (*Eupatorium*) 159
 \dagger *pyramidalis* (Klatt) K. & R. (*Eupatorium*) 30 = *Ayapana stenolepis* 156
squarrosa (Klatt) K. & R. (*Lepidessmia*) Venezuela 30,159,229
stenolepis (Steetz) K. & R. (*Eupatorium*) Bolivia, Panama 156,159,229
tovarensis (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 30,159
trinitensis (Kuntze) K. & R. (*Baccharis*) Colombia, Trinidad, Venezuela 30,159
triplinervis (Vahl) K. & R. (*Eupatorium*) West Indies 30,159,190,233
turbacensis (Heiron.) K. & R. (*Eupatorium*) Colombia 30,159
Ayapanopsis K. & R. 1972 15 spp. 103,104,106
adenophora K. & R. 1971 Bolivia 103
andina (B.L. Robins.) K. & R. (*Eupatorium*) Peru 103
cuchabensis (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 147
didyma (Klatt) K. & R. (*Eupatorium*) Bolivia 103
esperanzae (Hassl.) K. & R. (*Eupatorium*) Paraguay 103
euphyes (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 103
ferreyrii K. & R. 1975 Peru 146
garcia-barrigae K. & R. 1972 Colombia 103
latipaniculata (Rusby) K. & R. (*Eupatorium*) Bolivia 103
mathewsi (B.L. Robins.) K. & R. (*Eupatorium*) Peru 103
oblongifolia (Gardn.) K. & R. (*Bulbostylis*) 207
tarapotensis (B.L. Robins.) K. & R. (*Eupatorium*) Peru 103,147
triosteifolia (Rusby) K. & R. (*Eupatorium*) Bolivia 103
trizoides (Baker) K. & R. (*Eupatorium*) Brasil 103
tucumanensis (Lillo & B.L. Robins.) K. & R. (*Eupatorium*) Argentina 103
vargasii K. & R. 1972 Peru 103,233

Baccharis

- \dagger *candolleana* Steud. 1840 = *Nothobaccharis candolleiana* 174
 \dagger *crenulata* Spreng. 1826 = *Raulinoreitzia crenulata* 53
 \dagger *microphylla* DC. 1836 = *Brickellia microphylla* = *Nothobaccharis candolleiana* 174
Badilloa K. & R. 1975 9 spp. 92,142,150
atrescens (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 208,233
drepanoides (B.L. Robins.) K. & R. (*Eupatorium*) Peru 142
helianthifolia (H.B.K.) K. & R. (*Eupatorium*) Peru 142
herrerae (B.L. Robins.) K. & R. (*Eupatorium*) Peru 142
procera (B.L. Robins.) K. & R. (*Eupatorium*) Peru 142
salicina (Lam.) K. & R. (*Eupatorium*) Colombia, Ecuador 142
sonsonensis K. & R. 1975 Colombia 142
sphagnophila (B.L. Robins.) K. & R. (*Eupatorium*) Peru 142
steetzii (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 142
venezuelensis (Badillo) K. & R. (*Eupatorium*) Venezuela 142
Bahianthus K. & R. 1972 1 sp. 70,96,175,177,185,191,233,235
viscosus (Spreng.) K. & R. (*Mikania*) Brasil 70
Barrosoa K. & R. 1971 12 spp. 33,34,35,68,70,97,98,203,213,233
apiculata (Gardn.) K. & R. (*Eupatorium*) Brasil 95

Barrosoa continued

- betoniciformis* (DC.) K. & R. (*Conoclinium*) Argentina, Bolivia, Brasil, Paraguay 34
cabrerae (B.L. Robins.) K. & R. (*Eupatorium*) Argentina, Uruguay? 34
candolleana (H. & A.) K. & R. (*Eupatorium*) South America 34,150
confluentis (B.L. Robins.) K. & R. (*Eupatorium*) 207
metensis (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 95
morichalana (Aristeguieta) K. & R. (*Eupatorium*) Colombia, Venezuela 34
organensis (Gardn.) K. & R. (*Eupatorium*) Brasil 95
mimboi (Cabrer.) K. & R. (*Eupatorium*) Brasil 34
triaene (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 95
viridiflora (Baker) K. & R. (*Conoclinium*, *Eupatorium*) Brasil 34,95
Barrosoea Gray 1880 1 sp. 11,81,100,165,204,233
 †*glutinosa* Brandeg. 1908 = *Phanerostylis glutinosa* 81
setosa Gray 1880 Mexico 11
subuligera Gray 1880 Mexico 11,100
Bartlettina K. & R. 1971 28 spp. 61,138,147,162 (*Neobartlettia*)
breedlovei K. & R. 1974 Mexico, Guatemala 125,230,233
brevipetiolata (Sch.-Bip. ex Klatt) K. & R. (*Hebeclinium*, *Neobartlettia*) Mexico 36,37,61
campii K. & R. 1981 Ecuador 208
chiriquensis K. & R. 1977 Panama 167
cleefii K. & R. 1980 Colombia 197,208
constipiflora (Klatt) K. & R. (*Eupatorium*, *Neobartlettia*) Mexico 36,61
cronquistii K. & R. 1977 Mexico 167
ehrenbergii (Hemsl.) K. & R. (*Eupatorium*, *Neobartlettia*) 36,61
guatemalensis K. & R. 1974 Guatemala 125,230
hastifera (Standl. & Steyer.) K. & R. (*Eupatorium*, *Neobartlettia*) Guatemala 36,61, 167,232
hemisphaerica (DC.) K. & R. (*Eupatorium*) 61
hintonii K. & R. 1975 Mexico 145
hylobia (B.L. Robins.) K. & R. (*Eupatorium*, *Neobartlettia*) Mexico 36,61,125
karwinskiana (DC.) K. & R. (*Eupatorium*, *Neobartlettia*) Mexico 36,61,167
lesneri K. & R. 1980 Venezuela 197
luzii (B.L. Robins.) K. & R. (*Eupatorium*, *Neobartlettia*) Guatemala 36,61
macdougallii K. & R. 1977 Mexico 167
macrocephala (Benth.) K. & R. (*Hebeclinium*) Mexico, Guatemala 99
macromeris (B.L. Robins.) K. & R. (*Eupatorium*) 207
matudae K. & R. 1974 Mexico 125
mazonii (B.L. Robins.) K. & R. (*Eupatorium*, *Neobartlettia*) Panama 36,61,229
montigena (Standl. & Steyer.) K. & R. (*Eupatorium*) Guatemala 167
oresbia (B.L. Robins.) K. & R. (*Eupatorium*, *Neobartlettia*) Mexico 36,61,100
oresbiooides (B.L. Robins.) K. & R. (*Eupatorium*, *Neobartlettia*) Guatemala, Mexico 36, 61,125
paezensis (Heiron.) K. & R. (*Eupatorium*, *Neobartlettia*) Colombia 36,61
pansamalensis (B.L. Robins.) K. & R. (*Eupatorium*, *Neobartlettia*) Guatemala, Mexico 36, 61
perezioides (B.L. Robins.) K. & R. (*Eupatorium*, *Aristeguieta*) Colombia 139,197
pinabetensis (B.L. Robins.) K. & R. (*Eupatorium*, *Neobartlettia*) Guatemala, Mexico 36, 61,145,167
platyphylla (B.L. Robins.) K. & R. (*Eupatorium*, *Neobartlettia*) Mexico, Central America 36,61,167,229
prionophylla (B.L. Robins.) K. & R. (*Eupatorium*, *Neobartlettia*) Guatemala, Costa Rica 36,61,229

Bartlettina continued

- ruea* (Standl.) K. & R. (*Eupatorium, Neobartlettia*) Honduras 36,61
silvicola (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica 167
sordida (Less.) K. & R. (*Eupatorium, Neobartlettia*) Mexico 36,37,61,125,230
tenoreae (Aristeguieta) K. & R. (*Eupatorium*) Venezuela 162,176,197
tuerckheimii (Klatt) K. & R. (*Eupatorium, Neobartlettia*) Mexico, Guatemala, Honduras
 36,61,145,167,229,230,233
williamsii K. & R. 1977 (*Eupatorium*) Honduras 167
Batschia Gmel. 1791 Boraginaceae 11,19,229
Batschia Mutis ex Thumb. 1792 Menispermaceae 11,19
Batschia Vahl 1794 Fabaceae 11,19
[†]*Batschia* Moench 1794 = *Ageratina* 11,19
[†]*nivea* Moench 1794 = *Eupatorium ageratoides* 229 = *Ageratina altissima* (L.) K. & R.
 11,19
Bejaranoa K. & R. 1978 2 spp. 183
balansae (Heiron.) K. & R. (*Eupatorium*) Paraguay 183
semistriata (Baker) K. & R. (*Eupatorium, Conoclinium*) Brasil 183
[†]*Biolettia* Greene 1891 = *Trichocoronis* 11,27,233
[†]*triparia* Greene 1891 = *Trichocoronis wrightii* 27
Bishopiella K. & R. 1981 1 sp. 203
elegans K. & R. 1981 Brasil 203
Bishovia K. & R. 1978 2 spp. 182
boliviensis K. & R. 1978 Bolivia 182
mikanifolia (B.L. Robins.) K. & R. (*Eupatorium, Chacoa*) Paraguay, Argentina 154,182
Blakeanthus K. & R. 1972 1 sp. 87,88,89,233
cordatus (Blake) K. & R. (*Alomia*) Guatemala, Honduras 88,89
[†]*Brachyandra* Phil. 1860 = *Heleoegyne* 11,233
[†]*macrogyne* Phil. 1860 = *Heleoegyne macrogyne* 11
Brickellia Elliott 1822 96 spp. 2,11,80,81,82,84,87,115,144,165,179,225,226,235
adenocarpa B.L. Robins. = *Brickellia argyrolepis* 230,232
[†]*amblyolepis* B.L. Robins. 1901 = *Steviopsis amblyolepis* 77
arguta B.L. Robins. US 230
argyrolepis B.L. Robins. Panama, Costa Rica, Mexico 230,232,234
atracylloides Gray US 230
brasiliensis Spreng. 83
californica T. & G. US 230
cardiophylla B.L. Robins. Mexico 100
cavanillesii (Cass.) Gray (*Coleosanthus, Bulbostylis*) 11,229
cordidifolia (DC.) B. L. Robins. Brasil 82
cordifolia Elliott 1822 US 11,229
corymbosa (DC.) Gray (*Clavigera*) Mexico 11,100,229
coulteri Gray US, Mexico 100
cuspidata Gray Mexico 100
[†]*cymulifera* B.L. Robins. 1916 = *Kyrsteniopsis cymulifera* 76
diffusa (Vahl) Gray (*Eupatorium, Coleocanthus, Bulbostylis*) South America, Mexico 100,
 229,233,234
eupatorioides (L.) (Kuhnia) US 11,229
extranea McVaugh Mexico 100
[†]*fendleri* Gray 1849 = *Brickelliastrum fendleri* 78
filipes B.L. Robins. Mexico 100
[†]*gentianoides* B.L. Robins. 1923 = *Chromolaena gentianoides* 200
glandulosa (Llave) McVaugh (*Rosalesia*) Mexico 100

Brickellia continued

- glandulosa* (Raf.) (*Ismaria*) 11,229
glomerata Fern. Mexico 100
guatemalensis B.L. Robins. = *Brickellia argyrolepis* 232
incana Gray US 230
jalicensis McVaugh Mexico 100
lanata (DC.) Gray Mexico 100
leptophylla (Scheele) Shinners Mexico 230
magnifica McVaugh Mexico 100
†*microphylla* (DC.) Heiron. (*Baccharis*) = *Nothobaccharis candolleana* 174
monocephala B.L. Robins. Mexico 100,233
†*nesomii* B.L. Turner 1978 = *Phanerostylis nesomii* 204
oliganthes (Less.) Gray Mexico 100
pacayensis Coulter. 232
paniculata (Mill.) B.L. Robins. Mexico 100,232
peninsularis Rose & Standl. 233
†*pulcherrima* B.L. Robins. 1904 = *Steviopsis pulcherrima* 77
schaffneri (Gray) Shinners Mexico 100,230
scoparia (DC.) Gray Mexico 100
secundiflora (Lag.) Gray Mexico 100
seemannii Gray Mexico 100
†*solidaginifolia* Gray 1887 = *Asanthus solidaginifolius* 79
spinulosa Gray Mexico 79,100
†*squamulosa* Gray 1880 = *Asanthus squamulosus* 79
squarrosa (Cav.) B.L. Robins. Mexico 100
†*thyrsiflora* Gray 1880 = *Asanthus thyrsiflorus* 79
verbenacea (Greene) B.L. Robins. Mexico 100
veronicifolia (H.B.K.) Gray US, Mexico 100,230
Brickelliastrum K. & R. 1972 1 sp. 78,165,233
fendleri (Gray) K. & R. (*Brickellia*) US 78
Bulbostylis Kunth Cyperaceae 11
†*Bulbostylis* DC. 1836 = *Brickellia* 11,207,229,233
†*cavanillesii* (Cass.) DC. (*Coleosanthus*) = *Brickellia cavanillesii* 11,229
†*diffusa* (Vahl) DC. (*Eupatorium*) = *Coleosanthus diffusus* = *Brickellia diffusa* 229
†*elegans* Gardn. 1846 = *Ayapana amygdalina* 229
†*glandulosa* Gardn. 1846 = *Ayapana amygdalina* 229
†*micrantha* Gardn. 1847 = *Ayapana amygdalina* 229
†*microcephala* Gardn. 1846 = *Ayapana amygdalina* 229
†*oblongifolia* Gardn. 1846 = *Ayapanopsis oblongifolia* 207
†*pedunculosa* DC. 1836 = *Phanerostylis pedunculosa* 81
†*pumila* Gardn. 1846 = *Heterocondylus pumilus* 105
†*spinaciifolia* DC. 1836 = *Critonia spinaciifolia* 48
†*tomentosa* Gardn. 1846 = *Ayapana amygdalina* 229
†*triangularis* DC. 1838 = *Eupatoriastrum triangulare* 41
†*Butschia* Moench = *Ageratina* 233
Cacalia L.
†*cordifolia* L. f. 1782 = *Willoughbya cordifolia* = *Mikania cordifolia* 229
†*mentrasto* Vell. 1825 = *Ageratum conyzoides* 229
†*Caelestina* Cass. 1817 = *Coelestina* 11
†*coerulea* Cass. = *Coelestina coerulea* = *Ageratum coeruleum* 11
Calea L.
†*oppositifolia* L. 1753 = *Isocarpha oppositifolia* 11,229

- †*Calostelma* D. Don 1833 = *Liatris* 11,225
 †*elegans* (Walt.) D. Don 1833 (*Staelhelina*) = *Liatris elegans* 11
Campovassouria K. & R. 1971 1 sp. 51,56,57,207,233
 †*bupleurifolia* (DC.) K. & R. (*Eupatorium*) = *Campovassouria cruciata* 207
cruciata (Vell.) K. & R. (*Chrysocoma*) Bolivia, Brasil 56,207
Campuloclinium DC. 1836 14 spp. 24,30,91,97,228,233,235
 †*barrosoanum* (Barroso) K. & R. (*Trichogonia*) = *Campuloclinium campuloclinioides* 94,
 110,130
burchellii (Baker) K. & R. (*Eupatorium*) Argentina, Brasil 90,110
campuloclinioides (Baker) K. & R. (*Ageratum*) Brasil 94,110,130
chlorolepis (Baker) K. & R. (*Eupatorium*) Brasil 90
 †*crenatum* Schlect. ex Mart. 1841 = *Diacranthera crenata* 98
eteniorum K. & R. 1980 Brasil 191
hickenii (Cabrera & Vittet) K. & R. (*Eupatorium*) Argentina 90
hirsutum Gardn. 1847 Brasil 90,191
irwini K. & R. 1972 Brasil 110
macrocephalum (Less.) DC. (*Eupatorium*) Central America, South America, Mexico 11,
 90,232
megacephalum (Mart. ex Baker) K. & R. (*Eupatorium*) Brasil 90
parvulum (Glaziou ex B.L. Robins.) K. & R. (*Eupatorium*) Brasil 90,164
purpurascens (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 90,110
riedelii (Baker) K. & R. (*Eupatorium*) Brasil 90
 †*surinamense* Miq. 1843 = *Heterocondylus vitalbae* 229
tubaracense (Heiron.) K. & R. (*Eupatorium*) Brasil 90,92
†*Carelia* Juss. ex Cav. 1802 = *Mikania* 11,229,233
 †*satureiifolia* Cav. 1802 = *Mikania amara* Willd. 11,44,229
†*Carelia* Less. 1832 = *Radikoferotoma* 11,44,233,235
 †*berroi* Hutch. 1916 = *Radikoferotoma berroi* 44
 †*cistifolia* Less. 1832 = *Radikoferotoma cistifolium* 11,44
 †*ramboi* Cabrera 1957 = *Radikoferotoma ramboi* 44
†*Carelia* Pontedera ex Fabricius 1759 = *Ageratina* 233 = *Ageratum* 44,229
conyzoides L. 11,229
houstoniana (Mill.) O. Ktze. (*Ageratum*) = *Ageratum houstonianum* 229
Carminatio Moc. ex DC. 1838 2 spp. 11,165,233,235
recondita McVaugh Mexico 100
tenuiflora DC. 1838 Mexico, US 11,100
tenuifolia DC. Mexico 230
Carphephorus Cass. 1816 5 spp. 11,233
pseudoliatris Cass. 1816 US 11
Carphochaete Gray 1849 5 spp. 11,100,157,232,233
grahamii Gray Mexico 100
gummifera McVaugh Mexico 100
wislizeni Gray 1849 Mexico 11
Carterothamnus King 1967 1 sp. 3,11,14,15,233,235
anomalochaetus King 1967 Baja California 3,11
Castenedia K. & R. 1978 1 sp. 172
santamartensis K. & R. 1978 Colombia 172
Cauchantia K. & R. 1980 2 spp. 195
glomerata (Barroso & King) K. & R. (*Ageratum*) Brasil 195,228
percymosa K. & R. 1980 Brasil 195
Chacoa K. & R. 1975 2 spp. 150,153,154,233
 †*mikaniifolia* (B.L. Robins.) K. & R. (*Eupatorium*) 154 = *Bishovia mikaniifolia* 182

Chacoa continued

- pseudoprasiifolia* (Hassl.) K. & R. (*Eupatorium*) Paraguay, Argentina 154
 †*Chone Dulac* 1867 = *Eupatorium* 11,226,233
 †*heterophylla* Dulac 1867 = *Eupatorium heterophyllum* 11
Chromolaena DC. 1836 165 spp. 11,28,48,63,64,97,110,124,128,143,144,149,150,152,228,235
adenolepis (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 29,200
alvimii K. & R. 1980 Brasil 200
anachoretica (B.L. Robins.) K. & R. (*Eupatorium*) Peru 200
angusticeps (Malme) K. & R. (*Eupatorium*) 207
arnottiana (Griseb.) K. & R. (*Eupatorium*) Argentina, Bolivia 29
arrayana (Gardn.) K. & R. (*Eupatorium*) Brasil 29
ascendens (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) eastern South America 29
asperrima (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 200
austera (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 29
bahamensis (Northrop) K. & R. (*Eupatorium*) Bahama Islands 29
bangii (Rusby) K. & R. (*Eupatorium*) Bolivia 29
barbacensis (Heiron.) K. & R. (*Eupatorium*) Brasil 29
barranquillensis (Heiron.) K. & R. (*Eupatorium*) Colombia 29
barrosoae K. & R. 1980 Brasil 200
bathyphlebia (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 29
beckii K. & R. 1982 Bolivia 214
bertholdii (Sch.-Bip.) K. & R. (*Eupatorium*) Mexico 29
bigelovii (Gray) K. & R. (*Eupatorium*) Mexico 29
boringuensis (Britt.) K. & R. (*Osmia*) Puerto Rico 29
breedlovei K. & R. 1980 Mexico 200
brunneola (Baker) K. & R. (*Eupatorium*) Brasil 200
bullata (Klatt) K. & R. (*Eupatorium*) Colombia 29,200
caaguazuensis (Heiron.) K. & R. (*Eupatorium*) Brasil, Paraguay 29
calamocephala (Baker) K. & R. (*Eupatorium horminoides* var. *calamocephalum*) Brasil 29
caldensis (B.L. Robins.) K. & R. (*Eupatorium*) 207
callilepis (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 29
campestris (DC.) K. & R. (*Eupatorium*) Brasil 29
chasleae (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 29,233
christieana (Baker) K. & R. (*Eupatorium*) Brasil 29
chrysosticta (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 29
cinereoviridis (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 29
collina (DC.) K. & R. (*Eupatorium*) Mexico 29,100,230
columbiana (Heering) K. & R. (*Eupatorium*) Colombia 29
congesta (H. & A.) K. & R. (*Eupatorium*) Brasil, Uruguay 29,214
connivens (Rusby) K. & R. (*Eupatorium*) Peru, Bolivia 29
corymbosa (Aubl.) K. & R. (*Eupatorium*) West Indies, French Guiana 29
costatipes (B.L. Robins.) K. & R. (*Eupatorium*) 207
cryptantha (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 200
cylindrocephala (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 200
decumbens Gardn. 1846 Brasil 29
densiflora (Morong) K. & R. (*Eupatorium*) Paraguay 29
desmocephala (B.L. Robins.) K. & R. (*Eupatorium*) 207
diaphanopylebia (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 200
dussii (Urban) K. & R. (*Eupatorium*) Guadeloupe 29
elliptica (H. & A.) K. & R. (*Eupatorium*) Argentina, Brasil 29,214
epaleacea Gardn. 1847 29
eripsima (B.L. Robins.) K. & R. (*Eupatorium*) Peru 29

Chromolaena continued

- extensa* (Gardn.) K. & R. (*Eupatorium*) Bolivia, Brasil 29
farinosa (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 29
ferruginea (Gardn.) K. & R. (*Eupatorium*) 207
foliata (Heiron.) K. & R. (*Eupatorium*) 29 = *Chromolaena pedunculosa* 200
frustrata (B.L. Robins.) K. & R. (*Eupatorium*) US 29,234
furcata (Lam.) K. & R. (*Eupatorium*) West Indies 29
geranifolia (Urban) K. & R. (*Eupatorium*) Puerto Rico 29
gentianoides (B.L. Robins.) K. & R. (*Brickellia*) Brasil 200
glaberrima (DC.) K. & R. (*Eupatorium*) Mexico, Guatemala 29,100,164
haenkeana (DC.) K. & R. (*Eupatorium*) Mexico 29,100
haughtii (B.L. Robins.) K. & R. (*Eupatorium*) Peru 29
herzogii (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 29
heteroclinia (Griseb.) K. & R. (*Eupatorium*) Jamaica 29,234
heterosquamea (Urban & Ekman) K. & R. (*Eupatorium*) Dominican Republic 156
hirsuta (H. & A.) K. & R. (*Eupatorium*) Argentina, Brasil, Uruguay 29
holquinensis (B.L. Robins.) K. & R. (*Eupatorium*) 29 = *Grisebachianthus holquinensis* 151
hookeriana (Griseb.) K. & R. (*Eupatorium*) Argentina, Brasil 200
horminoides DC. 1836 Brasil 11,29,229
hypericifolia (H.B.K.) K. & R. (*Eupatorium*) Colombia 29
hypodictya (B.L. Robins.) K. & R. (*Eupatorium*) 207
integrifolia (Bert. ex Spreng.) K. & R. (*Eupatorium*) Guadeloupe 29
tridolepis (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 29
wifolia (L.) K. & R. (*Eupatorium, Osmia*) US, West Indies, Central America, South America 29,200,214,229,233
jelskii (Heiron.) K. & R. (*Eupatorium*) Peru 29
jujuiensis (Heiron.) K. & R. (*Eupatorium*) Argentina 29
kleinii (Cabrera) K. & R. (*Eupatorium*) Brasil 29
laevigata (Lam.) K. & R. (*Eupatorium*) Mexico to Argentina 29,229,230,233
larenensis (Badillo) K. & R. (*Eupatorium*) Venezuela 162
latisquamulosa (Heiron.) K. & R. (*Eupatorium rhinanthaceum* var. *latisquamulosum*) Argentina, Brasil 29
leivensis (Heiron.) K. & R. (*Eupatorium*) Colombia 29,200
leptocephala (DC.) K. & R. (*Eupatorium*) Colombia, Peru, Ecuador 29
klacina (Heiron.) K. & R. (*Eupatorium*) Brasil 29
linearis (Malme) K. & R. (*Eupatorium*) Brasil, Guayana 29
lucayana (Britt.) K. & R. (*Eupatorium*) Bahama Islands 29
luguensis (Chod.) K. & R. (*Eupatorium*) Paraguay 29
kundellii K. & R. 1978 Guatemala 234
macrantha (Sw.) K. & R. (*Eupatorium*) West Indies 29
mallota (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 29
margaritensis (Hassl.) K. & R. (*Eupatorium*) Brasil, Paraguay 29
mattogrossensis (Heiron.) K. & R. (*Eupatorium*) Brasil 29
mazimillianii (Schrad. ex DC.) K. & R. (*Eupatorium*) 207
mendezii (DC.) K. & R. (*Eupatorium*) Mexico 156
meridensis (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 29
minasgeraeensis (Heiron.) K. & R. (*Eupatorium*) Brasil 200
misella (McVaugh) K. & R. (*Eupatorium*) Mexico 100
molina (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 29
mononeura (Urban) K. & R. (*Eupatorium*) Dominica Island 29
mori K. & R. 1980 Brasil 200

Chromolaena continued

- moritensis* (Aristeguieta) K. & R. (*Eupatorium*) 162
moritziana (Sch.-Bip. ex Heiron.) K. & R. (*Eupatorium*) Venezuela 29
 †*mornicola* (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 29 = *Koanophyllum mornicola* 150
mucronata (Gardn.) K. & R. (*Eupatorium*) Brasil 164
multiflosculosa (DC.) K. & R. (*Eupatorium*) Brasil 29
myriadenia K. & R. 1980 Brasil 200
myriocephala (Gardn.) K. & R. (*Eupatorium*) Brasil 16, 29, 229
odorata (L.) K. & R. (*Eupatorium*, *Heterolaena*, *Osmia*) Mexico, West Indies, South America 11, 29, 100, 114, 200, 230, 233
oerstediana (Benth. ex Oerst.) K. & R. (*Eupatorium*) Central America 29, 232
oinopolepis (Malme) K. & R. (*Eupatorium rhinanthaceum* var. *oinopolepis*) Brasil 29
opadochinia (Blake) K. & R. (*Eupatorium*) Mexico 29, 230
orbignyania (Klatt) K. & R. (*Eupatorium*) Argentina, Paraguay 29
ortegae (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 29, 100
ossaeana (DC.) K. & R. (*Eupatorium*) West Indies 29
oteroi (Monachino) K. & R. (*Eupatorium*) Puerto Rico 29
ovaliflora (H. & A.) K. & R. (*Eupatorium*) Mexico 29, 100
ozylepis (DC.) K. & R. (*Eupatorium*) Venezuela, Brasil 29
oyadensis (Heiron.) K. & R. (*Eupatorium*) Argentina, Paraguay 29
palmaris (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 29
paraguariensis (Heiron.) K. & R. (*Eupatorium*) Paraguay 29
parviceps (Malme) K. & R. (*Eupatorium*) Brasil 29
pedalis (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 29
pedunculosa (H. & A.) K. & R. (*Eupatorium*) Brasil 29, 200
pellia (Klatt) K. & R. (*Eupatorium*) Venezuela 29
perforata (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 29
perglabra (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 29
periensis K. & R. 1980 Colombia 200
persericea K. & R. 1980 Colombia, Venezuela 200
pharcidodes (B.L. Robins.) K. & R. (*Eupatorium*) Guayana, Venezuela 29
picta (Gardn.) K. & R. (*Eupatorium*) Brasil 200
 †*plumieri* (Urban & Ekman) K. & R. (*Eupatorium*) 29 = *Osmiopsis plumieri* 149
polyantha (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil, Paraguay, Uruguay 29
porophylloides (B.L. Robins.) K. & R. (*Eupatorium*) 207
porphyrolepis (Baker) K. & R. (*Eupatorium*) Brasil 29
pseudinsignis K. & R. 1980 Brasil 200
pulchella (H.B.K.) K. & R. (*Eupatorium*) Mexico 29, 100
punctata (Lam.) K. & R. (*Eupatorium*) West Indies 29
punctulata (DC.) K. & R. (*Eupatorium*) Colombia, Brasil 29
pungens (Gardn.) K. & R. (*Eupatorium*) Brasil 200
queretaria (L.O. Williams) K. & R. (*Eupatorium*) Guatemala, Mexico 164, 232
revoluta (Gardn.) K. & R. (*Eupatorium*) Brasil 29
rhinanthesce (DC.) K. & R. (*Eupatorium*) Brasil 29
rigida (Sw.) K. & R. (*Eupatorium*) 207
rojasii (Hassl.) K. & R. (*Eupatorium*) Paraguay 29
roseora (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 29
sagittata (Gray) K. & R. (*Eupatorium*) Mexico 29, 100, 230
sagittifera (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 29
sanctopaulensis (B.L. Robins.) K. & R. (*Eupatorium*) Argentina, Brasil 29
antanensis (Aristeguieta) K. & R. (*Eupatorium*) Venezuela 29

Chromolaena continued

- scabra* (L.) K. & R. (*Eupatorium*) Guayana to Peru, Brasil 29
serratuloides (H.B.K.) K. & R. (*Eupatorium*) 207
sinuata (Lam.) K. & R. (*Eupatorium*) West Indies 156
squalida (DC.) K. & R. (*Eupatorium*) Brasil, Venezuela 29
squarrosoramosa (Heiron.) K. & R. (*Eupatorium*) Bolivia, Argentina 29,200
squarrulosa (H. & A.) K. & R. (*Eupatorium*) Brasil, Paraguay, Uruguay 29,200
stachyophylla (Spreng.) K. & R. (*Eupatorium*) Bolivia, Brasil 29
steyermarkiana (Badillo) K. & R. (*Eupatorium*) Venezuela 162
stillingiifolia (DC.) K. & R. (*Eupatorium*) Mexico 156
subscandens (Heiron.) K. & R. (*Eupatorium*) Colombia, Bolivia 29,200
suratensis (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 29
tacotana (Klatt) K. & R. (*Eupatorium*) Colombia 29,200
tecta (Gardn.) K. & R. (*Eupatorium*) Brasil 29
tenuicapitulata (Heiron.) K. & R. (*Eupatorium*) Peru 29
thurnii (B.L. Robins.) K. & R. (*Eupatorium*) Guayana, Venezuela 29
toldensis (Heiron.) K. & R. (*Eupatorium*) Argentina, Bolivia 29
trigonocarpa (Griseb.) K. & R. (*Eupatorium*) Dominica Island 29
trujillensis (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 29
turnariensis (Heiron.) K. & R. (*Eupatorium conyzoides* var. *turnariense*) Bolivia 29
tyleri (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 29
ulei (Heiron.) K. & R. (*Eupatorium*) Brasil 29
umbelliformis (Dusen ex Malme) K. & R. (*Eupatorium*) Brasil 29
uromenes (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 29
urticoides (Sch.-Bip. ex Heiron.) K. & R. (*Eupatorium*) Venezuela 29
verbenacea (DC.) K. & R. (*Eupatorium*) Brasil, Paraguay, Argentina 29
verticillata K. & R. 1980 Brasil 200
vindei (DC.) K. & R. (*Eupatorium*) Brasil 200
zestolepidoides (Wurdack) K. & R. (*Eupatorium*) Venezuela 162
zestolepis (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 29
zyllorrhiza (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 29,200

Chrysocoma L. 207

- †*alata* Vell. 1825 = *Heterocondylus alatus* 207
 †*cruciata* Vell. 1825 = *Campovassouria cruciata* 207

Ciceronia Urban 1925 1 sp. 11,43,233

- chaptaliooides* Urban 1925 West Indies 11

†*Clavigera* DC. 1836 = *Brickellia* 11,233

- †*corymbosa* DC. 1836 = *Brickellia corymbosa* 11,229

†*Coelestina* Cass. 1817 = *Ageratum* 11,233

- †*coerulea* Cass. 1817 (*Caelestina*) = *Ageratum coeruleum* 11

- †*microcarpa* Benth. ex Oerst. 1852 = *Alomia microcarpa* = *Ageratum microcarpum* 227

†*Coleosanthus* Cass. 1817 = *Brickellia* 11,233

- †*cavanillesii* Cass. 1817 = *Bulbostylis cavanillesii* = *Brickellia cavanillesii* 11,229

- †*diffusa* (Vahl) Kunze (*Eupatorium*, *Bulbostylis*) = *Brickellia diffusa* 229

- †*tilifolius* Cass. 1822 = *Hebeclinium macrophyllum* 229

Condylidium K. & R. 1972 2 spp. 102

- cuatrecasasii* K. & R. 1972 Colombia 102

- resinoides* (H.B.K.) K. & R. (*Eupatorium*) Central America, West Indies, South America 102,159,229,230,232,233

Condylopodium K. & R. 1972 4 spp. 108,165,233

- cuatrecasasii* K. & R. 1972 Colombia 108

- fuliginosum* (H.B.K.) K. & R. (*Eupatorium*) Colombia 108

Condylolopodium continued

- killipii* K. & R. 1972 Colombia 108
pennellii K. & R. 1972 Colombia 108
Conocliniopsis K. & R. 1972 1 sp. 68,96,183,203,233
prasiifolia (DC.) K. & R. (*Conoclinium*) Colombia, Venezuela, Brasil 68
Conoclinium DC. 1836 3 spp. 11,18,33,216,226,233
betonicifolium (Mill.) K. & R. (*Eupatorium*) Mexico, US 13,100
†*betoniciforme* DC. 1836 = *Barrosoa betoniciformis* 34
coelestinum (L.) DC. (*Eupatorium*) US, Ecuador 11,13,230
greggii (Gray) Small (*Eupatorium*) US, Mexico 13,58
†*humile* Benth. 1845 = *Lourteigia humilis* 35
†*prasiifolium* DC. 1840 = *Conocliniopsis prasiifolia* 68
†*semistriatum* Sch.-Bip. ex Baker 1876 = *Bejaranoa semistriata* 183
†*viridiflorum* Baker 1876 = *Barrosoa viridiflora* 34
Corethamnium K. & R. 1978 1 sp. 171,175,196
chocoensis K. & R. 1978 Colombia 171
†*Corynanthelium* Kunze 1847 = *Mikania* 11,229,233
†*moronoea* Kunze 1847 = *Mikania moronoea* 11,229
Critonia P. Browne 1756 38 spp. 11,22,45,46,47,59,64,85,138,141,143,144,150,158,183,199,
201,222,233,235
arachnoidea (Legname) K. & R. (*Eupatorium*) 207
aromaticans (DC.) K. & R. (*Eupatorium*) Cuba, Dominican Republic 48
bartlettii (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala, Mexico, Belize 48,162,232
billbergiana (Beurl.) K. & R. (*Eupatorium*) Central America 48,114,164,229,232
campechensis (B.L. Robins.) K. & R. (*Eupatorium*) Belize 48
chrysocephala (Klatt) K. & R. (*Eupatorium*) Costa Rica 48
conzatti (Greenm.) K. & R. (*Eupatorium*) Mexico 48
dalea (L.) DC. (*Eupatorium*) Jamaica 11,48,50,74,229
daleoides DC. 1836 48,49,229
dominicensis K. & R. 1972 Dominica 74
eggerstii (Heiron.) K. & R. (*Eupatorium*) Ecuador 48
eriocarpa (B.L. Robins. & Greenm.) K. & R. (*Eupatorium*) Mexico 48,180
hebebotrya DC. 1836 Central America, Mexico 37,48,100,232
hemipteropodia (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 48
heteroneura Ernst 1874 Colombia, Venezuela 48
hospitalis (B.L. Robins.) K. & R. (*Eupatorium*) Central America, Mexico 48,230,232
iltisii K. & R. 1978 Guatemala, Mexico 180
imbricata Griseb. 1863 Cuba 48
maequidens (Urban) K. & R. (*Eupatorium*) Hispaniola 48
lanicalis (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala 48
laurifolia (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica 48
lozanoana (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 48
macropoda DC. 1836 Trinidad 48
magistri (L.O. Williams) K. & R. (*Eupatorium*) Guatemala, Belize 164,232
megaphylla (Baker) K. & R. (*Eupatorium*) 207 = *Critonia morifolia* 229
morfifolia (Mill.) K. & R. (*Eupatorium*) Central America, South America, Mexico 48,100,
229,230
naiguatensis (Badillo) K. & R. (*Steyermarkina*) Venezuela 162
nicaraguensis (B.L. Robins.) K. & R. (*Eupatorium*) Nicaragua 48
parviflora (Sweet) DC. (*Eupatorium*) Jamaica 48
peninsularis (Brandeg.) K. & R. (*Eupatorium*) Mexico 48
platychaeta (Urban) K. & R. (*Eupatorium*) Jamaica 74

Critonia continued

- portoricensis* (Urban) Britt. & P.-Wilson (*Eupatorium*) Puerto Rico 48
pseudodalea DC. 1836 Cuba 48
quadrangularis (DC.) K. & R. (*Eupatorium*) Central America 48,100
sezangularis (Klatt) K. & R. (*Piptocarpha*) Central America 48,229,230
spinaciifolia (DC.) K. & R. (*Bulbostylis*) Mexico 48
stigmatica (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 48
thyrsigera (Heiron.) K. & R. (*Eupatorium*) Colombia 48
thyrsoides (Moc. ex DC.) K. & R. (*Eupatorium*) Mexico, Nicaragua 48
Critoniadelphus K. & R. 1971 2 spp. 48,49,50,158,163,233
microdon (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala 49,232
nubigenus (Benth.) K. & R. (*Eupatorium*) Central America 49,232
Critoniella K. & R. 1975 6 spp. 138,141,172,216,233
acuminata (H.B.K.) K. & R. (*Eupatorium*) Colombia, Venezuela, Peru 138
albertosmithii (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 138
lebrijensis (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 138
leucolithogena (B.L. Robins.) K. & R. (*Eupatorium, Hebeclinium*) Colombia 147,156
vargasiana (DC.) K. & R. (*Eupatorium*) Colombia, Venezuela 138
Cronquistia King 1968 1 sp. 6,8,11,157,225,233,235
pringlei (Wats.) King (*Stevia*) Mexico 6,11,230
Cronquistianthus K. & R. 1972 26 spp. 75,217,220
bulliferus (Blake) K. & R. (*Eupatorium*) Colombia, Ecuador 75,207,215
callacatensis (Heiron.) K. & R. (*Eupatorium*) Peru 156
celendinensis K. & R. 1982 Peru 215
chachapoyensis K. & R. 1982 Peru 215
chamaedrifolius (H.B.K.) K. & R. (*Eupatorium*) Ecuador, Peru 75,119,215
chotensis (Heiron.) K. & R. (*Eupatorium*) Peru 75
desmophyllus (B.L. Robins.) K. & R. (*Eupatorium*) Peru 75
determinatus (B.L. Robins.) K. & R. (*Eupatorium urubamense* var. *determinatum*) 215
ferreyrii K. & R. 1974 Peru 119
glomeratus (DC.) K. & R. (*Eupatorium*) Peru 75,215
infantesii K. & R. 1982 Peru 215
kalenbornianus (B.L. Robins.) K. & R. (*Eupatorium*) Peru 75
korthalsianus (B.L. Robins.) K. & R. 233
lavendulifolius (DC.) K. & R. (*Eupatorium*) Peru 75
leucophyllum (H.B.K.) K. & R. (*Eupatorium*) Peru 75
macbridei K. & R. 1982 Peru 215
marrubifolius (Heiron.) K. & R. (*Eupatorium*) Peru 119,215
niveus (H.B.K.) K. & R. (*Eupatorium*) Colombia, Ecuador 60,75
organoides (H.B.K.) K. & R. (*Eupatorium*) Colombia, Ecuador 75
pseudorganoides (Heiron.) K. & R. (*Eupatorium*) Ecuador 75
rosei K. & R. 1982 Ecuador 215
rugosus (H.B.K.) K. & R. (*Eupatorium*) 75 = *Cronquistianthus bulliferus* 207
urubamensis (B.L. Robins.) K. & R. (*Eupatorium*) Peru 75
volkensis (Heiron.) K. & R. (*Eupatorium*) Peru 75
Crossothamnus K. & R. 1972 1 sp. 84,165,233
weberbaueri (Heiron.) K. & R. (*Eupatorium*) Peru 84
[†]*Cunigunda* Bub. 1900 = *Eupatorium* 226,233
Dasycondylus K. & R. 1972 8 spp. 96,97,98,129,203,223,233
debeauzii (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 97
dusenii K. & R. 1972 Brasil 97
lobbii (Klatt) K. & R. (*Eupatorium*) Bolivia, Peru, Brasil 97

Dasycondylus continued

- platylepis* (Baker) K. & R. (*Eupatorium*) Brasil 97
regnellii K. & R. 1972 Brasil 97, 191
resinosus (Spreng.) K. & R. (*Mikania*) Brasil 97
riedelii K. & R. 1972 Brasil 97, 191
santosii K. & R. 1980 Brasil 191
- Decachaeta* DC. 1836 7 spp. 11, 17, 36, 73, 99, 131, 176, 233
 †*conferta* Gardn. 1846 = *Ageratum confertum* 16 = *Acrithopappus confertus* 109
haenkeana DC. 1836 Mexico 7, 11, 16, 100, 229
incompta (DC.) K. & R. (*Eupatorium*) Mexico 16, 100, 230
 †*longifolia* Gardn. 1846 = *Alomia longifolia* 16 = *Acrithopappus longifolius* 109
ovandensis K. & R. Mexico 16
ovatifolia (DC.) K. & R. (*Nothites, Ophryosporus*) Mexico 16, 100
perornata (Klatt) K. & R. (*Eupatorium*) Mexico 37
scabrella (B.L. Robins.) K. & R. (*Eupatorium, Ophryosporus*) Mexico 16, 100
 †*seemannii* Benth. & Hook. = *Ageratella microphylla* 16
thieliana (Klatt) K. & R. (*Eupatorium*) Costa Rica 16, 229
- Diacranthera* K. & R. 1972 2 spp. 98, 233
crenata (Schlecht.) K. & R. (*Campuloclinium*) Brasil 98, 175
ulei K. & R. 1972 Brasil 98
- †*Dichaeta* Sch.-Bip. 1850 nom. nud. = *Schaetzellia* = *Macvaughia* 11, 233
- †*Dimorpholepis* K. & R. 1971 51, 54, 55, 56, 233 = *Grazielia*
 †*anethifolia* (DC.) K. & R. (*Eupatorium*) 55 = *Grazielia anethifolia* 67 = *Mikania*
anethifolia 209
 †*coriacea* (Scheele) K. & R. (*Eupatorium*) 55 = *Grazielia coriacea* 67 = *Symphyopappus*
reticulata 209
 †*gaudichaudiana* (DC.) K. & R. (*Eupatorium*) 55 = *Grazielia gaudichaudiana* 67
 †*grazielae* K. & R. 1971 (*Eupatorium dimorpholepis* Baker) 55 = *Grazielia dimorpholepis*
 67
 †*intermedia* (DC.) K. & R. (*Eupatorium*) 55 = *Grazielia intermedia* 67
 †*mollissima* (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) 55 = *Grazielia mollissima* 67
 †*multifida* (DC.) K. & R. (*Eupatorium*) 55 = *Grazielia multifida* 67
 †*nummularia* (H. & A.) K. & R. (*Eupatorium*) 55 = *Grazielia nummularia* 67
 †*serrata* (Spreng.) K. & R. (*Eupatorium*) 55 = *Grazielia serrata* 67
- Dissothrix* Gray 1851 2 spp. 11, 165, 233, 235
gardneri Gray 1851 South America 11
 †*imbricata* (Gardn.) B.L. Robins. = *Dissothrix gardneri* 11
- Disynaphia* H. & A. 16 spp. 33, 51, 53, 54, 55, 56, 165, 179, 191, 223
achillaea (Chod.) K. & R. (*Eupatorium*) Paraguay 57
albissima (Hassl.) K. & R. (*Eupatorium*) Paraguay 57
calyculata (H. & A.) K. & R. (*Eupatorium*) Argentina, Brasil, Uruguay 11, 57
ericoides (DC.) K. & R. (*Eupatorium*) Brasil 57
filifolia (Hassl.) K. & R. (*Eupatorium*) Paraguay 57
halimifolia (DC.) K. & R. (*Eupatorium*) Brasil 164
ligulifolia (H. & A.) K. & R. (*Eupatorium*) Brasil 57, 164
titorialis (Cabrer.) K. & R. (*Eupatorium*) Brasil 57, 164
minutiflora K. & R. 1980 Brasil 191
 †*montivida* DC. 1838 11 = *Disynaphia calyculata* 57
multicrenulata (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil, Paraguay 57
praeficta (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 57, 156
radula (Chod.) K. & R. (*Eupatorium*) Brasil, Paraguay 57, 233
senecionoidea (Baker) K. & R. (*Eupatorium*) Brasil 57

Disynaphia continued

- spathulata* (H. & A.) K. & R. (*Eupatorium*) Brasil 57,164
variolata (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 57,164
- Dyscritogyne* K. & R. 1971 2 spp. 59,60,63,77,79,165,233
adenosperma (Sch.-Bip.) K. & R. (*Eupatorium*) Mexico 60,100
dryophila (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 60,100
- Dyscritothamnus* B.L. Robins. 1922 2 spp. 11
filifolius B.L. Robins. 1922 Mexico 11
- Eitenia* K. & R. 1974 2 spp. 124,233,235
polyseta K. & R. 1979 Brasil 178
praelioides K. & R. 1974 Brasil 124,178
- Ellenbergia* Cuatrecasas 1964 1 sp. 11,228,233
glandulata Cuatrecasas 1964 Peru 7,11,131
- †*Eriopappus* Loud. 1839 nom. nud. = *Brickellia* 11,233
- Erythradenia* (B.L. Robins.) K. & R. 1969 1 sp. 17,99,131,133,176,233
pyramidalis (B.L. Robins.) K. & R. (*Piqueria*) Mexico 17,100
- Eupatoriadelphus* K. & R. 1970 4 spp. 24,25,227,233,235
dubius (Willd. ex Poir.) K. & R. (*Eupatorium*) US 25
fistulosus (Barratt) K. & R. (*Eupatorium*) US 25
maculatus (L.) K. & R. (*Eupatorium*) US, Canada 25,190
purpureus (L.) K. & R. (*Eupatorium*) US 25,226
- Eupatoriastrum* Greenm. 1903 3 spp. 11,112,150,232,233,235
angulifolium (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala, Mexico 41
†*clavisetum* Badillo 1943 = *Idiothamnus clavisetus* 155
nelsonii Greenm. 1903 El Salvador, Mexico 11,41,105
triangulare (DC.) B.L. Robins. (*Bulbostylis*) Mexico 37,41,100
- Eupatorina* K. & R. 1971 1 sp. 42,43,45,233
sophiifolia (L.) K. & R. (*Eupatorium*) Hispaniola 42
- Eupatoriopsis* Heiron. 1893 1 sp. 11,28,124,178,233
hoffmanniana Heiron. 1893 Brasil 11,110
- Eupatorium* L. 1753 44 spp. 11,226
†*abronium* Klatt 1894 = *Ageratina abronia* 85
†*achilleum* Chod. 1901 = *Disynaphia achillaea* 57
†*acuminatum* H.B.K. 1818 = *Critoniella acuminata* 138
†*acuminatum* H. & A. 1835 = *Neocabreria serrulata* 65
†*acutidentatum* B.L. Robins. 1907 = *Ageratina acutidentata* 19
†*adamanthium* Gardn. 1846 = *Koanophyllum adamantium* 150
†*adenachaenium* Sch.-Bip. ex Klatt 1884 = *Ageratina adenachaenia* 19
†*adenanthum* DC. 1836 = *Trichogoniopsis adenantha* 91,93
†*adenolepis* Sch.-Bip. ex Baker 1876 = *Chromolaena adenolepis* 29
†*adenophorum* Spreng. 1826 = *Ageratina adenophora* 19
†*adenospermum* Sch.-Bip. 1854 = *Dyscritogyne adenosperma* 60
†*adspersum* Klatt 1895 = *Ageratina anisochroma* 229
†*aegriophyllum* B.L. Robins. 1900 = *Ageratina aegriophylla* 19
†*aequinoctiale* B.L. Robins. 1920 = *Fleischmannia aequinoctialis* 18
†*africanum* Oliver & Heiron. 1877 = *Stomatianthes africanus* 24
†*ageratifolium* var. *herbaceum* Gray = *Eupatorium herbaceum* = *Ageratina herbacea* 19
†*ageratooides* L. f. = *Ageratiopsis ageratooides* 11 = *Ageratum altissimum* 11 = *Ageratina altissima* 19
†*albertinae* Molina = *Campuloclinium macrocephalum* 232
†*albertosmithii* B.L. Robins. 1928 = *Critoniella albertosmithii* 138
†*albicaule* Sch.-Bip. ex Klatt 1884 = *Koanophyllum albicaule* 64,150

Eupatorium continued

- †*albissimum* Hassl. 1912 = *Disynaphia albissima* 57
album L. US 226
 †*allenii* Standl. 1938 = *Ageratina allenii* 85
 †*alternifolium* Sch.-Bip. ex Baker 1876 = *Gyptis alternifolia* 33 = *Gyptis crassipes* 164
 †*altiscandens* McVaugh 1972 = *Neomirandeaa araliifolia* 100
altissimum L. 1753 US 226,233
 †*ambylolepis* B.L. Robins. 1900 = *Ageratina ambylolepis* 19
 †*amethystinum* B.L. Robins. 1926 = *Aristeguietia amethystina* 139
 †*amphidictylum* DC. 1836 = *Heterocondylus amphidictyus* 105
 †*amplifolium* Gray = *Ageratina rubricaulis* 19
 †*ampulum* Benth. 1845 = *Ageratina ampla* 19
 †*amygdalinum* Lam. 1788 = *Ayapana amygdalina* 30
 †*anachoreticum* B.L. Robins. 1934 = *Chromolaena anachoretica* 200
 †*anchistum* Grashoff & Beaman 1969 = *Ageratina anchista* 85
 †*andinum* B.L. Robins. 1926 = *Ayapanopsis andina* 103
 †*anethifolium* DC. 1836 = *Dimorpholepis anethifolia* 55 = *Grazielia anethifolia* 67 =
Mikania anethifolia 209
 †*angulare* B.L. Robins. 1931 = *Neomirandeaa angularis* 21
 †*angulicaule* Sch.-Bip. ex Baker 1876 = *Astrocritionia angulicaulis* 143
 †*angulicaule* Lasser & Maguire 1950 = *Guayania yaviana* 39
 †*angulifolium* B.L. Robins. 1922 = *Eupatoriastrum angulifolium* 41
 †*angusticeps* Malme 1932 = *Chromolaena angusticeps* 207
 †*angustissimum* Spreng. ex Baker 1876 = *Pseudobrickettia angustissima* 83
 †*anisochromum* Klatt 1892 = *Ageratina anisochroma* 19
 †*anisodontum* B.L. Robins. 1919 = *Aristeguietia anisodonta* 139
 †*anisopodium* B.L. Robins. 1901 = *Fleischmannia anisopoda* 18
anomalum Nash US 226
 †*antiquorum* Standl. & Steyermark 1940 = *Fleischmannia antiquora* 207
 †*apense* Chod. 1903 = *Austroeupatorium apense* 215
 †*apiculatum* Gardn. 1846 = *Barrosoa apiculata* 95
 †*apollinairei* B.L. Robins. 1918 = *Ageratina apollinairei* 19
 †*arachnoideum* Legname 1975 = *Critonia arachnoidea* 207
 †*araliifolium* Less. 1831 = *Neomirandeaa araliifolia* 21
 †*arboreum* H.B.K. 1818 = *Aristeguietia arborea* 139
 †*arbutifolium* Benth. 1845 = *Ageratina arbutifolia* 19
 †*arcuans* B.L. Robins. 1918 = *Asplundianthus arcuans* 141
 †*areolare* DC. 1836 = *Piptothrix areolare* 22
 †*argutum* H.B.K. 1818 = *Fleischmannia arguta* 18
 †*aristei* B.L. Robins. 1919 = *Ageratina aristei* 19
armanii Balbis 11
 †*arnottianum* Griseb. 1874 = *Chromolaena arnottiana* 29
 †*arnottii* Baker 1876 = *Astrobrickellia arnottii* 82
 †*aromaticum* L. 1753 = *Kyrstenia aromatica* = *Ageratina aromatica* 19
 †*aromaticans* DC. 1836 = *Critonia aromatisans* 48
 †*arrayanum* Gardn. 1847 = *Chromolaena arrayana* 29
 †*arsenei* B.L. Robins. 1934 = *Ageratina arsenei* 19
 †*artemisiifolium* Griseb. 1879 = *Gyptis artemisiifolia* 33
 †*arthodes* B.L. Robins. 1923 = *Neomirandeaa arthodes* 21
 †*articulatum* Sch.-Bip. ex Heiron. 1908 = *Ageratina articulata* 19
 †*ascendens* Sch.-Bip. ex Baker 1876 = *Chromolaena ascendens* 29
 †*aschenbornianum* Schauer 1847 = *Ageratina aschenborniana* 19

Eupatorium continued

- †*asperrimum* Sch.-Bip. ex Baker 1876 = *Chromolaena asperrima* 200
 †*asperulaceum* Baker 1876 = *Prazelis asperulacea* 28
 †*astillerum* B.L. Turner = *Ageratina miquihuana* 164,204
 †*atrescens* B.L. Robins. 1926 = *Badilloa atrescens* 208
 †*atrocordatum* B.L. Robins. 1934 = *Ageratina atrocordata* 19
 †*atroglandulosum* Alain 1960 = *Koanophyllum atroglandulosum* 150
 †*aureoviride* Chod. 1902 = *Gyptis vernoniopsis* 33
 †*austerum* B.L. Robins. 1923 = *Chromolaena austera* 29
 †*ayapanoides* Griseb. 1866 = *Koanophyllum ayapanoides* 150
 †*azangoroense* Sch.-Bip. ex Wedd. 1857 = *Ageratina azangoroensis* 19
 †*azureum* DC. 1836 = *Tamaulipa azurea* 58
 †*baccharifolium* Gardn. 1845 = *Koanophyllum baccharifolium* 150
 †*baccharoides* H.B.K. 1818 = *Ageratina baccharoides* 19
 †*baleanum* DC. 1836 = *Gyptis commersii* 33
 †*badium* Klatt 1892 = *Ageratina badia* 19,85
 †*bahamense* Northrop 1902 = *Chromolaena bahamensis* 29
 †*bakerianum* B.L. Robins. 1882 = *Astrobrickellia bakerianum* 82
 †*balansae* Heiron. 1897 = *Bejaranoa balansae* 183
 †*ballii* Oliver 1884 = *Aristeguieta ballii* 139
 †*ballotifolium* H.B.K. 1818 = *Lourteigia ballotifolia* 68
 †*ballotifolium* var. *caucense* B.L. Robins. = *Conoclinium prasiifolium* 68
 †*bangii* Rusby 1896 = *Chromolaena bangii* 29
 †*barahonense* Urban 1921 = *Koanophyllum barahonense* 150
 †*barbacense* Heiron. 1897 = *Chromolaena barbacensis* 29
 †*barclayanum* Benth. 1845 = *Ayapana amygdalina* 229
 †*barranquillense* Heiron. 1901 = *Chromolaena barranquillensis* 29
 †*bartlettii* B.L. Robins. 1932 = *Critonia bartlettii* 48
 †*basifolium* Malme 1932 = *Prazelis basifolia* 28
 †*bathyphlebium* B.L. Robins. 1932 = *Chromolaena bathyphlebia* 29
 †*bellidifolium* Benth. 1840 = *Ageratina bellidifolia* 19
 †*beneolens* B.L. Robins. 1924 = *Hebeclinium beneolens* 147
benguentense C.B. Rob. Philippines 226
 †*bergantinense* Badillo 1946 = *Fleischmannia bergantinensis* 18
 †*bertholdii* Sch.-Bip. 1856 = *Chromolaena bertholdii* 29
 †*betonicifolium* Mill. = *Conoclinium betonicifolium* 13
 †*betonicum* = *Conoclinium betonicifolium* 13
 †*bigelovii* Gray 1859 = *Chromolaena bigelovii* 29
 †*billbergianum* Beurl. 1856 = *Critonia billbergiana* 48
 †*bimatum* Standl. & L.O. Williams = *Ageratina bimatra* 19 = *Ageratina molinae* 85 = *Fleischmannia microstemon* 85,229
 †*blakei* B.L. Robins. 1920 = *Fleischmannia blakei* 18
 †*blanchetii* Sch.-Bip. ex Baker 1876 = *Lasiolaena blanchetii* 96
 †*blepharilepis* Sch.-Bip. 1856 = *Ageratina blepharilepis* 19
 †*blumenavii* Heiron. 1897 = *Macropodina blumenavii* 91
 †*brachychaetum* B.L. Robins. 1916 = *Antilla brachychaeta* 43
 †*bracteatum* Gardn. = *Stomatianthes pernambucensis* 227
bracteatum H. & A. 227
 †*brandegeanum* B.L. Robins. 1923 = *Ageratina brandegeana* 19
 †*brasiliense* Spreng. 1826 = *Pseudobrickellia brasiliensis* 83
 †*brenesii* Standl. 1938 = *Neomirandea standleyi* 21
 †*breviflorum* Alain 1960 = *Koanophyllum breviflorum* 150

Eupatorium continued

- †*brevipes* DC. 1836 = *Ageratina brevipes* 19
 †*bridgesii* B.L. Robins. 1919 = *Fleischmannia bridgesii* 18
 †*bruneri* Gray 1884 = *Eupatoriadelphus maculatus* var. *bruneri* 190
 †*brunneolum* Baker 1876 = *Chromolaena brunneola* 200
 †*buddleifolium* Benth. 1844 = *Aristeguietia buddleifolia* 139
 †*bulbosum* Aristeguieta 1957 = *Guayania bulbosa* 61
 †*bullatissimum* (B.L. Robins.) K. & R. = *Hebeclinium bullatissimum* 37
 †*bullatum* Klatt 1886 = *Chromolaena bullata* 29
 †*bullescens* B.L. Robins. 1916 = *Koanophyllum bullescens* 150
 †*bulliferum* Blake 1941 (based on *Eupatorium rugosum* H.B.K.) = *Cronquistianthus bulliferus* 207
 †*buniifolium* H. & A. 1835 = *Acanthostyles buniifolius* 52
 †*bupleurifolium* DC. 1836 = *Campovassouria bupleurifolia* 56
 †*burchellii* Baker 1876 = *Campuloclinium burchellii* 90
 †*bustummentum* DC. 1836 = *Ageratina bustamenta* 19
 †*caaguazuense* Heiron. 1897 = *Chromolaena caaguazuensis* 29
 †*cabaionum* Urban & Ekman 1931 = *Koanophyllum cabaionum* 150
 †*cabrerae* B.L. Robins. 1930 = *Barrosoa cabrerae* 34
 †*cacalioides* H.B.K. 1818 = *Aristeguietia cacalioides* 139
 †*caeciliae* B.L. Robins. 1930 = *Ageratina caeciliae* 19
 †*calaminthifolium* H.B.K. 1818 = *Ageratina calaminthifolia* 19
 †*calaminthifolium* var. *irrasum* B.L. Robins. = *Ageratina irrasa* 19
 †*calderillense* Heiron. 1908 = *Ageratina calderillensis* 19
 †*calcicola* Urban 1908 = *Koanophyllum calcicola* 150
 †*caldense* B.L. Robins. 1924 = *Chromolaena caldensis* 207
 †*callacatense* Heiron. 1905 = *Cronquistianthus callacatensis* 156
 †*callilepis* Sch.-Bip. ex Baker 1876 = *Chromolaena callilepis* 29
 †*calophyllum* B.L. Robins. 1925 = *Ageratina calophylla* 19
 †*calyculatum* H. & A. 1836 = *Disynaphia calyculata* 57
 †*camachense* Heiron. 1908 = *Ageratina camachensis* 19
 †*camatagliuense* Heiron. 1908 = *Kaunia camatagliuensis* 202
camiguinense Merr. Philippines 226
 †*campechense* B.L. Robins. 1907 = *Critonia campechensis* 48
 †*campestre* DC. 1836 = *Chromolaena campestris* 29
 †*campylocladum* B.L. Robins. 1904 = *Ageratina campyloclada* 19
 †*candoleanum* H. & A. 1835 = *Barrosoa candolleana* 34
cannabinum L. 1753 Europe, India 11, 16, 25, 226
capillifolium (Lam.) Small US 11, 25, 226
 †*capillipes* Benth. ex Oerst. 1852 = *Fleischmannia capillipes* 121
 †*cardiophyllum* B.L. Robins. 1900 = *Ageratina cardiophylla* 19
 †*carletonii* B.L. Robins. 1924 = *Fleischmannia carletonii* 18
 †*carmonis* Standl. & Steyermark 1940 = *Ageratina carmonis* 207
 †*carnosifolium* B.L. Robins. 1928 = *Diacranthera crenata* 97, 98, 175
 †*carnosum* Kuntze 1891 = *Neomiranda carnosia* 21
 †*carsticola* Borhidi & Muniz 1973 = *Grisebachianthus carsticola* 151
catense Elm. Philippines 226
 †*catharinense* Cabrera 1963 = *Symphyopappus catharinensis* 130 = *Neocabreria catharinensis* 170
 †*caucasicum* Stev. = *Eupatorium cannabinum* 226
 †*celtidifolium* Lam. 1788 = *Koanophyllum celtidifolium* 64, 150
 †*cerasifolium* Sch.-Bip. ex Baker 1876 = *Guayania cerasifolia* 39

Eupatorium continued

- †*ceratophyllum* H. & A. 1835 = *Gyptis pinnatifida* 33
 †*ceriferum* McVaugh 1972 = *Ageratina cerifera* 85
 †*chabrense* Urban & Ekman 1931 = *Koanophyllum chabrense* 150
 †*chachapoyasense* Cuatrecasas 1965 = *Ageratina chachapoyasensis* 19
 †*chalceorithales* B.L. Robins. 1926 = *Koanophyllum chalceorithales* 150
 †*chamaedrifolium* H.B.K. 1818 = *Cronquistianthus chamaedrifolius* 75
 †*chapalense* Wats. 1891 = *Ageratina chapalensis* 19
 †*chaparensense* B.L. Robins. 1930 = *Austroeupatorium chaparensense* 26
 †*chasleae* B.L. Robins. 1934 = *Chromolaena chasleae* 29
 †*chiapense* B.L. Robins. 1900 = *Ageratina chiapensis* 19
 †*chimborazense* Heiron. 1900 = *Aristeguietia chimborazensis* 139
chinense L. Asia 226
 †*chiquitense* B.L. Robins. 1923 = *Prazelis chiquitensis* 164
 †*chiriquense* B.L. Robins. 1918 = *Ageratina chiriquensis* 19
 †*chlorolepis* Baker 1876 = *Campuloclinium chlorolepis* 90
 †*chlorophyllum* Klatt = *Ageratina badia* 85
 †*chodatii* Hassl. 1912 = *Trichogonia chodatii* 92
 †*choricephalum* B.L. Robins. 1918 = *Ageratina choricephala* 19
 †*choricephaloides* B.L. Robins. 1919 = *Ageratina choricephaloides* 19
 †*chotense* Heiron. 1905 = *Cronquistianthus chotensis* 75
 †*christeanum* Baker 1876 = *Chromolaena christeana* 29
 †*chrysocephalum* Klatt 1895 = *Critonia chrysocephala* 48
 †*chrysostictum* B.L. Robins. 1918 = *Chromolaena chrysosticta* 29
 †*chrysostyloides* B.L. Robins. = *Eupatorium leonense* 80
 †*chrysostylum* B.L. Robins. 1905 = *Flyriella chrysostyla* 80
 †*ciliatum* Less. 1831 = *Ageratina ciliata* 19
 †*cilioferum* Standl. & Williams ined. = *Fleischmannia ciliolifera* 121
 †*cinereoviride* Sch.-Bip. ex Baker 1876 = *Chromolaena cinereoviridis* 29
 †*cinereum* Baker 1882 = *Austrobrickellia bakerianum* 82
 †*cinereum* Griseb. 1861 = *Austroeupatorium inulifolium* 229
 †*clematideum* Griseb. 1879 = *Prazelis clematidea* 28
 †*clementis* Alain 1960 = *Koanophyllum clementis* 150
 †*coelocaulum* B.L. Robins. 1919 = *Grosvenoria coelocaulis* 140
 †*coelestinum* L. 1753 US = *Conoclinium coelestinum* 13
 †*coahuilense* Gray 1882 = *Phanerostylis coahuilensis* 81
 †*collinum* DC. 1836 = *Chromolaena collina* 29
 †*collodes* B.L. Robins. 1895 = *Ageratina collodes* 19
 †*columbianum* Heering 1913 = *Chromolaena columbiana* 29
 †*concinnum* DC. 1836 = *Neocabreria concinna* 65
concinnum H. & A. 65
 †*confuentis* B.L. Robins. 1926 = *Barrosoa confluentis* 207
 †*congestum* H. & A. 1835 = *Chromolaena congesta* 29
 †*conglobatum* DC. 1836 = *Koanophyllum conglobatum* 190
 †*connivens* Rusby 1896 = *Chromolaena connivens* 29
 †*conoclinanthium* Heiron. 1908 = *Prazelis concoclinantha* 28
 †*conoclinioides* Gardn. = *Trichogonia salvifolia* 187
 †*consanguineum* DC. 1836 = *Koanophyllum consanguineum* 150
 †*conspicuum* Kunth & Bouche 1847 = *Ageratina conspicua* 19
 †*constipatiflorum* Klatt 1894 = *Neobartlettia constipatiflora* 36 = *Bartlettina constipatiflora* 61
 †*contortum* C.D. Adams 1971 = *Ageratina contorta* 85

Eupatorium continued*conyzoides* Vahl 232†*conyzoides* Mill. 1768 = *Chromolaena odorata* 229†*conyzoides* var. *tunariense* Heiron. 1897 = *Chromolaena turnariensis* 29†*conzattii* Greenm. 1899 = *Critonia conzattii* 48†*cookii* B.L. Robins. 1919 = *Fleischmannia cookii* 18†*coriaceum* Scheele 1844 = *Dimorpholepis coriacea* 55 = *Grazielia coriacea* 67 =
Sympphyopappus reticulata 209*coriaceum* Spreng. 209*coriaceum* Vahl 209†*correlliorum* Plettman 1977 = *Koanophyllum correlliorum* 164†*corsicum* Reg. = *Eupatorium cannabinum* 226†*corumbense* B.L. Robins. 1934 = *Stomatianthes corumbensis* 227†*corvii* McVaugh 1972 = *Matudina corvii* 113†*corylifolium* Griseb. 1861 = *Ageratina corylifolia* 19†*corymbosum* Aubl. 1775 = *Chromolaena corymbosa* 29†*costaricense* Kuntze 1891 = *Gongrostylus costaricensis* 104†*costatipes* B.L. Robins. 1923 = *Chromolaena costatipes* 207†*coulteri* B.L. Robins. 1901 = *Koanophyllum coulteri* 64, 150†*crassicaule* Steyermark 1953 = *Guayanisia crassicalis* 207†*crassiceps* B.L. Robins. 1928 = *Ageratina crassiceps* 19†*crassipes* Heiron. 1897 = *Gyptis crassipes* 164†*crassirameum* B.L. Robins. 1900 = *Ageratina crassiramea* 19 = *Pachythamnus
crassirameus* 66†*cremastum* B.L. Robins. 1906 = *Ageratina cremasta* 19†*crenaeum* B.L. Robins. 1900 = *Ageratina crenaea* 19†*crenulatum* Spreng. = *Raulinoreitzia crenulata* 164†*cristalense* Urban = *Koanophyllum rhezioides* 150†*critoniforme* Urban 1900 = *Urbananthus critoniformis* 50†*critoniforme* var. *pubescens* C.D. Adams 1971 = *Adenocritonia adamsii* 158†*critonioides* Steetz 1853 = *Critonia morifolia* 229†*crocodilium* Standl. & Steyermark 1944 = *Fleischmannia crocodilia* 18†*cryptanthum* Sch.-Bip. ex Baker 1876 = *Chromolaena cryptantha* 200†*cuatrecasasii* K. & R. 1969 = *Hebeclinium cuatrecasasii* 37†*cubense* DC. 1836 = *Koanophyllum cubense* 150†*cuchabense* B.L. Robins. 1932 = *Ayapanopsis cuchabensis* 147†*cuencanum* B.L. Robins. 1918 = *Ageratina cuencana* 19*cuneifolium* Willd. US 226†*cupressorum* Standl. & Steyermark 1944 = *Ageratina cupressora* 85 = *Piptothriz areolare
232*†*cursorii* B.L. Robins. 1906 = *Aristeguietia cursorii* 139†*cuteruense* Heiron. 1908 = *Ageratina cuteruensis* 19†*cuzcoense* Heiron. 1908 = *Ageratina cuzcoensis* 19†*cylindricum* McVaugh 1972 = *Ageratina cylindrica* 85†*cylindrocephalum* Sch.-Bip. itex Baker 1876 = *Chromolaena cylindrocephala* 200†*cynanchifolium* DC. 1836 = *Koanophyllum cynanchifolium* 150†*cyrilli-nelsonii* A. Molina 1978 = *Peteravenia cyrilli-nelsonii* 176†*daleoides* (DC.) Hemsl. = *Critonia daleoides* 232†*daleum* L. 1758 = *Critonia dalea* 48, 50†*dasycarpum* Gray ex Wats. 1887 = *Stevia rapunculoides* DC. 1836 = *Steviopsis
rapunculoides* 59†*dasyneurum* B.L. Robins. 1919 = *Ageratina dasyneura* 19

Eupatorium continued

- †*debeauzii* B.L. Robins. 1923 = *Dasycondylus debeauzii* 97
 †*decemflorum* DC. 1836 = *Austroeupatorium decemflorum* 190 = *Austroeupatorium inulifolium* 229
 †*decipiens* Baker 1876 = *Heterocondylus decipiens* 105
 †*decussatum* Klatt 1896 = *Koanophyllum solidaginoides* 229
 †*delpchianum* Urban & Ekman 1931 = *Koanophyllum delpechianum* 150
 †*deltoides* Jacq. 1798 = *Ageratina deltoides* 19
 †*dendroides* Spreng. 1826 = *Ageratina dendroides* 19, 164
 †*densiflorum* Morong 1893 = *Chromolaena densiflora* 29
 †*densus* Benth. 1845 = *Asplundianthus densus* 141
 †*dentatum* Gardn. 1847 = *Stomatianthes dentata* 227
 †*desmocephalum* B.L. Robins. 1923 = *Chromolaena desmocephala* 207
 †*desmophyllum* B.L. Robins. 1924 = *Cronquistianthus desmophyllum* 75
 †*desquamans* B.L. Robins. 1900 = *Ageratina desquamans* 19
 †*diaphanophlebiun* B.L. Robins. 1918 = *Chromolaena diaphanophlebia* 200
 †*dichroum* B.L. Robins. 1924 = *Lourteigia dichroa* 35
 †*dictyonerum* Urban 1903 = *Ageratina dictyonera* 19
 †*dictyophyllum* DC. 1836 = *Stomatianthes dictyophyllum* 227
 †*didymum* Klatt 1894 = *Ayapanopsis didyma* 103
 †*dielsii* B.L. Robins. 1937 = *Aristeguietia dielsii* 139
 †*diffusum* Vahl 1794 = *Bulbostylis diffusa* = *Coleosanthus diffusus* = *Brickellia diffusa* 229
 †*dimorpholepis* Baker 1876 = *Dimorpholepis graziella* 55 = *Grazielia dimorpholepis* 67
 †*diplodictyon* B.L. Robins. 1918 = *Aristeguietia diplodictyon* 139
 †*discolor* DC. 1836 = *Aristeguietia discolor* 139
 †*dispar* B.L. Robins. 1926 = *Neocuatrecasia dispar* 32
 †*displatum* Gardn. 1845 = *Steyermarkina displata* 47
dissectum Gray 1883 4
 †*dissectum* (H. & A.) Benth. (*Phania*, *Podophania*) = *Hofmeisteria dissecta* 4
 †*dissolvens* Baker 1876 = *Fleischmannia dissolvens* 18
 †*divergens* Less. 1830 = *Osmia divergens* = *Chromolaena odorata* 229
 †*dodoneifolium* DC. 1836 = *Ayapanopsis amygdalina* 229
 †*dodoneifolium* H. & A. 229
 †*dolichobase* McVaugh 1972 = *Ageratina dolichobasis* 85
 †*dolphinii* Urban 1908 = *Koanophyllum dolphinii* 150
 †*dombeyanum* DC. 1836 = *Ageratina dombeyana* 19
 †*donnell-smithii* Coulter. 1891 = *Kyrstenia donnell-smithii* = *Ageratina aschenboriana* 229
 †*drepanoides* B.L. Robins. 1919 = *Badilloa drepanoides* 142
 †*droserolepis* B.L. Robins. 1918 = *Koanophyllum droserolepis* 150
 †*dryadeum* DC. 1838 (*Eupatorium populifolium* Mart.) = *Hebeclinium macrophyllum* 229
 †*dryophyllum* B.L. Robins. 1901 = *Dyscritogyne dryophyla* 60
 †*dubium* Willd. ex Poir. 1811 = *Eupatoriadelphus dubius* 25
 †*duodecimiflorum* Sch.-Bip. nom. nud. = *Austroeupatorium inulifolium?* 155
 †*durandii* Klatt = *Ageratina anisochroma* 19
 †*durangense* B.L. Robins. 1907 = *Ageratina durangensis* 19
 †*dusenii* Malme 1933 = *Steyermarkina dusenii* 47
 †*dussii* Urban 1908 = *Chromolaena dussii* 29
 †*ecuadoreae* Klatt 1894 = *Heterocondylus vitalbae* 229
 †*eggersii* Heiton. 1901 = *Critonia eggersii* 48
 †*ehrenbergii* Hemsl. 1881 = *Neobartlettia ehrenbergii* 36 = *Bartlettina ehrenbergii* 61, 99
 †*ejidense* Badillo 1946 = *Fleischmannia ejidensis* 162
 †*ekmanii* B.L. Robins. 1926 = *Koanophyllum ekmanii* 150

Eupatorium continued

- †*elatum* Steetz 1854 = *Ayapana elata* 114
 †*elegans* H.B.K. 1818 = *Ageratina elegans* 19
 †*ellipticum* H. & A. 1835 = *Chromolaena elliptica* 29
 †*tendytum* B.L. Robins. 1919 = *Kaunia endyta* 202
 †*enizum* B.L. Robins. 1923 = *Ageratina eniza* 19
 †*entrerense* Heiron. 1897 = *Austroeupatorium entrerense* 26
 †*ericoides* DC. 1836 = *Disynaphia ericoides* 57
 †*eriocarpum* B.L. Robins. & Greenm. 1896 = *Critionia eriocarpa* 48
 †*erioclinium* B.L. Robins. 1918 = *Hebeclinium erioclinium* 37
 †*eripsimum* B.L. Robins. 1919 = *Chromolaena eripsima* 29
 †*erodiiifolium* DC. 1836 = *Gyptis pinnatifida* 33
 †*esmeraldae* Cuatrecasas 1935 = *Ageratina esmeraldae* 85
 †*esperanzae* Hassl. 1912 = *Ayapanopsis esperanzae* 103
 †*espinozatum* Gray 1880 = *Ageratina espinozara* 19
 †*ettense* B.L. Robins. 1925 = *Ageratina ettensis* 19
 †*eucosmoides* B.L. Robins. 1925 = *Kaunia eucosmoides* 202
 †*eucoxum* B.L. Robins. 1920 = *Kaunia saltensis* 202
 †*euphyes* B.L. Robins. 1923 = *Ayapanopsis euphyes* 103
 †*exertovenosum* Klatt 1882 = *Ageratina exertovenosa* 19
 †*eximium* B.L. Robins. 1924 = *Neomirandeaa eximia* 21
 †*extensum* Gardn. 1847 = *Chromolaena extensa* 29
 †*farinosum* B.L. Robins. 1928 = *Chromolaena farinosa* 29
 †*fastigiatum* H.B.K. 1818 = *Ageratina fastigiata* 19
fernaldii Godfrey US 226
 †*ferrugineum* Gardn. 1847 = *Chromolaena ferruginea* 207
ferrugineum Labill. 207
 †*filicaule* Sch.-Bip. ex Gray 1886 = *Koanophyllum solidaginoides* 229
 †*filifolium* Hassl. 1912 = *Disynaphia filifolia* 57
 †*fistulosum* Barratt 1841 = *Eupatoriadelphus fistulosus* 25
 †*fistulosum* B.L. Robins. 1904 = *Neomirandeaa angularis* 21
 †*flavidulum* Urban & Ekman 1931 = *Koanophyllum flavidulum* 150
 †*flavisetum* B.L. Robins. 1918 = *Ageratina flaviseta* 19
 †*flexile* B.L. Robins. 1919 = *Koanophyllum flexile* 64, 150
 †*floribundum* H.B.K. 1818 = *Chromolaena odorata* 229
 †*flourensifolium* B.L. Turner 1977 = *Ageratina flourensifolia* 204
 †*foliatum* Heiron. 1897 = *Chromolaena foliata* 29 = *Chromolaena pedunculosa* 200
formosanum Hoyata Formosa 226
fortunei Turcz. Asia 226
 †*fragile* B.L. Robins. 1932 = *Fleischmannia fragilis* 18
 †*frustratum* B.L. Robins. 1911 = *Chromolaena frustrata* 29
 †*fruticosum* Mill. 1768 = *Mikania houstoniana* 229
 †*fuliginosum* H.B.K. 1818 = *Condylodium fuliginosum* 108
 †*funckii* B.L. Robins. 1923 = *Ageratina funckii* 19
 †*furcatum* Lam. = *Chromolaena furcata* 29
 †*fuscum* N.E. Brown 1901 = *Koanophyllum fuscum* 150
 †*gabbi* Urban 1921 = *Koanophyllum gabbi* 150
 †*galeopsifolium* Gardn. 1847 = *Gymnocondylus galeopsifolius* 106
 †*galeottii* B.L. Robins. = *Koanophyllum galeottii* 234
 †*ganophyllum* Mattf. ex Pilger 1925 = *Morithamnus ganophyllum* 191
 †*gascae* B.L. Robins. 1919 = *Aristeguietia gascae* 139

Eupatorium continued

- †*gaudichaudianum* DC. 1836 = *Dimorpholepis gaudichaudiana* 55 = *Grazielia gaudichaudiana* 67
 †*gayana* Wedd. 1855 = *Aristeguietia gayana* 139
 †*geminatum* McVaugh 1972 = *Ageratina geminata* 85
 †*geraniifolium* Urban 1899 = *Chromolaena geraniifolia* 29
 †*gibbosum* Urban 1921 = *Koanophyllum gibbosum* 150
 †*gilbertii* B.L. Robins. 1919 = *Ageratina gilbertii* 19
 †*glaberrimum* DC. 1836 = *Chromolaena glaberrima* 29
 †*glabratum* H.B.K. 1818 = *Ageratina glabrata* 19
 †*glanduliferum* Heiron. 1900 = *Ageratina glandulifera* 19
 †*glandulosissimum* Malme 1899 = *Ayapana amygdalina* 229
 †*glaucum* Sch.-Bip. ex Klatt 1884 = *Ageratina glauca* 19
 †*glechonophyllum* Less. 1831 = *Ageratina glechonophylla* 19
 †*glehnii* F. Schmidt ex Trautv. = *Eupatorium cannabinum* 226
 †*glischrum* B.L. Robins. 1918 = *Ageratina glischra* 19
 †*gloecladum* B.L. Robins. 1919 = *Ageratina gloeclada* 19
 †*glomeratum* DC. 1836 = *Cronquistianthus glomeratus* 75
 †*glumaceum* DC. 1836 = *Condylidium iresinoides* 229
 †*glutinosum* Lam. 1786 = *Aristeguietia glutinosa* 139
 †*glyptophlebium* B.L. Robins. 1918 = *Ageratina glyptophlebia* 19
 †*gongorae* Cuatrecasas 1935 = *Asplundianthus arcuans* 141
 †*gonzalezzii* B.L. Robins. 1901 = *Fleischmannia gonzalezii* 18
 †*gracilentum* B.L. Robins. 1919 = *Ageratina gracilenta* 19
 †*gracilicaule* Sch.-Bip. ex B.L. Robins. 1906 = *Koanophyllum gracilicaule* 150
 †*graciliflorum* DC. 1836 = *Osmia graciliflora* = *Chromolaena odorata* 229
 †*gracilipes* Urban 1908 = *Koanophyllum gracilipes* 150
 †*gracile* H.B.K. 1818 = *Ageratina gracilis* 19
 †*grande* Sch.-Bip. ex Baker 1876 = *Heterocondylus grandis* 105
 †*grandiceps* Wright 1873 = *Koanophyllum grandiceps* 207
 †*grandidentatum* DC. 1836 = *Ageratina grandidentata* 19
 †*greggii* Gray = *Conoclinium greggii* 13
 †*grisebachianum* Alain 1960 = *Koanophyllum grisebachianum* 207
 †*griseum* Coulter. 1895 = *Peteravenia grisea* 38
 †*grossidentatum* Heiron. 1908 = *Kaunia grossidentata* 202
 †*guadalupense* Spreng. 1826 = *Fleischmannia microstemon* 229
 †*guapulense* Klatt 1884 = *Hebeclinium guapulense* 37
 †*guevarae* K. & R. 1969 = *Hebeclinium guevarae* 37
 †*gundlachii* Urban 1903 = *Koanophyllum gundlachii* 150
 †*gynozimorphum* Rusby ex B.L. Robins. 1920 = *Kaunia gynozimorpha* 202
 †*gynozioides* Rusby 1907 = *Kaunia gynozimorpha* 202
 †*gynozioides* Wedd. 1857 = *Ageratina gynozioides* 19
 †*haenkeanum* DC. 1836 = *Chromolaena haenkeana* 29
 †*halbertianum* McVaugh 1972 = *Ageratina halbertiana* 85
 †*halimifolium* DC. 1836 = *Disynaphia halimifolia* 164
 †*hammatocladium* B.L. Robins. & Britt. 1918 = *Koanophyllum hammatocladium* 150
 †*hardwarense* G.R. Proctor & C.D. Adams 1971 = *Koanophyllum hardwarense* 150
 †*hartii* Urban 1903 = *Ageratina hartii* 19
 †*harvardianum* Steyermark. 1953 = *Bahianthus viscosus* 70
 †*hastatum* L. = *Mikania hastata* 11
 †*hastiferum* Standl. & Steyermark. 1940 = *Neobartlettia hastifera* 36 = *Bartlettina hastifera* 61

Eupatorium continued

- †haughtii B.L. Robins. 1930 = *Chromolaena haughtii* 29
 †havanense H.B.K. 1818 = *Ageratina havanensis* 19
 †hebecladum DC. = *Barrosoa candolleana* 150
 †hebes B.L. Robins. 1925 = *Ageratina hebes* 19
 †hederifolium Gray 1849 = *Ageratina hederifolia* 19
 †helianthifolium H.B.K. 1818 = *Badilloa helianthifolia* 142
 †helianthemooides B.L. Robins. 1926 = *Koanophyllum helianthemooides* 150
 †hemipteropodium B.L. Robins. = *Critonia hemipeteropodia* 48
 †hemisphaericum DC. 1836 = *Bartlettina hemisphaerica* 61
 †heptaneurum Urban 1913 = *Koanophyllum heptaneurum* 150
 †herbaceum (Gray) Greene (*Eupatorium ageratifolium* var. *herbaceum*) = *Ageratina herbacea* 19
 †herrerae B.L. Robins. 1928 = *Badilloa herrerae* 142
 †herzogii B.L. Robins. 1923 = *Chromolaena herzogii* 29
 †heteroclinium Griseb. 1861 = *Chromolaena heteroclinia* 29
 †heterolepis B.L. Robins. 1900 = *Neomirandeja heterolepis* 21 = *Neomirandeja araliifolia* 229
 †heterophyllum A. Rich. = *Grisebachianthus holquinensis* 151
heterophyllum DC. China 151,226
heterophyllum (Dulac) (Chone) 11,233
 †heterosquameum Urban & Ekman 1931 = *Chromolaena heterosquamea* 156
 †heydeanum B.L. Robins. 1900 = *Amolinia heydeana* 99
 †hickenii Cabrera & Vittet 1954 = *Campuloclinium hickenii* 90
 †hidalgense B.L. Robins. 1925 = *Ageratina hidalgensis* 19
 †hidrodes B.L. Robins. 1924 = *Koanophyllum hidrodes* 150
 †hilarii B.L. Robins. 1923 = *Malmeanthus hilarii* 199
 †hirsutum H. & A. 1835 = *Chromolaena hirsuta* 29
 †hitchcockii B.L. Robins. 1924 = *Neomirandeja hitchcockii* 21 = *Neomirandeja homogama* 229
 †holquinense B.L. Robins. 1926 = *Chromolaena holquinensis* 29 = *Grisebachianthus holquinensis* 151
 †holwayanum B.L. Robins. 1906 = *Fleischmannia holwayana* 18
 †hondurensse B.L. Robins. 1930 = *Koanophyllum hondurensse* 64,150
 †hookerianum Griseb. 1874 = *Chromolaena hookeriana* 200
 †horminooides var. *calamocephalum* Baker 1876 = *Chromolaena calamocephala* 29
 †horsfieldii Miq. 1856 = *Austroeupatorium inulifolium* 229
 †hosanense B.L. Robins. 1932 = *Kaunia hosanensis* 202
 †hospitale B.L. Robins. 1907 = *Critonia hospitalis* 48,49
 †hotteanum Urban & Ekman 1931 = *Koanophyllum hotteanum* 150
 †houstonianum L. 1753 = *Mikania houstoniana* 229
 †houstonis L. 1759 = *Mikania houstonis* = *Willoughbya houstonis* = *Mikania houstoniana* 229
 †huantae B.L. Robins. 1934 = *Koanophyllum huantae* 64,150
 †huigrense B.L. Robins. 1920 = *Fleischmannia huigrensis* 18
 †humboldti Heiron. 1901 = *Ageratina humboldti* 19
 †hyemale Lillo nom. nud. = *Kaunia lastophthalma* 202
 †hygrohylaeum B.L. Robins. 1926 = *Hebeclinium hygrohylaeum* 37
 †hygrophilum Alain 1960 = *Spaniopappus hygrophilus* 20
 †hylibates B.L. Robins. 1918 = *Jaramilloa hylibates* 196
 †hylobium B.L. Robins. 1904 = *Neobartlettia hylobia* 36 = *Bartlettina hylobia* 61
 †hyلونомум B.L. Robins. 1904 = *Koanophyllum hyлономум* 64,150

Eupatorium continued

- †*hylophilum* B.L. Robins. 1919 = *Ayapana hylophila* 30
 †*hylophorum* B.L. Robins. 1934 = *Hebeclinium hylophorum* 61
 †*hymenophyllum* Klatt 1892 = *Fleischmannia hymenophylla* 18
 †*hypargyrum* B.L. Robins. 1919 = *Grosvenoria hypargyra* 140
 †*hypericifolium* H.B.K. 1818 = *Chromolaena hypericifolia* 29
 †*hypodictyon* B.L. Robins. 1904 = *Chromolaena hypodictya* 207
 †*hypoleucum* Griseb. 1863 = *Grisebachianthus hypoleucus* 151
 †*hypomalacum* B.L. Robins. ex Donn. Smith 1903 = *Koanophyllum hypomalacum* 64, 150
 †*hypomalacum* var. *wetmorei* B.L. Robins. 1934 = *Koanophyllum wetmorei* 150
hyssopifolium L. US 226, 230
 †*hyssopinum* Gray 1880 = *Ageratina hyssopina* 19
 †*ibaguense* Sch.-Bip. ex Heiron. 1908 = *Ageratina ibaguensis* 19
 †*idiostylum* B.L. Robins. 1911 = *Spaniopappus idiostylus* 20
 †*ignoratum* Heiron. 1908 = *Kaunia ignorata* 202
 †*ignotum* Badillo 1946 = *Fleischmannia ignota* 162
 †*illitum* Urban 1903 = *Ageratina illita* 19
 †*imitans* B.L. Robins. 1923 = *Fleischmannia imitans* 18
 †*maequidans* Urban 1899 = *Critonia maequidans* 48
 †*incarnatum* Walt. 1788 = *Fleischmannia incarnata* 18
 †*incarum* B.L. Robins. 1917 = *Nothobaccharis candolleana* 174
incisum A. Rich. 1792 150
 †*meicum* Griseb. 1866 = *Koanophyllum incisum* 150 = *Eupatorium grisebachianum* 207 =
 Koanophyllum grisebachianum 207
 †*incomptum* DC. 1836 = *Decachaeta incompta* 16
 †*insigne* Malme 1932 = *Prazelis insignis* 28
 †*integrifolium* Bert. ex Spreng. 1826 = *Chromolaena integrifolia* 29
 †*intercostulatum* B.L. Robins. 1918 = *Ageratina intercostulata* 19
 †*intermedium* DC. 1836 = *Dimorpholepis intermedia* 55 = *Grazielia intermedia* 67
 †*inulifolium* H.B.K. 1818 = *Austroeupatorium inulifolium* 26
 †*involutatum* Sch.-Bip. nom. nud. = *Grazielia schultzii* 209
 †*iodotrichum* B.L. Robins. 1919 = *Ageratina iodotricha* 19
 †*iresinoides* H.B.K. 1818 = *Condylidium iresinoides* 102
 †*iridolepis* B.L. Robins. 1918 = *Chromolaena iridolepis* 29
 †*isillumense* B.L. Robins. 1919 = *Koanophyllum isillumense* 150
 †*isolepis* B.L. Robins. 1907 = *Ageratina isolepis* 19
 †*itacolumiense* Sch.-Bip. ex Baker 1876 = *Heterocondylus itacolumiensis* 105
 †*itatiayense* Heiron. 1897 = *Sympphyopappus itatiayensis* 54
 †*iteophyllum* Urban & Ekman 1931 = *Koanophyllum iteophyllum* 150
 †*wifolium* (L.) K. & R. 1759 = *Osmia wifolia* = *Chromolaena wifolia* 29
 †*iziocladon* Benth. ex Oerst. 1852 = *Ageratina izioclada* 19
 †*izodes* Benth. 1840 = *Ayapana amygdalina* 229
 †*jaegerianum* Urban 1903 = *Koanophyllum jaegerianum* 150
 †*jahnii* B.L. Robins. 1918 = *Ageratina jahnii* 19
 †*jajoense* Aristeguieta 1964 = *Hebeclinium jajoense* 37
 †*japonicum* Thunb. = *Eupatorium chinense* 226
 †*jaraguense* B.L. Robins. 1928 = *Heterocondylus jaraguensis* 105
 †*jejunum* Standl. & Steyermark. 1944 = *Fleischmannia jejuna* 18 = *Fleischmannia capillipes*
 121
 †*jelskii* Heiron. 1905 = *Chromolaena jelskii* 29
 †*jensenii* Urban 1921 = *Koanophyllum jensenii* 150
 †*jugipaniculatum* Rusby 1907 = *Koanophyllum jugipaniculatum* 150

Eupatorium continued

- †*jujuense* Heiron. 1897 = *Chromolaena jujuiensis* 29
 †*juniinense* B.L. Robins. 1926 = *Koanophyllum juninense* 150
 †*kalenbornianum* B.L. Robins. = *Cronquistianthus kalenbornianus* 75
 †*karuaiense* Badillo 1946 = *Prazelis kauraiensis* 28
 †*karwinskianum* DC. 1836 = *Neobartlettia karwinskiana* 36 = *Bartlettina karwinskiana* 61
 †*kavanayense* Badillo 1946 = *Koanophyllum kavanayense* 150
 †*killipii* B.L. Robins. 1926 = *Hebeclinium killipii* 150
 †*klattianum* Heiron. 1901 = *Fleischmannia klattiana* 18
 †*klattii* Millsp. 1900 = *Chromolaena odorata* 229
 †*kleinii* Cabrera 1959 = *Chromolaena kleinii* 29
 †*kleinioides* H.B.K. 1818 = *Prazelis kleinioides* 28
 †*kupperi* Suesseng. 1942 = *Ageratina kupperi* 19
 †*laetevirens* H. & A. 1835 = *Astroeupatorium laetevirens* 26,71
 †*laeve* DC. = *Koanophyllum tinctorium* 72,150
 †*laevigatum* Lam. 1788 = *Chromolaena laevigata* 29
 †*lamifolium* H.B.K. 1818 = *Aristeguietia lamifolia* 139
 †*lanicaulis* B.L. Robins. 1900 = *Critonia lanicaulis* 48
 †*lanigerum* H. & A. 1835 = *Gyptis lanigera* 33,164
 †*lantanifolium* Griseb. 1863 = *Grisebachianthus lantanifolius* 151
 †*lanulatum* B.L. Robins. 1918 = *Lourteigia lanulata* 35
 †*larense* Badillo 1946 = *Chromolaena larense* 162
 †*lasioneuron* H. & A. 1838 = *Ageratina lasioneura* 85
 †*lasiphthalmum* Griseb. 1874 = *Kaunia lasiphthalma* 202
 †*lasium* B.L. Robins. 1923 = *Ageratina lasia* 19
 †*latipaniculatum* Rusby 1907 = *Ayapanopsis latipaniculata* 103
 †*latipes* Benth. 1845 = *Ageratina latipes* 164
 †*laurifolium* B.L. Robins. 1904 = *Critonia laurifolia* 48
 †*lavendulifolium* DC. 1836 = *Cronquistianthus lavendulifolius* 75
 †*lazicephalum* Cabrera 1963 = *Fleischmannia lazicephala* 18
 †*lazum* Gardn. 1846 = *Fleischmannia laza* 18
 †*lebrijense* B.L. Robins. 1928 = *Critoniella lebrijensis* 138
lecheifolium Greene US 226
 †*leivense* Heiron. 1895 = *Chromolaena leivensis* 29
 †*lemonii* B.L. Robins. 1884 = *Ageratina lemonii* 19
 †*leonense* B.L. Robins. 1901 = *Flyriella leonensis* 80
 †*leptocephalum* DC. 1836 = *Chromolaena leptocephala* 29
 †*leptodictyon* Gray 1887 = *Ageratina leptodictyon* 19
 †*leptolepis* Baker 1876 = *Heterocondylus leptolepis* 105
leptophyllum DC. US, Cuba 226
 †*leucocephalum* Benth. 1841 = *Fleischmanniopsis leucocephala* 45
 †*leucocephalum* var. *anodontum* B.L. Robins. 1916 = *Fleischmanniopsis leucocephala* var.
anodonta 163
 †*leucolithogenum* B.L. Robins. 1928 = *Hebeclinium leucolithogenum* 147 = *Critoniella*
leucolithogena 156
 †*leucophyllum* H.B.K. 1818 = *Cronquistianthus leucophyllum* 75
 †*libanoticum* Sch.-Bip. 1863 = *Grisebachianthus libanoticus* 151
 †*liebmannii* Sch.-Bip. ex Klatt 1884 = *Ageratina liebmannii* 19
 †*ligulifolium* H. & A. 1835 = *Disynaphia ligulifolia* 57
 †*ligustrinum* DC. 1836 = *Ageratina ligustrina* 19
 †*lilacinum* Heiron. 1897 = *Chromolaena lilacina* 29
 †*hiloi* B.L. Robins. 1930 = *Idiothamnus hiloi* 155

Eupatorium continued

- †*kindenianum* A. Rich. 1853 = *Koanophyllum kindenianum* 150
kindleyanum DC. Asia, Philippines 226
 †*lineare* Malme 1932 = *Chromolaena linearis* 29
 †*kithophilum* B.L. Robins. 1924 = *Fleischmannia kithophila* 18
 †*littorale* Alain 1960 = *Koanophyllum littorale* 150
 †*littorale* Cabrera 1959 = *Disynaphia littoralis* 57
 †*lloense* Heiron. 1901 = *Fleischmannia lloensis* 18
 †*lobatifolium* Cabrera 1963 = *Koanophyllum lobatifolium* 130, 150
 †*lobatum* B.L. Robins. 1919 = *Neocuatrecasia lobata* 32
 †*lobbii* Klatt 1894 = *Dasycondylus lobbii* 97
 †*lobuliferum* B.L. Robins. 1926 = *Ageratina lobulifera* 19
 †*loesgrenii* B.L. Robins. 1934 = *Stomatianthes loesgrenii* 227
 †*loeseneri* B.L. Robins. 1900 = *Ageratina loeseneri* 19
 †*longifolium* B.L. Robins. 1901 = *Koanophyllum longifolium* 64, 150
 †*longipes* = *Phanerostylis pedunculosa* 100
 †*longipetiolum* Sch.-Bip. ex Rusby 1893 = *Ageratina longipetiola* 85 = *Kaunia longipetiola* 202
 †*longipetiolum* var. *arbusculare* B.L. Robins. 1920 = *Kaunia arbuscularis* 202
 †*loniceroides* H.B.K. 1818 = *Ayapana amygdalina* 229
 †*lorentzii* Heiron. 1897 = *Ageratina lorentzii* 19
 †*lozanoanum* B.L. Robins. 1905 = *Critonia lozanoana* 48
 †*lucayanum* Britt. 1920 = *Chromolaena lucayana* 29
lucentifolium L.O. Williams 232
 †*luciae-brauniae* Fern. 1942 = *Ageratina luciae-brauniae* 19
 †*lucidum* Ortega 1797 = *Ageratina lucida* 19
 †*luguense* Chod. 1901 = *Chromolaena luguensis* 29
lundianum 97
 †*luzii* B.L. Robins. 1901 = *Neobartlettia luzii* 36 = *Bartlettina luzii* 61
 †*lysimachioides* Chod. 1902 = *Heterocondylus lysimachioides* 105
 †*macbridei* B.L. Robins. 1923 = *Ageratina macbridei* 19
 †*macranthum* Sw. 1806 = *Chromolaena macrantha* 29
 †*macrocephalum* Less. = *Campuloclinium macrocephalum* 11
 †*macromeria* B.L. Robins. 1923 = *Bartlettina macromeria* 207
 †*macrophyllum* L. 1763 = *Hebeclinium macrophyllum* 37
 †*macrum* Standl. & Steyermark. = *Condylidium tressinoides* 229, 232
 †*maculatum* L. 1755 = *Eupatoriadelphus maculatus* 25
 †*maestrense* Urban 1903 = *Koanophyllum maestrense* 150
 †*magdalenense* B.L. Robins. 1918 = *Fleischmannia magdalenensis* 18
 †*magistri* L.O. Williams 1975 = *Critonia magistri* 164
 †*mairetianum* DC. 1836 = *Ageratina mairetiana* 19
 †*malacolepis* B.L. Robins. 1909 = *Ageratina malacolepis* 19
 †*malachophyllum* Klatt 1892 = *Neocabreria malachophylla* 65
 †*mallotum* B.L. Robins. 1919 = *Chromolaena mallota* 29
 †*malvifolium* DC. 1836 = *Peteravenia malvifolia* 38
 †*mancoanum* B.L. Robins. 1930 = *Neocuatrecasia mancoana* 32
 †*mapiriense* Heiron. 1908 = *Austroeupatorium mapiriense* 26 = *Austroeupatorium decemflorum* 190
 †*margaritense* Hassk. 1916 = *Chromolaena margaritensis* 29
 †*marginatum* Poepp. & Endl. 1845 = *Fleischmannia marginata* 18
 †*mariarum* B.L. Robins. 1901 = *Ageratina mariara* 19
 †*marquezianum* Gomez de la Maza 1889 (*Mikania mollis*) = *Mikania cordifolia* 229

Eupatorium continued

- †*marrubifolium* Heiron. 1905 = *Cronquistianthus marubifolius* 119
 †*mathewsi* B.L. Robins. 1919 = *Ayapanopsis mathewsi* 103
 †*mattogrossense* Heiron. 1897 = *Chromolaena mattogrossensis* 29
 †*maximilianii* Schrad. ex DC. 1836 = *Chromolaena maximilianii* 207
 †*mazonii* B.L. Robins. 1918 = *Neobartlettia mazonii* 36 = *Bartlettina mazonii* 61
 †*mayarense* Alain 1960 = *Grisebachianthus mayarensis* 151
 †*mayorii* B.L. Robins. 1923 = *Fleischmannia mayorii* 18
 †*megacephalum* Mart. ex Baker 1876 = *Campuloclinium megacephalum* 90
 †*megaphyllum* Baker 1876 = *Critonia megaphylla* 207 = *Critonia morifolia* 229
melanadenium Hance China 226
 †*memorabile* Maguire & Wurdack 1957 = *Imeria memorabilis* 152
 †*mendaz* Standl. & Steyermark. 1944 = *Fleischmanniopsis mendaz* 45
 †*mendezii* DC. 1836 = *Chromolaena mendezii* 156
 †*mercedense* B.L. Robins. 1934 = *Fleischmannia mercedensis* 18
 †*meridense* B.L. Robins. 1918 = *Chromolaena meridensis* 29
 †*mesoreopolum* B.L. Robins. 1924 = *Koanophyllum mesoreopolum* 150
 †*metense* B.L. Robins. 1919 = *Barrosoa metensis* 95
 †*meziae* B.L. Robins. = *Neobartlettia meziae* 36 = *Bartlettina hemisphaerica* 61
 †*meyeri* Pilger 1901 = *Chromolaena asperrima* 200
 †*microcephalum* Gray 1886 = *Decachaeta scabrella* 16
microcephalum Regel 1860 16
 †*microchaetum* Urban & Ekman 1931 = *Koanophyllum microchaetum* 150
 †*microdon* B.L. Robins. 1918 = *Critonia delphus microdon* 49
 †*microphyllum* L. 1782 = *Lourteigia microphylla* 35
 †*microstemon* Cass. 1822 = *Fleischmannia microstemon* 18
 †*mikaniifolium* B.L. Robins. 1934 = *Chacoa mikaniifolia* 154 = *Bishovia mikaniifolia* 182
mikanoides Chapm. US 226
 †*militare* B.L. Robins. 1922 = *Cyptodium militare* 69
 †*mimicum* Standl. & Steyermark. 1944 = *Koanophyllum mimicum* 64, 150
 †*minasgeraeense* Heiron. 1897 = *Chromolaena minasgeraeensis* 200
 †*minutifolium* Alain 1960 = *Koanophyllum minutifolium* 150
 †*miquihuana* B.L. Turner 1977 = *Ageratina miquihuana* 164
 †*miragoanae* Urban 1921 = *Koanophyllum miragoanae* 150
 †*misellum* McVaugh 1972 = *Chromolaena misella* 100
 †*miserum* B.L. Robins. 1918 = *Fleischmannia misera* 18
 †*missionum* Malme 1932 = *Prazelis missiona* 28
 †*modestum* Kunth 1847 = *Ageratina modesta* 85
 †*molinum* B.L. Robins. 1923 = *Chromolaena molina* 29
 †*molle* Sw. 1788 = *Hebeclinium macrophyllum* 229
 †*molle* H.B.K. 1818 = *Austroeupatorium inulifolium* 229
 †*mollicomum* B.L. Robins. 1923 = *Grazielia mollicoma* 207
 †*mollissimum* Sch.-Bip. 1876 = *Dimorpholepis mollissima* 55 = *Grazielia mollissima* 67
 †*monagasense* Badillo 1946 = *Fleischmannia monagasensis* 121
 †*monanthum* Sch.-Bip. 1856 = *Neohintonia monantha* 62
 †*monardifolium* Walp. 1840 = *Austroeupatorium monardifolium* 26 = *Austroeupatorium silphifolium* 215
 †*mononeurum* Urban 1903 = *Chromolaena mononeura* 29
 †*montanum* Sw. 1788 = *Koanophyllum montanum* 150
 †*monticola* L.O. Williams = *Ageratina subpenninervia* 232 = *Ageratina subinclusa* 168
 †*montigenum* Standl. & Steyermark. 1947 = *Bartlettina montigena* 167
 †*morichalanum* Aristeguieta = *Barrosoa morichalana* 34

Eupatorium continued

- †*morifolium* Mill. 1768 = *Critonia morifolia* 48
 †*moritibense* B.L. Robins. 1934 = *Prolobus nitidulus* 213
 †*moritense* Aristeguieta 1964 = *Chromolaena moritensis* 162
 †*moritzianum* Sch.-Bip. ex Heiron. 1901 = *Chromolaena moritziana* 29
 †*mornicola* Urban & Ekman 1931 = *Chromolaena mornicola* 29 = *Koanophyllum mornicola* 150
 †*mortonianum* Alain 1960 = *Ageratina mortoniana* 19
 †*mucronatum* Gardn. 1847 = *Chromolaena mucronata* 164
 †*muelleri* Sch.-Bip. ex Klatt = *Ageratina muelleri* 19
 †*multicrenulatum* Sch.-Bip. ex Baker = *Disynaphia multicrenulata* 57
 †*multifidum* DC. 1836 = *Dimorpholepis multifida* 55 = *Grazielia multifida* 67
 †*multiflosculosum* DC. 1836 = *Chromolaena multiflosculosa* 29
 †*multinerve* Benth. 1841 = *Fleischmannia multinervis* 18
 †*multiserratum* Sch.-Bip. 1856 = *Ageratina multiserrata* 85
 †*muricatum* Alain 1960 = *Koanophyllum muricatum* 150
 †*mutisiiense* B.L. Robins. 1928 = *Ageratina mutisiiensis* 85
 †*mygindifolium* Gray 1881 = *Ageratina mygindifolia* 19
 †*myrianthum* Klatt 1895 = *Decachaeta thieleana* 16
 †*myriocephalum* Gardn. 1847 = *Chromolaena myriocephala* 29
 †*myriocephalum* Klatt 1889 = *Decachaeta thieleana* 16
 †*myrtilloides* DC. 1836 = *Koanophyllum myrtilloides* 150
 †*neglectum* B.L. Robins. 1923 = *Austroeupatorium neglectum* 26
 †*nelsonii* B.L. Robins. 1900 = *Kyrsteniopsis nelsonii* 63
 †*nemorosum* Klatt 1887 = *Polyanthina nemorosa* 31
 †*neriifolium* B.L. Robins. 1922 = *Ageratina neriifolia* 19
 †*nervosum* Sw. 1788 = *Koanophyllum nervosum* 150
 †*nicaraguense* B.L. Robins. 1920 = *Critonia nicaraguensis* 48
 †*niederleinii* Heiron. 1897 = *Neocabreria malachophylla* 65
 †*nipense* B.L. Robins. 1926 = *Grisebachianthus nipensis* 151
 †*nitidulum* Baker 1876 = *Prolobus nitidulus* 213
 †*niveum* H.B.K. 1818 = *Cronquistianthus niveus* 75
 †*niz* Standl. & Williams ined. = *Fleischmannia niz* 121
 †*nubigenoides* B.L. Robins. 1909 = *Fleischmanniopsis nubigenoides* 45
 †*nubigenum* Benth. 1841 = *Critoniadelphus nubigenus* 49
 †*nubivagum* L.O. Williams = *Ageratina prunellifolia* 232
 †*nudiflorum* A. Rich. 1853 = *Koanophyllum nudiflorum* 150
 †*nummularium* H. & A. 1835 = *Dimorpholepis nummularia* 55 = *Grazielia nummularia* 67
 †*oaxacanum* Klatt 1882 = *Ageratina oaxacana* 156
 †*oblongifolium* Sch.-Bip. ex Baker 1876 = *Gyptis oblongifolius* 33 = *Stomatianthes oblongifolius* 227
 †*obscurifolium* Heiron. 1900 = *Fleischmannia obscurifolia* 18
 †*obtusisquamsum* Heiron. ex Sodiro 1900 = *Hebeclonium obtusisquamsum* 207
 †*obtusissimum* DC. 1836 = *Koanophyllum obtusissimum* 150
 †*oceanense* B.L. Robins. 1923 = *Ageratina oceanensis* 19
 †*occidentale* Hook. 1833 = *Ageratina occidentalis* 19
 †*odontodactylum* B.L. Robins. 1925 = *Prazelis odontodactyla* 28
 †*odoratum* L. 1759 = *Heterolaena odorata* = *Osmia odorata* = *Chromolaena odorata* 29
 †*oerstedianum* Benth. ex Oerst. 1852 = *Chromolaena oerstediana* 29
 †*oligadenium* Alain 1960 = *Koanophyllum oligadenium* 150
 †*oligocephalum* DC. 1836 = *Ageratina oligocephala* 19

Eupatorium continued

- †*omphalifolium* Kunth & Bouche ex Walp. 1846 = *Neomirandea araliifolia* 229
 †*opadoclinium* Blake 1938 = *Chromolaena opadoclinia* 29
 †*orbiculatum* DC. 1836 = *Vittetia orbiculata* 129
 †*orbignyanum* Klatt 1882 = *Chromolaena orbigniana* 29
 †*oreophilum* L.O. Williams 1975 = *Neomirandea biflora* 232
 †*oresbium* B.L. Robins. 1900 = *Neobartlettia oresbia* 36 = *Bartlettina oresbia* 61
 †*oresbioides* B.L. Robins. 1909 = *Neobartlettia oresbioides* 36 = *Bartlettina oresbioides* 61
 †*organense* Gardn. 1845 = *Barrosia organensis* 95
 †*orgyale* DC. = *Austroeupatorium inulifolium?* 155
 †*orgyaloides* B.L. Robins. 1919 = *Idiothamnus orgyaloides* 155
 †*orianaoides* H.B.K. 1818 = *Cronquistianthus orianaoides* 75
 †*ornatilobum* B.L. Robins. 1928 = *Ayapana ornatiloba* & *Lourteigia ornatiloba* 30,35
 †*ornithophorum* B.L. Robins. 1918 = *Ayapana ornithophora* 32
 †*orogenes* L.O. Williams 1975 = *Neomirandea parasitica* 232
 †*ortegae* B.L. Robins. 1925 = *Chromolaena ortegae* 29
 †*ossaeum* DC. 1836 = *Chromolaena ossaeana* 29
 †*ostenii* B.L. Robins. 1933 = *Praelis ostenii* 28
 †*oteroi* Monachino 1948 = *Chromolaena otroi* 29
 †*ovaliflorum* H. & A. 1838 = *Chromolaena ovaliflora* 29
 †*ovandense* Grashoff & Beaman ined. 1969 = *Decachaeta ovandensis* 16
 †*ovillum* Standl. & Steyermark. 1940 = *Ageratina ovilla* 19
 †*oxyclaeum* DC. 1836 = *Ayapana amygdalina* 229
 †*oxylepis* DC. 1836 = *Chromolaena oxylepis* 29
 †*oyadense* Heiron. 1897 = *Chromolaena oyadensis* 29
 †*pacacanum* Klatt 1895 = *Fleischmannia pratensis* 229
 †*pachanoi* B.L. Robins. 1919 = *Kaunia pachanoi* 202
 †*pachyneurum* Urban 1921 = *Koanophyllum pachyneurum* 150
 †*pachypodium* B.L. Robins. 1901 = *Ageratina pachypoda* 19
 †*pacificum* B.L. Robins. 1931 = *Ageratina pacifica* 19
 †*paezense* Heiron. 1901 = *Neobartlettia paezensis* 36 = *Bartlettina paezensis* 61
 †*pallescens* DC. 1836 = *Austroeupatorium inulifolium* 229
 †*pallidum* H. & A. 1836 = *Austroeupatorium inulifolium* 229
 †*palmare* Sch.-Bip. ex Baker 1876 = *Chromolaena palmaris* 29
 †*palmeri* Gray 1886 = *Koanophyllum palmeri* 64,150
 †*pampalcense* B.L. Robins. 1934 = *Ageratina pampalcensis* 19
 †*pandurifolium* Baker 1876 = *Heterocondylus pandurifolius* 105
paniculatum Mill. 1768 229
 †*paniculatum* Schrad. 1832 = *Fleischmannia microstemon* 229
 †*pansamalense* B.L. Robins. 1901 = *Neobartlettia pansamalensis* 36 = *Bartlettina pansamalensis* 61
 †*paraguariense* Heiron. 1897 = *Chromolaena paraguariensis* 29
 †*paramense* Aristeguieta 1964 = *Ageratina paramensis* 19
 †*paranense* H. & A. 1836 = *Austroeupatorium inulifolium* 229
 †*parasiticum* Klatt 1894 = *Neomirandea parasitica* 21
 †*parryi* Gray 1859 = *Flyriella parryi* 80
 †*parviceps* Malme 1932 = *Chromolaena parviceps* 29
 †*parviflorum* Sweet 1788 = *Critonia parviflora* 48
 †*parvulum* Glaziou ex B.L. Robins. 1924 = *Campuloclinium parvulum* 90,164
 †*pastazae* B.L. Robins. 1937 = *Fleischmannia pastazae* 207
 †*patagonicum* Klatt = *Eupatorium patens* 82 = *Austrobrickellia patens* 82
 †*patens* Don ex H. & A. 1835 = *Austrobrickellia patens* 82

Eupatorium continued

- †*paucibracteatum* Alain 1960 = *Ageratina paucibracteata* 19
 †*paucicrenatum* Urban & Ekman 1931 = *Koanophyllum paucicrenatum* 150
 †*pauciflorum* H.B.K. 1818 = *Prazelis pauciflora* 28
 †*paulinum* DC. 1836 = *Austroeupatorium paulinum* 26
 †*pauperculum* Gray 1881 = *Ageratina paupercula* 19
 †*pazcuarensis* H.B.K. 1818 = *Ageratina pazcuarensis* 19
 †*pedale* Sch.-Bip. ex Baker 1876 = *Chromolaena pedalis* 29
 †*pedunculosum* H. & A. 1835 = *Chromolaena pedunculosa* 200
 †*pellium* Klatt 1894 = *Chromolaena pellia* 29
 †*pelotrophum* B.L. Robins. 1906 = *Ageratina pelotropha* 19
 †*peninsulare* Brandeg. 1899 = *Critonia peninsularis* 48
 †*pennellii* B.L. Robins. 1918 = *Fleischmannia pennellii* 18
 †*penninervatum* Wurdack 1953 = *Guayania penninervata* 39
 †*pentlandianum* DC. 1836 = *Ageratina pentlandiana* 19
 †*pereziooides* B.L. Robins. 1918 = *Aristeguietia pereziooides* 139 = *Bartlettina pereziooides* 197
perfoliatum L. US 11,25,226,230
 †*perforatum* Sch.-Bip. ex Baker 1876 = *Chromolaena perforata* 29
 †*perglabrum* B.L. Robins. 1928 = *Chromolaena perglabra* 29
 †*pernambucense* B.L. Robins. 1930 = *Stomatthes pernambucensis* 227
 †*perornatum* Klatt 1884 = *Decachaeta perornata* 37
 †*persicifolium* H.B.K. 1818 = *Aristeguietia persicifolia* 139
petaloideum Britt. US 226
 †*petiolare* Moc. & Ses. ex DC. 1836 = *Ageratina petiolaris* 19
 †*petraeum* B.L. Robins. 1905 = *Ophryosporus petraeus* = *Decachaeta ovatifolia* 16
 †*petrophilum* B.L. Robins. 1926 = *Austroeupatorium petrophilum* 26
 †*phaniooides* Urban & Ekman 1931 = *Koanophyllum phaniooides* 150
 †*pharcidodes* B.L. Robins. 1931 = *Chromolaena pharcidodes* 29
 †*phlebodes* B.L. Robins. 1932 = *Trichogonia phlebodes* 92
 †*phoenicolepis* B.L. Robins. 1900 = *Peteravenia phoenicolepis* 38
 †*phoenicticum* (B.L. Robins.) K. & R. = *Hebeclinium phoenicticum* 37
 †*photinum* B.L. Robins. 1900 = *Ageratina photina* 19
 †*picardae* Urban 1921 = *Koanophyllum picardae* 150
 †*pichinchense* H.B.K. 1818 = *Ageratina pichinchensis* 19
 †*pictum* Gardn. 1847 = *Chromolaena picta* 200
 †*picturatum* Malme 1899 = *Austroeupatorium picturatum* 26
 †*pilluanense* Heiron. 1906 = *Ayapana pilluanensis* 159
pilosum Walt. US 226
 †*pinabetense* B.L. Robins. 1901 = *Neobartlettia pinabetensis* 36 = *Bartlettina pinabetensis* 61
pinnatifidum Ell. US 226
 †*pinetorum* L.O. Williams & Molina 1975 = *Critonia hebebotrya* 232
 †*pithecobium* B.L. Robins. 1924 = *Neomirandeja pitheccobia* 21
 †*pitonianum* Urban & Ekman 1931 = *Koanophyllum pitonianum* 150
 †*pittieri* Klatt 1892 = *Koanophyllum pittieri* 64,150
 †*piurae* B.L. Robins. 1926 = *Ageratina piurae* 19
 †*platychaetum* Urban 1921 = *Critonia platychaeta* 74
 †*platylepis* Baker 1876 = *Dasycondylus platylepis* 97
 †*platyphyllum* B.L. Robins. 1900 = *Neobartlettia platyphylla* 36 = *Bartlettina platyphylla* 61
 †*plectranthifolium* Benth. ex Oerst. 1852 = *Fleischmannia plectranthifolia* 18

Eupatorium continued

- †*plethadenium* Standl. & Steyermark 1944 = *Ageratina plethadenia* 85
 †*plicatum* Urban 1908 = *Koanophyllum plicatum* 64 = *Koanophyllum celtidifolium* 150
 †*plucheoides* Griseb. 1863 = *Grisebachianthus plucheoides* 151
 †*plumieri* Urban & Ekman 1931 = *Chromolaena plumieri* 29 = *Osmiopsis plumieri* 149
 †*pluriseriatum* B.L. Robins. 1911 = *Urbananthus pluriseriatus* 50
 †*poeppigii* Spreng. = *Koanophyllum villosum* 150
 †*polanthum* Klatt 1895 = *Ageratina anisochroma* 229
 †*polopolense* B.L. Robins. 1920 = *Fleischmannia polopolensis* 18
 †*polyanthum* Sch.-Bip. ex Baker 1876 = *Chromolaena polyantha* 29
 †*polybotrium* DC. 1836 = *Decachaeta ovatifolia* 16
 †*polycephalum* Sch.-Bip. ex B.L. Robins 1926 = *Stomatianthes polycephalus* 227
 †*polycladum* Dusen ex Malme 1933 = *Hatschbachiella polyclada* 71
 †*polyodon* Urban 1900 = *Koanophyllum polyodon* 150
 †*polystictum* Urban 1903 = *Koanophyllum polystictum* 150
 †*pomaderrifolium* Benth. 1845 = *Ageratina pomaderrifolia* 19
 †*popayanense* Heiron. 1908 = *Ageratina popayanensis* 19
 †*populifolium* H.B.K. 1818 = *Critonia morifolia* 229
 †*populifolium* Mart. 1876 = *Hebeclinium macrophyllum* 229
 †*porophylloides* B.L. Robins. 1923 = *Chromolaena porophylloides* 207
 †*porphyrantherum* Gray 1880 = *Fleischmannia porphyranthera* 18
 †*porphyrocladum* Urban & Ekman 1931 = *Koanophyllum porphyrocladum* 150
 †*porphyrolepis* Baker 1876 = *Chromolaena porphyrolepis* 29
 †*porriginosum* B.L. Robins. 1925 = *Ageratina porriginosa* 19
 †*portoricense* Urban 1899 = *Critonia portoricensis* 48
 †*praejectum* B.L. Robins. 1923 = *Disynaphia praeficta* 156
 †*prasiifolium* Griseb. 1874 = *Fleischmannia prasiifolia* 18
 †*pratense* Klatt 1893 = *Fleischmannia pratensis* 18
 †*pringlei* B.L. Robins. & Greenm. 1895 = *Ageratina pringlei* 19
 †*prinodes* B.L. Robins. 1926 = *Koanophyllum prinodes* 150
 †*prionobium* B.L. Robins. 1901 = *Ageratina prionobia* 19
 †*prionophyllum* B.L. Robins. 1901 = *Neobartlettia prionophylla* 36 = *Bartlettina prionophylla* 61
 †*probum* N.E. Brown 1890 = *Ageratina proba* 164
 †*procерum* B.L. Robins. 1924 = *Badilloa procera* 142
 †*prunellifolium* H.B.K. 1818 = *Ageratina prunellifolia* 19
 †*prunifolium* H.B.K. 1818 = *Ageratina prunifolia* 19
 †*pseudoarboреum* Heiron. 1905 = *Aristeguietia pseudoarborea* 139
 †*pseudochilicum* Benth. 1845 = *Ageratina pseudochilca* 19
 †*pseudoglomeratum* Heiron. ex Sodiro 1900 = *Asplundianthus pseudoglomeratus* 141
 †*pseudoperfoliatum* Sch.-Bip. ex Klatt 1885 = *Koanophyllum pseudoperfoliatum* 64, 150
 †*pseudoprasifolium* Hassler 1919 = *Chacoa pseudoprasifolia* 154
 †*pseudoriganoides* Heiron. 1900 = *Cronquistianthus pseudoriganoides* 75
 †*psiadiifolium* DC. 1836 = *Chromolaena laevigata* 229
 †*psilotorum* B.L. Robins. 1919 = *Ageratina psilotora* 19
 †*psoraleum* B.L. Robins. 1904 = *Neomirandea psoralea* 21
 †*puberulum* DC. 1836 = *Koanophyllum puberulum* 150
 †*pulchellum* H.B.K. 1818 = *Chromolaena pulchella* 29
 †*punctatum* Lam. 1788 = *Chromolaena punctata* 29
 †*punctulatum* DC. 1836 = *Chromolaena punctulata* 29
 †*punduahum* Wall. = *Eupatorium cannabinum* 226
 †*pungens* Gardn. 1846 = *Chromolaena pungens* 200

Eupatorium continued

- †*purpurascens* Sch.-Bip. ex Baker 1876 = *Campuloclinium purpurascens* 90
 †*pureum* L. 1753 = *Eupatoriadelphus purpureus* 25
 †*purpusii* Brandeg. 1899 = *Ageratina purpusii* 19
 †*pycnocephaloides* B.L. Robins. 1916 = *Fleischmannia pycnocephaloides* 18
 †*pycnocephalum* Less. 1831 = *Fleischmannia pycnocephala* 18
 †*pyramdale* Klatt 1882 = *Ayapana pyramidalis* 30
 †*pyrifolium* DC. 1836 = *Steyermarkina pyrifolium* 47
 †*quadrangulare* DC. 1836 = *Critonia quadrangularis* 48
 †*quereturum* L.O. Williams 1975 = *Chromolaena quereturora* 164
quinqeflorum Urban & Ekman Dominican Republic 226
 †*quisqueyanum* Alain 1976 = *Koanophyllum quisqueyanum* 207
 †*radulum* Chod. = *Disynaphia radula* 57
 †*rafaelense* Coult. 1891 = *Ageratina rafaelensis* 19
 †*ramboi* Cabrera 1963 = *Barrosoa ramboi* 34
 †*ramonense* B.L. Robins. 1909 = *Ageratina ramonensis* 19
 †*ramosissimum* Gardn. 1847 = *Austroeupatorium inulifolium* 229
recurvans Small US 226
reevissii Wall. Asia 226
 †*reitzii* Cabrera 1963 = *Sympphyopappus reitzii* 54
 †*remotifolium* DC. 1836 = *Fleischmannia remotifolia* 18
 †*remyanum* Phil. 1860 = *Ageratina glechonophylla* 19 = *Ageratina remiana* 207
 †*resiniflum* Urban 1899 = *Ageratina resiniflua* 19
resinosum Torrey US 97,226
reticularum Desv. 151
 †*reticulatum* A. Rich. = *Grisebachianthus libanotica* 151
 †*reticuliferum* Standl. & Williams 1951 = *Ageratina reticulifera* 19,85
 †*retrofractum* Thunb. 1800 = *Iphiona retrofracta* 207
 †*reversum* Urban 1922 = *Koanophyllum reversum* 150
 †*revolutum* Gardn. 1847 = *Chromolaena revoluta* 29
 †*rhezioides* B.L. Robins. 1916 = *Koanophyllum rhezioides* 150
 †*rhinanthaceum* DC. 1836 = *Chromolaena rhinanthacea* 29
 †*rhinanthaceum* var. *latisquamulosum* Heiron. 1897 = *Chromolaena latisquamulosa* 29
 †*rhinanthaceum* var. *oinopolepis* Malme 1933 = *Chromolaena oinopolepis* 29
 †*rhodochlamydeum* Gray 1880 = *Peteravenia rhodochlamydea* 38
 †*rhodopappum* B.L. Robins. 1926 = *Ageratina rhodopappa* 19
 †*rhodopodium* B.L. Robins. 1925 = *Ageratina rhodopoda* 19
 †*rhodotephrum* B.L. Robins. 1926 = *Fleischmannia rhodotephra* 18
 †*rhomboideum* H.B.K. 1818 = *Ageratina rhomboidea* 19
 †*rhypodes* B.L. Robins. 1919 = *Ageratina rhypodes* 19
 †*rhytidodes* B.L. Robins. 1926 = *Ageratina rhytidodes* 19
 †*rigidum* Sw. 1788 = *Chromolaena rigida* 207
 †*riedelii* Baker 1876 = *Campuloclinium riedelii* 90
 †*nimbachii* B.L. Robins. 1931 = *Grosvenoria nimbachii* 140
 †*riparium* Regel 1866 = *Ageratina riparia* 19
 †*rivale* Greenm. 1904 = *Ageratina rivalis* 19
 †*rivulorum* B.L. Robins. 1926 = *Fleischmannia rivulora* 18 = *Fleischmannia imitans* 121
 †*rojasianum* Standl. & Steyer. = *Fleischmannia pycnocephala* 232
 †*rojasii* Hassl. 1912 = *Chromolaena rojasii* 29
 †*roraimense* N.E. Brown 1901 = *Ageratina roraimensis* 19
 †*roseorum* B.L. Robins. 1919 = *Chromolaena roseora* 29
 †*roseum* Gardn. 1845 = *Astrocritonaria rosea* 143

Eupatorium continued

- †*roseum* Klatt 1892 = *Fleischmannia pratensis* 229
 †*rosmarinaceum* Cabrera & Vittet 1963 = *Austroeupatorium rosmarinaceum* 207
 †*rosmarinifolium* Ses. & Moc. 1889 = *Austroeupatorium rosmarinifolium* 26
 †*rothrockii* Gray 1897 = *Ageratina rothrockii* 19
rotundifolium L. US 25,226,230
 †*roupalifolium* B.L. Robins. 1919 = *Guayania roupalifolia* 39
 †*ruae* Standl. 1950 = *Neobartlettia ruae* 36 = *Bartlettina ruae* 61
 †*rubricaulis* H.B.K. 1818 = *Ageratina rubricaulis* 19
 †*rubroviraceum* Urban & Ekman 1931 = *Koanophyllum rubroviraceum* 150
 †*ruckeri* B.L. Robins. 1926 = *Spaniopappus ruckeri* 20
 †*rufescens* Lund ex DC. 1836 = *Kaunia rufescens* 202
 †*rugosum* H.B.K. 1818 = *Cronquistianthus rugosus* 75 = *Eupatorium bulliferum* Blake
 207 = *Cronquistianthus bulliferum* 207
rugosum Houtt. US 233
rupestris Gardn. Brasil 106
 †*rupicola* B.L. Robins. & Greenm. 1896 = *Ageratina rupicola* 19
 †*sachalinense* Fr. = *Eupatorium chinense* 226
 †*sagittatum* Gray 1850 = *Chromolaena sagittata* 29
 †*sagittiferum* B.L. Robins. 1922 = *Chromolaena sagittifera* 29
 †*salicinum* Lam. 1786 = *Badilloa salicina* 142
 †*saltense* Heiron. 1897 = *Kaunia saltensis* 202
 †*saltillense* B.L. Robins. 1907 = *Ageratina saltillensis* 19
saltuense Fern. US 226
 †*salvium* Colla 1835 = *Aristeguietia salvia* 139
 †*salviifolium* H.B.K. 1818 = *Aristeguietia dielsii* 139
salviifolium Sims 139
 †*salzmannianum* DC. 1836 = *Ayapana amygdalina* 229
sambucifolium Elm. Philippines 226
 †*sanctopaulense* B.L. Robins. 1923 = *Chromolaena sanctopaulensis* 29
 †*santanense* Aristeguieta 1968 = *Chromolaena santanensis* 29
 †*sartorii* Sch.-Bip. ex Klatt 1884 nom. nud. = *Critonia morifolia* 229
 †*saucepchicoense* Heiron. 1897 = *Acanthostyles saucechicoensis* 52
 †*sazorum* Standl. & Steyermark 1944 = *Fleischmannia sazora* 207
 †*scabellum* B.L. Robins. 1900 = *Ophryosporus scabellus* = *Decachaeta scabrella* 16
 †*scabrifolium* B.L. Robins. 1926 = *Asplundianthus scabrifolius* 141
 †*scabriuscum* Urban & Ekman 1931 = *Koanophyllum scabriuscum* 150
 †*scabrum* L. 1782 = *Chromolaena scabra* 29
 †*scandens* L. = *Willoughbya scandens* = *Mikania scandens* 229
 †*schaffneri* Sch.-Bip. ex B.L. Robins. 1892 = *Ageratina schaffneri* 19
 †*schickendantzii* Heiron. 1897 = *Fleischmannia schickendantzii* 18
schlechtendalii 97
 †*schultzii* Schnittspahn 1857 = *Peteravenia schultzii* 38
 †*sciaphilum* B.L. Robins. 1918 = *Neomirandeja sciaphila* 21
 †*sciatriphes* B.L. Robins. 1918 = *Koanophyllum sciatriphes* 150
 †*scoparioides* L.O. Williams 1975 = *Koanophyllum solidaginoides* 229,232
 †*scopulorum* Wedd. 1857 = *Ageratina scopulora* 19
 †*scorodonioides* Gray 1880 = *Ageratina scorodonioides* 19
 †*selerianum* B.L. Robins. 1900 = *Fleischmannia seleriana* 18
 †*selleeanum* Urban 1921 = *Koanophyllum selleeanum* 150
 †*semicrenatum* Urban 1903 = *Koanophyllum semicrenatum* 150

Eupatorium continued

- semiserratum* DC. US 226
 †*semistriatum* Baker 1876 = *Bejaranoa semistriata* 183
 †*senecionoideum* Baker 1876 = *Disynaphia senecionoidea* 57
 †*sericeum* H.B.K. 1818 = *Hebeclinium sericeum* 37
serotinum Michx. US 25,226,230
 †*serratuloides* H.B.K. 1818 = *Chromolaena serratuloides* 207
 †*serratum* Spreng. 1826 = *Dimorpholepis serrata* 55 = *Grazielia serrata* 67
 †*serrulatum* DC. 1836 = *Neocabreria serrulata* 65
sessilifolium L. US 226
 †*shaferi* B.L. Robins. 1936 = *Spaniopappus shaferi* 20
 †*shastense* Taylor & Stebbins 1978 = *Ageratina shastensis* 190
shimadai Kitamura Formosa 226
 †*sideritides* Benth. ex Oerst. 1852 = *Fleischmannia sideritides* 18
 †*silphiifolium* Mart. 1838 = *Austroeupatorium inulifolium* 229 = *Austroeupatorium silphiifolium* 215
 †*silvaticum* B.L. Robins. 1926 = *Koanophyllum silvaticum* 150
 †*silvicola* B.L. Robins. 1904 = *Bartlettina silvicola* 167
 †*simile* Proctor 1967 = *Koanophyllum simile* 150
 †*simillimum* B.L. Robins. 1926 = *Koanophyllum simillimum* 64,150
 †*simulans* B.L. Robins. 1919 = *Ageratina simulans* 19
 †*sinaloense* B.L. Robins. 1926 = *Fleischmannia sinaloensis* 18
 †*sinclairii* Benth. ex Oerst. 1852 = *Fleischmannia sinclairii* 18
 †*sinuatum* Lam. 1788 = *Chromolaena sinuata* 156
 †*skutchii* B.L. Robins. 1934 = *Ageratina skutchii* 19
 †*smilacinum* H.B.K. 1818 = *Asplundianthus smilacinus* 141
 †*sodali* L.O. Williams = *Koanophyllum standleyi* 232
 †*sodiroi* Heiron. 1900 = *Ageratina sodiroi* 19
 †*solidaginifolium* Gray 1852 = *Koanophyllum solidaginifolium* 64,150
 †*solidaginoides* H.B.K. 1818 = *Ophryosporus solidaginoides* = *Koanophyllum solidaginoides* 64,150
 †*sonorae* Gray 1853 = *Fleischmannia sonorae* 121
 †*sophiifolium* L. 1762 = *Eupatorina sophiifolia* 42
 †*soratae* Sch.-Bip. ex B.L. Robins. 1920 = *Fleischmannia soratae* 18
sordescens 97
 †*sordidum* Less. 1831 = *Neobartlettia sordida* 37 = *Bartlettina sordida* 36,61
 †*solarensis* Heiron. 1895 = *Ageratina solarensis* 19
 †*spathulatum* H. & A. 1835 = *Disynaphia spathulata* 57
 †*sphaerocephalum* Sch.-Bip. ex Baker 1876 = *Sphaereupatorium sphaerocephalum* 207
 †*sphagnophilum* B.L. Robins. 1924 = *Badilloa sphagnophila* 142
 †*sphenopodium* B.L. Robins. 1907 = *Flyriella sphenopoda* 80
 †*splendens* Klotsch ex Polak = *Fleischmannia splendens* 85
 †*splendens* Sch.-Bip. nom. nud. = *Fleischmannia splendens* 101
 †*sprucei* B.L. Robins. 1919 = *Ayapana elata* 229
 †*squalidum* DC. 1836 = *Chromolaena squalida* 29
 †*squarrosum* Heiron. 1897 = *Chromolaena squarrosoramosa* 29
 †*squarrulosum* H. & A. 1835 = *Chromolaena squarrulosa* 29
 †*stachyophyllum* Spreng. 1826 = *Chromolaena stachyophylla* 29
 †*standleyi* B.L. Robins. 1926 = *Neomirandeja standleyi* 21
stanfordii 80
 †*steetzii* B.L. Robins. 1919 = *Badilloa steetzii* 142
 †*stenolepis* Steetz 1854 = *Ayapana stenolepis* 156

Eupatorium continued

- †*sternbergianum* DC. 1836 = *Ageratina sternbergiana* 19
 †*stevioides* Steyerm. 1953 = *Ageratina stevioides* 19
 †*steyermarkianum* Badillo 1946 = *Chromolaena steyermarkiana* 162
 †*stictophyllum* B.L. Robins. 1919 = *Ageratina stictophylla* 19
 †*stigmaticum* Urban & Ekman 1931 = *Critonia stigmatica* 48
 †*stillingiifolium* DC. 1836 = *Chromolaena stillingiifolia* 156
 †*stipuliferum* Rusby 1895 = *Koanophyllum stipuliferum* 64, 150
 †*stoechadifolium* L. 1782 = *Lourteigia stoechadifolia* 35
 †*stoechadodus* Hance = *Eupatorium fortunei* 226
 †*strictum* Gray 1886 = *Ageratina stricta* 19
 †*stuebelii* Heiron. 1895 = *Asplundianthus stuebelii* 141
 †*suaveolens* H.B.K. 1818 = *Austroeupatorium inulifolium* 229
 †*subcapitatum* Malme 1933 = *Stomatianthes subcapitatus* 227
 †*subcordatum* Benth. ex Oerst. 1852 = *Ageratina subcordata* 19
 †*subferrugineum* B.L. Robins. 1931 = *Ageratina subferruginea* 19
 †*subinclusum* Klatt 1884 = *Ageratina subinclusa* 168
 †*subintegerrimum* Malme 1932 = *Malmeanthus subintegerrimus* 199
 †*subobtusum* DC. 1936 = *Ayapana amygdalina* 229
 †*subpenninervium* Sch.-Bip. ex Klatt 1884 = *Ageratina subpenninervia* 164 = *Ageratina subinclusa* 168
 †*subpurpureum* Urban & Ekman 1931 = *Koanophyllum subpurpureum* 150
 †*subscandens* Heiron. 1897 = *Chromolaena subscandens* 29
 †*subserratum* Gardn. = *Chromolaena mucronata* 164
 †*suratense* B.L. Robins. 1928 = *Chromolaena suratensis* 29
 †*syriacum* Jacq. = *Eupatorium cannabinum* 226
 †*syringifolium* Turcz. 1851 = *Koanophyllum solidaginoides* 229
 †*tacotanum* Klatt 1886 = *Chromolaena tacotana* 29
 †*tahonense* Heiron. 1908 = *Aristeguietia tahonensis* 139
 †*tambillense* Heiron. 1908 = *Ageratina tambillensis* 19
 †*tamboense* Heiron. 1897 = *Fleischmannia tamboensis* 18
 †*tanacetifolium* Gill ex H. & A. 1835 = *Gyptis pinnatifida* 33
 †*tapeinanthum* Urban 1921 = *Koanophyllum tapeinanthum* 150
 †*tarapotense* B.L. Robins. 1919 = *Ayapanopsis tarapotensis* 103
 †*tarmense* B.L. Robins. 1934 = *Ageratina tarmensis* 19
 †*tatei* B.L. Robins. 1931 = *Koanophyllum tatei* 150
 †*tatamense* B.L. Robins. 1926 = *Aristeguietia tatamensis* 139
 †*taunayanum* Glaziou ex B.L. Robins. 1924 = *Austrocritonitis taunayana* 164
 †*tectum* Gardn. 1845 = *Chromolaena tecta* 29
 †*tenorae* Aristeguieta 1964 = *Bartlettina tenorae* 162
 †*tenue* R.E. Fries 1906 = *Ageratina tenuis* 19
 †*tenuicapitulatum* Heiron. 1905 = *Chromolaena tenuicapitulata* 29
 †*tepuianum* Steyerm. 1953 = *Guayania roupalifolia* 37
 †*tetragonum* Schrad. 1831 = *Ageratina tetragona* 19
 †*tetranthum* Griseb. 1861 = *Koanophyllum tetranthum* 150
 †*theisolum* Benth. 1845 = *Ageratina theisolia* 19
thermarum B.L. Robins. 147
 †*thieleanum* Klatt 1892 = *Decachaeta thieleana* 16
 †*thurnii* B.L. Robins. 1928 = *Chromolaena thurnii* 29
 †*thymifolium* Britt. 1892 = *Neocuatrecasia thymifolia* 32
 †*thyrsigerum* Heiron. 1901 = *Critonia thyrsigera* 48
 †*thyrsoides* Moc. ex DC. 1836 = *Critonia thyrsoides* 48

Eupatorium continued

- †*thyrsanolepis* B.L. Robins. 1925 = *Koanophyllum thyrsanolepis* 150
 †*tinifolium* H.B.K. 1818 = *Ageratina tinifolia* 19
 †*toldense* Heiron. 1908 = *Chromolaena toldensis* 29
 †*tomentellum* Schrad. 1833 = *Ageratina tomentella* 19
 †*tonduzii* Klatt 1895 = *Ageratina tonduzii* 19, 85
toppingianum Elm. Asia, Philippines 226
 †*toroi* B.L. Robins. 1934 = *Asplundianthus toroi* 141
 †*torondoyense* Badillo 1944 = *Hebeclinium torondoyense* 37
 †*tovarensis* B.L. Robins. 1918 = *Ayapana tovarensis* 30
 †*trachyphyllum* Heiron. 1905 = *Asplundianthus trachyphyllus* 141
 †*trapezoideum* Kunth 1847 = *Ageratina trapezoides* 85
 †*tremulum* H. & A. 1836 = *Raulinoreitzia tremula* 52
 †*triana* B.L. Robins. 1918 = *Barrosoa trianae* 95
 †*tricephalotes* Sch.-Bip. ex Baker 1876 = *Koanophyllum tricephalotes* 150
 †*trichobase* Baker 1876 = *Gyptidium trichobasis* 69
 †*trichosanthum* A. Rich. 1853 = *Brickellia diffusa* 229
 †*trigonocarpum* Griseb. 1861 = *Chromolaena trigonocarpa* 29
 †*trigonum* Gardn. 1847 = *Stomatianthes trigonus* 227
 †*trinervium* Sch.-Bip. 1856 = *Fleischmannia trinervia* 18
 †*trinionum* McVaugh 1972 = *Ageratina trinionia* 85
 †*trinitense* O. Ktze. 1891 = *Ayapana trinitensis* 30
 †*triosteifolium* Rusby 1907 = *Ayapanopsis triosteifolia* 103
 †*triplinervia* Vahl 1794 = *Ayapana tripinnervia* 30
 †*triptychum* B.L. Robins. 1926 = *Standleyanthus triptychus* 46
 †*triradiatum* Urban 1903 = *Koanophyllum triradiatum* 150
 †*triste* DC. 1836 = *Ageratina tristis* 19
 †*trizioides* Baker = *Ayapanopsis trizioides* 103
 †*trujillense* B.L. Robins. 1934 = *Chromolaena trujillensis* 29
 †*tubaracense* Heiron. 1897 = *Campuloclinium tubaracense* 90
 †*tucumanense* Lillo & B.L. Robins. 1930 = *Ayapanopsis tucumanensis* 103
 †*tuerckheimii* Klatt 1884 = *Neobartlettia tuerckheimii* 36 = *Bartlettina tuerckheimii* 61
 †*tunii* L.O. Williams = *Critonia bartlettii* 232
 †*turbacense* Heiron. 1895 = *Ayapana turbacensis* 30
 †*tweedianum* H. & A. 1885 = *Austroeupatorium tweedianum* 26 = *Hatschbachiella tweediana* 71
 †*tyleri* B.L. Robins. 1931 = *Chromolaena tyleri* 29
 †*uber* B.L. Robins. 1919 = *Kaunia uber* 202
 †*ulei* Heiron. 1897 = *Chromolaena ulei* 29
 †*umbelliforme* Dusen ex Malme 1933 = *Chromolaena umbelliformis* 29
 †*urbanii* Ekman ex Urban 1931 = *Ageratina urbanii* 19
 †*uromenes* B.L. Robins. 1918 = *Chromolaena uromenes* 29
urticifolium 233
 †*urticoides* Sch.-Bip. ex Heiron. 1901 = *Ageratina urticoides* 29
 †*urubamense* B.L. Robins. 1919 = *Cronquistianthus urubamensis* 75
 †*urubamense* var. *determinatum* B.L. Robins. 1923 = *Cronquistianthus determinatus* 215
 †*vacciniifolium* Benth. 1845 = *Ageratina vacciniifolia* 19
 †*valerianum* Standl. 1938 = *Fleischmannia valeriana* 18 = *Fleischmannia hymenophylla* 229
 †*vallincola* DC. 1836 = *Ageratina vallincola* 19
 †*vargasianum* DC. 1836 = *Critoniella vargasiana* 138
 †*variolatum* B.L. Robins. 1924 = *Disynaphia variolata* 57

Eupatorium continued

- †*vattuonei* Hicken = *Eupatorium patens* = *Austrobrickellia patens* 82
 †*vauthierianum* DC. 1836 = *Heterocondylus vauthierianus* 105 = *Heterocondylus alatus* 207
 †*velutinum* Gardn. 1846 = *Astrocritonaria velutina* 143
 †*venezuelense* Badillo 1944 = *Badilloa venezuelensis* 142
 †*ventillanum* Cuatrecasas 1965 = *Ageratina ventillana* 19
 †*venulosum* Gray 1886 = *Ageratina venulosa* 19
 †*verbenaceum* DC. 1836 = *Chromolaena verbenacea* 29
 †*vernale* Vatke & Kurtz 1871 = *Ageratina vernalis* 19
 †*vernicosum* Sch.-Bip. ex Greenm. = *Ageratina vernicosa* 19
 †*vernoniopsis* Sch.-Bip. ex Baker = *Gyptis vernoniopsis* 33
 †*vestitum* Poepp. 1845 = *Hebeclinium vestitum* 147
vestitum Spreng. 1826 147
 †*viburnoides* DC. 1836 = *Ageratina viburnoides* 19
 †*villosum* Sweet = *Koanophyllum villosum* 64, 150
 †*villosum* var. *dolicholepis* Urban 1921 = *Koanophyllum dolicholepis* 150
 †*vindex* DC. 1836 = *Chromolaena vindex* 200
 †*viridiflorum* Baker 1876 = *Barrosoa viridiflora* 95
 †*viscidipes* B.L. Robins. 1901 = *Fleischmannia viscidipes* 18
 †*viscidum* H. & A. 1835 = *Lorentianthus viscidus* 153
 †*viscosissimum* Rolfe 1906 = *Ageratina viscosissima* 207
 †*viscosum* H.B.K. 1818 = *Ageratina viscosa* 19, 164
 †*vitalbae* DC. 1836 = *Heterocondylus vitalbae* 105
 †*vitifolium* Sch.-Bip. ex Klatt 1884 = *Eupatoriastrum triangulare* 41
 †*volkensii* Heiron. 1908 = *Cronquistianthus volkensii* 75
 †*vulcanicum* Benth. ex Oerst. 1852 = *Ageratina vulcanica* 19, 85
 †*wallachii* DC. = *Eupatorium chinense* 226
 †*warmingii* Baker 1876 = *Stomatianthes warmingii* 227
 †*weberbaueri* Heiron. 1906 = *Crossothamnus weberbaueri* 84
 †*weddellii* B.L. Robins. 1926 = *Neocuatrecasia weddellii* 86
 †*wetmorei* B.L. Robins. 1934 = *Koanophyllum wetmorei* 120, 150
 †*williamsii* Standl. nom. nud. = *Bartlettina williamsii* 167
 †*wrightii* Gray 1850 = *Ageratina wrightii* 19
 †*zanthonchlorum* B.L. Robins. 1926 = *Ageratina zanthonchiora* 19
 †*zestolepidoides* Wurdack 1953 = *Chromolaena zestolepidoides* 162
 †*zestolepis* B.L. Robins. 1918 = *Chromolaena zestolepis* 29
 †*zyllorrhizum* Sch.-Bip. ex Baker 1876 = *Chromolaena zyllorrhiza* 29
yakushimense Masam. & Kitam. Japan 226
 †*yavianum* (Lasser & Maguire) Lasser & Maguire 1954 = *Guayania yaviana* 39
 †*yungasense* B.L. Robins. 1934 = *Fleischmannia yungasensis* 18
 †*ziniifolium* B.L. Robins. 1918 = *Ageratina ziniifolia* 19
 †*zunilanum* Standl. & Steyermark 1944 = *Ageratina zunilana* 19
 †*Eutrochium* Raf. = *Eupatoriadelphus* 233
Ferreyrella Blake 1958 2 spp. 11, 131, 194, 228, 233
cuatrecasasii K. & R. 1973 Peru 112
peruviana Blake 1958 Peru 7, 11, 112, 233
Flaveria Juss. 111
peruviana Gmel. 1791 = *Ophryosporus peruvianus* 111
Fleischmannia Sch.-Bip. 1850 79 spp. 11, 13, 35, 45, 114, 118, 121, 122, 146, 163, 223, 235
aequinoctialis (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 18
allenii K. & R. 1974 Panama 121, 229

Fleischmannia continued

- anisopoda* (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala 18
antiquora (Standl. & Steyermark) K. & R. (*Eupatorium*) 169, 207
arguta (H.B.K.) B.L. Robins. = *Fleischmannia rhodostyla* 2, 11, 18, 100, 229, 232, 233
bergantinensis (Badillo) K. & R. (*Eupatorium*) Venezuela 18
blakei (B.L. Robins.) K. & R. (*Eupatorium*) Honduras 18
bohlmanniana K. & R. 1978 Mexico, Guatemala 169
bridgesii (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 18
capillipes (Benth. ex Oerst.) K. & R. (*Eupatorium*) El Salvador, Nicaragua, Mexico 2,
 121, 229, 230, 232, 233
carletonii (B.L. Robins.) K. & R. (*Eupatorium*) Honduras 18
chiriquensis K. & R. 1974 Panama 121, 229
ciliolifera K. & R. 1974 (based on *Eupatorium cilioferum*) Honduras 121
cookii (B.L. Robins.) K. & R. (*Eupatorium*) Peru 18
croatii K. & R. 1974 Panama 121, 229
crocodilia (Standl. & Steyermark) K. & R. (*Eupatorium*) Peru 18
cuatrecasasii K. & R. 1972 Colombia 74
deborabellae K. & R. 1978 Guatemala, Mexico 169
dissolvens (Baker) K. & R. (*Eupatorium*) Brasil 18
ejidensis (Badillo) K. & R. (*Eupatorium*) Venezuela 162
ferreyrii K. & R. 1974 Peru 118
fragilis (B.L. Robins.) K. & R. (*Eupatorium*) Peru 18
gentryi K. & R. 1975 Costa Rica 145, 233
gonzalezii (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 18
granatensis K. & R. 1974 Colombia 121, 229
guatemalensis K. & R. 1975 Guatemala 145, 232, 233
haughtii K. & R. 1974 Colombia 121, 229
holwayana (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 18, 121
huigrensis (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 18
hymenopylla (Klatt) K. & R. (*Eupatorium*) Costa Rica 18, 121, 229
ignota (Badillo) K. & R. (*Eupatorium*) Venezuela 162
imitans (B.L. Robins.) K. & R. (*Eupatorium*) El Salvador, Guatemala, Mexico 18, 121,
 230, 232, 233
incarnata (Walt.) K. & R. (*Eupatorium*) US, Mexico 18
†*jejuna* (Standl. & Steyermark) K. & R. (*Eupatorium*) 18 = *Fleischmannia capillipes* 121
klettiana (Heiron.) K. & R. (*Eupatorium*) Colombia 18, 121
†*langlassaei* B.L. Robins. 1905 = *Hofmeisteria urenfolia* 4
laza (Gardn.) K. & R. (*Eupatorium*) Brasil 18
lazicephala (Cabrera) K. & R. (*Eupatorium*) Brasil 18
lellingeri K. & R. 1974 Colombia 118
lithophila (B.L. Robins.) K. & R. (*Eupatorium*) 18
lloensis (Heiron.) K. & R. (*Eupatorium*) Ecuador 18
magdalenensis (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 18, 121
marginate (Poepp. & Endl.) K. & R. (*Eupatorium*) Peru 18
matudae K. & R. 1974 Mexico 121
mayorii (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 18
mercedensis (B.L. Robins.) K. & R. (*Eupatorium*) Peru 18
†*microcephala* Brandeg. ined. = *Fleischmannia capillipes* 121
microstemon (Cass.) K. & R. (*Eupatorium*) Honduras, Costa Rica 18, 19, 37, 85, 114, 121,
 229, 232, 233
misera (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 18, 74, 121, 229
monagasensis (Badillo) K. & R. (*Eupatorium*) Venezuela 121

Fleischmannia continued

- multinervis* (Benth.) K. & R. (*Eupatorium*) Central America, Mexico 18,121,145,232
niz K. & R. 1974 Honduras 121,145
obscurifolia (Heiron.) K. & R. (*Eupatorium*) Ecuador 18
panamensis K. & R. 1974 Panama 121,229
pastazae (B.L. Robins.) K. & R. (*Eupatorium*) 207,230
pennellii (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 18,121,229,230
plectranthifolia (Benth. ex Oerst.) K. & R. (*Eupatorium*) Costa Rica 18,121,229,230
polopolensis (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 18
porphyranthera (Gray) K. & R. (*Eupatorium*) Mexico 18
prasifolia (Griseb.) K. & R. (*Eupatorium*) Argentina, Paraguay, Brasil 18
pratensis (Klatt) K. & R. (*Eupatorium*) Costa Rica 18,121,145,169,229,230
purpusii K. & R. 1974 Mexico 121
pycnocephala (Less.) K. & R. (*Eupatorium*) North America, South America, Mexico 18,
 100,169,229,230,232
pycnocephalooides (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala, Mexico 18,115,121,
 230
reben B.L. Robins. 2
remotifolia (DC.) K. & R. (*Eupatorium*) Brasil 18
†*repens* B.L. Robins. = *Ageratina repens* 18
†*rhodostyla* Sch.-Bip. 1850 = *Fleischmannia arguta* 2,11,18,100,229,232,233
rhodotehra (B.L. Robins.) K. & R. (*Eupatorium*) Peru 18
†*rivilora* (B.L. Robins.) K. & R. (*Eupatorium*) = *Fleischmannia imitans* 121
saxorum (Standl. & Steyerl.) K. & R. (*Eupatorium*) 207
†*schaffneri* Gray 1881 = *Hofmeisteria schaffneri* 2,4,18
schickendantzii (Heiron.) K. & R. (*Eupatorium*) Argentina 18
seleriana (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 18,230
sideritides (Benth. ex Oerst.) K. & R. (*Eupatorium*) Costa Rica 18,229
sinaloensis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 18
sinclairii (Benth. ex Oerst.) K. & R. (*Eupatorium*) Central America 18,114,145,229,233
sonorae (Gray) K. & R. (*Eupatorium*) Mexico 121
soratae (Sch.-Bip. ex B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 18
splendens Sch.-Bip. ex K. & R. 1972 Guatemala 101
†*standleyi* Blake 1924 = *Hofmeisteria standleyi* 2,4,18
steyermarkii K. & R. 1977 Venezuela 162
tamboensis (Heiron.) K. & R. (*Eupatorium*) Bolivia 18
trinervia (Sch.-Bip.) K. & R. (*Eupatorium*) Mexico 18,100,121
tysonii K. & R. 1974 Panama 121
†*urenifolia* (Benth. & Hook.) Hemsl. 1881 = *Hofmeisteria urenifolia* 4
†*urenifolia* (H. & A.) Benth. & Hook. (*Hofmeisteria, Phania*) = *Hofmeisteria urenifolia* 4
†*urenifolia* var. *mexiae* B.L. Robins. 1931 = *Hofmeisteria standleyi* 4,18
†*valeriana* (Standl.) K. & R. (*Eupatorium*) Costa Rica = *Fleischmannia hymenophylla*
 229
viscidipes (B.L. Robins.) K. & R. (*Eupatorium*) Central America 18,121,145,232
yungasensis (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 18
Fleischmanniopsis K. & R. 1971 5 spp. 45,150,158,233,235
anomalochaeta K. & R. 1977 Guatemala 163
langmaniae K. & R. 1977 Mexico 163
leucocephala (Benth.) K. & R. (*Eupatorium*) Central America, Mexico 45,163,232
mendaz (Standl. & Steyerl.) K. & R. (*Eupatorium*) Guatemala 45,163,232
nubigenoides (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala 45,163

- Flyriella* K. & R. 1972 6 spp. 80,102,144,165,233
chrysostyla (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 80
harrimanii K. & R. 1982 Mexico 212
leonensis (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 80
parryi (Gray) K. & R. (*Eupatorium*) US, Mexico 80
sphenopoda (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 80
stanfordii K. & R. 1972 Mexico 80,212
- Garberia* Gray 1879 1 sp. 11,233
fruticosa (Nutt.) Gray (*Liatris, Leptoclinium*) US 11
- Gardnerina* K. & R. 1981 1 sp. 206
angustata (Gardn.) K. & R. (*Piqueria, Alomia*) 206
- Gongrostylus* K. & R. 1972 1 sp. 104,233
costaricensis (Kuntze) K. & R. (*Eupatorium*) Ecuador, Costa Rica 104,229
- Goyazianthus* 1977 1 sp. 165,235
tetrastrichus (B.L. Robins.) K. & R. (*Sympphyopappus*) Brasil 54,165,179
- Grazielia* K. & R. 1972 10 spp. 51,54,55,56,67,233 (*Dimorpholepis*)
†anethifolia (DC.) K. & R. (*Eupatorium, Dimorpholepis*) 55,67 = *Grazielia multifida* 209
bishopii K. & R. 1981 Brasil 209
coriacea (Scheele) K. & R. (*Eupatorium, Dimorpholepis*) 55,67 = *Sympphyopappus reticulatus* 209
dimorpholepis (Baker) K. & R. (*Eupatorium, Dimorpholepis grazielae*) Brasil 67,209
gaudichaudiana (DC.) K. & R. (*Eupatorium, Dimorpholepis*) Brasil 55,67,209,233
intermedia (DC.) K. & R. (*Eupatorium, Dimorpholepis*) Brasil 55,67
mollicoma (B.L. Robins.) K. & R. (*Eupatorium*) 207
mollissima (Sch.-Bip. ex Baker) K. & R. (*Eupatorium, Dimorpholepis*) Brasil 55,67
multifida (DC.) K. & R. (*Eupatorium, Dimorpholepis*) Brasil 55,67,209
nummularia (H. & A.) K. & R. (*Eupatorium, Dimorpholepis*) Brasil 55,67
schultzii K. & R. 1981 Brasil 209
serrata (Spreng.) K. & R. (*Eupatorium, Dimorpholepis*) Brasil, Uruguay 55,67
- Grisebachianthus* K. & R. 1975 8 spp. 150,151,233
carsticola (Borhidi & Muniz) K. & R. (*Eupatorium*) Cuba 151
holquinensis (B.L. Robins.) K. & R. (*Eupatorium, Chromolaena*) Cuba 151
hypoleucus (Griseb.) K. & R. (*Eupatorium*) Cuba 151
lantanifolius (Griseb.) K. & R. (*Eupatorium*) Cuba 151
libanoticus (Sch.-Bip.) K. & R. (*Eupatorium*) Cuba 151
mayarensis (Alain) K. & R. (*Eupatorium*) Cuba 151
nipensis (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 151
plucheoides (Griseb.) K. & R. (*Eupatorium*) Cuba 151
- Grosvenoria* K. & R. 1975 3 spp. 140,141,142,172,233
campii K. & R. 1978 Ecuador 180
coelocaulis (B.L. Robins.) K. & R. (*Eupatorium*) Peru 140,180
hypargyra (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 140,180
rimbachii (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 140,180
- Guayania* K. & R. 1971 6 spp. 36,39,152,176,233
bulbosa (Aristeguieta) K. & R. (*Eupatorium*) Venezuela 61,231
cerasifolia (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil, Colombia, Venezuela 39
crassicaulis (Steyermark) K. & R. (*Eupatorium*) 207
davidsei K. & R. 1977 Venezuela 231
penninervata (Wurdack) K. & R. (*Eupatorium*) Venezuela 39
roupalifolia (B.L. Robins.) K. & R. (*Eupatorium*) British Guiana, Venezuela 39
yaviana (Lasser & Maguire) K. & R. (*Eupatorium*) Venezuela 39

- Guevaria* K. & R. 1974 4 spp. 131,133,233
alvaroi K. & R. 1974 Ecuador 131,230
lorensis (Blake & Steyermark) K. & R. (*Piqueria*) Ecuador 131
sodiroi (Heiron. ex Sodiro) K. & R. (*Piqueria*) Ecuador 131,230
vargasii Chung 1967 (*Piqueria*) Peru 131
Gymnocondylus K. & R. 1972 1 sp. 87,106,107,233
galeopsifolius (Gardn.) K. & R. (*Eupatorium*) Brasil 106
Gymnocoronis DC. 1836 5 spp. 11,233
†*attenuata* DC. 1836. 11 = *Gymnocoronis spilanthoides* 127
latifolia H. & A. Mexico, Guatemala 100,232
matudae K. & R. 1974 Mexico 127
nutans (Greenm.) K. & R. (*Adenostemma*) Mexico 127
sessilis Blake Mexico 127
spilanthoides (D. Don) DC. Paraguay, Uruguay, Argentina, Bolivia 11,127
Gyptidium K. & R. 1972 2 spp. 69,129,233
militare (B.L. Robins.) K. & R. (*Eupatorium*) Argentina 69
trichobasis (Baker) K. & R. (*Eupatorium*) Brasil 40,69
Gyptis (Cass.) Cass. 1820 8 spp. 11,13,34,35,129,144,154,183,213,229
†*alternifolia* (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) 33 = *Gyptis crassipes* 164
artemisiifolia (Griseb.) K. & R. (*Eupatorium*) Argentina 33
†*baccharoides* Sch.-Bip. ex Baker = *Sympphyopappus viscosus* 33 = *Bahianthus viscosus* 70
commersonii Cass. 1821 Argentina, Brasil, Uruguay 33
crassipes (Heiron.) K. & R. (*Eupatorium*) Argentina, Brasil, Paraguay 33,164
inornata K. & R. 1971 Brasil 33
lanigera (H. & A.) K. & R. (*Eupatorium*) Argentina, Brasil, Paraguay 33
†*oblongifolia* (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) = *Stomatianthes oblongifolius* 33
†*peucedanifolia* Sch.-Bip. ex Baker 1876 = *Gyptis pinnatifida* 33
pinnatifida Cass. 1820 Argentina, Brasil, Uruguay 11,33,233
vernoniopsis (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) eastern South America 33
†*Haberlea* Pohl ex Baker 1876 nom. nud. = *Praxelis* 11,28,233
Hartwrightia Gray ex Wats. 1888 1 sp. 11,127,233
floridana Gray ex Wats. 1888 US 11
Hatschbachiella K. & R. 1972 2 spp. 71,233
polyclada (Dusen ex Malme) K. & R. (*Eupatorium*) Brasil 71
tweediana (H. & A.) K. & R. (*Austroeupatorium*, *Eupatorium*) eastern South America 71
Hebeclinium DC. 1836 18 spp. 11,31,65,114,138,150,167,172,176,201,216,217
†*atrorubens* Lern. = *Neobartlettia sordida* 37 = *Bartlettina sordida* 61
beneolea (B.L. Robins.) K. & R. (*Eupatorium*) Peru 147
†*brevipetiolatum* Sch.-Bip. ex Klatt 1884 = *Neobartlettia brevipetiolata* 36,37 =
Bartlettina brevipetiolata 61
bullatissimum (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 37,230
costaricense K. & R. 1972 Costa Rica 74,229
cuatrecasasii (K. & R.) K. & R. (*Eupatorium*) Colombia 9,37
†*ehrenbergii* Sch.-Bip. ex Hemsl. = *Neobartlettia ehrenbergii* 37 = *Bartlettina ehrenbergii* 61
erioclinium (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 9,37
gentryi K. & R. 1977 Colombia 231
guapulense (Klatt) K. & R. (*Eupatorium*) Colombia, Ecuador 9,37
guevaraee (K. & R.) K. & R. (*Eupatorium*) Colombia 9,37
†*hecatanthum* DC. 1836 = *Urolepis hecatantha* 37,40
hygrohylaeum (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica 37,74
hylophorum (B.L. Robins.) K. & R. (*Eupatorium*) Peru 61,118

Hebeclinium continued

- †ianthinum Hook. = *Neobartlettia sordida* 37 = *Bartlettina sordida* 61
jajoense (Aristeguieta) K. & R. (*Eupatorium*) Venezuela 37
killipii (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 156
lellingeri K. & R. 1974 Colombia 118
 †*leucolithogenum* (B.L. Robins.) K. & R. (*Eupatorium*) 147 = *Critoniella leucolithogena*
 156
 †*hebmanniae* Sch.-Bip. ex Hemsl. = *Decachaeta perornata* 37
 †*macrocephalum* Benth. = *Bartlettina macrocephala* 99
macrophyllum (L.) DC. (*Eupatorium*) Mexico, West Indies, Central America, South
 America 9,11,16,37,74,114,229,230,231,233
 †*megalophyllum* Lem. = *Neobartlettia*? 37
obtusisquamsum (Heiron. ex Sodiro) K. & R. (*Eupatorium*) 207
 †*panamense* Carr. = *Neobartlettia sordida* 37 = *Bartlettina sordida* 61
phoencticum (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 9,37,74,118
reedii K. & R. 1972 Panama 74,118,229,231
sericeum (H.B.K.) K. & R. (*Eupatorium*) Colombia 9,37
 †*sordidum* Sch.-Bip. ex Koster = *Neobartlettia sordida* 36,37 = *Bartlettina sordida* 61
 †*tepicanum* H. & A. = *Critonia hebebotrya* 37
 †*tetragonum* Benth. = *Fleischmannia microstemon* 37
torondoyense (Badillo) K. & R. (*Eupatorium*) Colombia, Venezuela 9,37
 †*urolepis* DC. 1836 = *Urolepis hecatantha* 37,40
vestitum (Poepp.) K. & R. (*Eupatorium*) Peru 147
 †*vitifolium* Sch.-Bip. ex Klatt = *Eupatoriastrum triangulare* 37
Heleoegyne Nutt. 1841 ca. 12 spp. 11,75,142,165,232,233
apaloidea Nutt. 1841 10,11
calocephala Mattf. Peru 84
ferreyrii K. & R. 1974 Peru 119
hutchinsonii K. & R. 1969 Peru 10
macrogynne (Phil.) B.L. Robins. (*Brachyandra*) 10,11
tacquirense Heiron. 119
tenuifolia (Phil.) (Leto) Chile 11
virgata (Rusby) 11
 †*Heleoegyne* Benth. 1844 = *Hofmeisteria* 11
 †*fasciculata* Benth. 1844 = *Hofmeisteria fasciculata* 4,11
 †*urenifolia* Walp. 1848 = *Hofmeisteria urenifolia* 4
Heterocondylus K. & R. 1972 13 spp. 102,103,105,106,233
alatus (Vell.) K. & R. (*Chrysocoma*) Brasil 207
amphidictyus (DC.) K. & R. (*Eupatorium*) Brasil 105
decipiens (Baker) K. & R. (*Eupatorium*) Brasil 105
grandis (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 105
itacolumiensis (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 105
jaraguensis (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 105
leptolepis (Baker) K. & R. (*Eupatorium*) Brasil 105
lysimachiooides (Chod.) K. & R. (*Eupatorium*) Paraguay 105
pandurifolius (Baker) K. & R. (*Eupatorium*) Brasil 105
pumilus (Gardn.) K. & R. (*Bulbostylis*) Brasil 105
reitzii K. & R. 1972 Brasil 105
 †*vauthierianus* (DC.) K. & R. (*Eupatorium*) 105 = *Heterocondylus alatus* 207
vitalbae (DC.) K. & R. (*Eupatorium*) South America 105,114,229,230

- †*Heterolaena* Sch.-Bip. ex Benth. & Hook. 1873 = *Chromolaena* 11,29,229,233
 †*odoratus* (L.) Sch.-Bip. ex Benth. & Hook. (*Eupatorium*) = *Osmia odorata* =
Chromolaena odorata 11,229
- Hofmeisteria* Walp. 1847 8 spp. 7,8,11,18,235
crassifolia Wats. 1889 2,4
dissecta (H. & A.) K. & R. (*Podophania*, *Phania*, *Eupatorium*) 2,4,11,100
fasciculata (Benth.) Walp. (*Heleoeyne*) 2,4,11,230
filifolia Johnston 1924 2,4
 †*gentryi* Wiggins 1950 = *Pleurocoronis gentryi* 2
 †*laphamoides* Rose 1890 = *Pleurocoronis laphamoides* 2
 †*pluriseta* Gray 1857 = *Pleurocoronis pluriseta* 2
 †*pubescens* Wats. 1889 = *Hofmeisteria fasciculata* 4
schaffneri (Gray) K. & R. (*Fleischmannia*) 2,4,100,233
sinaloensis Gentry 2,4
standleyi (Blake) K. & R. (*Fleischmannia*) 2,4
tenuis (Wats.) Johnston (*Malperia*) = *Malperia tenuis* 3
urenifolia (H. & A.) Walp. (*Phania*, *Fleischmannia*) 2,4,100
 †*viscosa* Nelson 1904 = *Hofmeisteria pluriseta* 3 = *Pleurocoronis pluriseta* 2
- Hughesia* K. & R. 1980 1 sp. 201
reginae K. & R. 1980 Peru 201
- Idiothamnus* K. & R. 1975 4 spp. 150,155,233
clavisetus (Badillo) K. & R. (*Eupatoriastrum*) Venezuela 155
hiloi (B.L. Robins.) K. & R. (*Eupatorium*) Argentina 155
orgyaloides (B.L. Robins.) K. & R. (*Eupatorium*) Peru 155
pseudorgyalis K. & R. 1975 Brasil 155
- Itisia* Blake 1957 2 spp. Central America 131,233
echandiensis K. & R. 1984 Costa Rica, Panama 219
repens Blake 1957 Costa Rica 219
- Imeria* K. & R. 1975 1 sp. 152,175,233
memorabilis (Maguire & Wurdack) K. & R. (*Eupatorium*) Venezuela 152
- †*Ismaria* Raf. 1838 = *Brickellia* 11,229
 †*glandulosa* Raf. 1838 = *Brickellia glandulosa* 11,229
- †*Isocarpha* Less. = *Ageratum* 233
 †*echiooides* Less. = *Ageratum echooides* 232
 †*fastigiata* Gardn. 1846 = *Ageratum fastigiatum* 88
 †*foliosa* Gardn. 1846 = *Piqueria foliosa* = *Trezeiranthes foliosus* 193
- Isocarpha* R. Brown 1817 4 spp. 11,100,107,194,233,235
atroplicifolia (L.) R. Brown Guatemala 230
 †*eupatorioides* Gardn. 1846 = *Trichogonia eupatorioides* 187
oppositifolia (L.) R. Brown (*Calea*) Guatemala, Mexico 11,100,229,230,232,233
- Jaliscoa* Wats. 1890 3 spp. 11,22,85,168,233,235
goldmanii (B.L. Robins.) K. & R. (*Piptothrix*) Mexico 23,100
paleacea (Cronquist) K. & R. (*Piptothrix*) Jalisco 23,100
 †*pappifera* Blake 1924 = *Jaliscoa pringlei* 15,23
pringlei Wats. 1890 Mexico 11,15,23,100
- Jaramilloa* K. & R. 1980 2 spp. 196,202
hylibates (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 196
sanctae-martae K. & R. 1980 Colombia 196
- Jaumea* Pers.
 †*tenuifolia* Klatt 1887 = *Bartlettina karwinskiana* 167
 †*Kallophyllon* Pohl ex Baker 1876 11 = *Symphypappus* 233
crenatum Pohl nom. nud. 11

Kallophyllon continued

- ovatum* Pohl nom. nud. 11
- †*Kanimia* Gardn. 1847 = *Mikania* 11,198,216,233,235
 †*goyazensis* B.L. Robins. 1925 = *Mikania goyazensis* 198
 †*gracilis* Baker 1876 = *Mikania bakeri* 198
 †*nitida* (DC.) (*Eupatorium*) = *Mikania nitida* 198
 †*palustris* Gardn. 1847 = *Mikania palustris* 198
 †*pohlii* Baker 1876 = *Mikania pohlii* 198
 †*purpurascens* Baker 1876 = *Mikania purpurascens* 198
 †*strobilifera* Gardn. = *Mikania oblongifolia* 198
- Kaunia* K. & R. 1980 14 spp. 202
arbuscularis (B.L. Robins.) K. & R. (*Eupatorium longipetiolatum* var. *arbusculare*)
 Ecuador 202
camataguiensis (Heiron.) K. & R. (*Eupatorium*) Bolivia 202
endya (B.L. Robins.) K. & R. (*Eupatorium*) Peru 202
eucosmoides (B.L. Robins.) K. & R. (*Eupatorium*) Peru 202
grossidentata (Heiron.) K. & R. (*Eupatorium*) Bolivia 202
gynozimorpha (Rusby ex B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 202
hosanensis (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 202
ignorata (Heiron.) K. & R. (*Eupatorium*) Bolivia 202
lasiophthalma (Griseb.) K. & R. (*Eupatorium*) Argentina, Bolivia 202
longipetiolata (Sch.-Bip. ex Baker) K. & R. (*Eupatorium, Ageratina*) Bolivia 85,202
pachanoi (B.L. Robins.) K. & R. (*Eupatorium*) Ecuador 202
rufescens (Lund ex DC.) K. & R. (*Eupatorium*) Bolivia, Brasil 202
saltensis (Heiron.) K. & R. (*Eupatorium*) Argentina, Bolivia 202
uber (B.L. Robins.) K. & R. (*Eupatorium*) 202
- Koanophyllum* Arruda da Camara 1810 115 spp. 41,48,49,50,59,62,63,89,113,128,151,153,
 155,156,158,174,182,183,190,191,217,233,235
adamanitium (Gardn.) K. & R. (*Eupatorium*) Brasil 150
albicaule (Sch.-Bip. ex Klatt) K. & R. (*Eupatorium*) Mexico 64,72,100,150
andersonii K. & R. 1980 Brasil 191
atroglandulosum (Alain) K. & R. (*Eupatorium*) Cuba 150
ayapanoides (Griseb.) K. & R. (*Eupatorium*) Cuba 150
baccharisolum (Gardn.) K. & R. (*Eupatorium*) Brasil 150
barahonense (Urban) K. & R. (*Eupatorium*) Hispaniola 150
breviflorum (Alain) K. & R. (*Eupatorium*) Cuba 150
bullescens (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 150
cabaionum (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
calcicola (Urban) K. & R. (*Eupatorium*) Hispaniola 150
celtidifolium (Lam.) K. & R. (*Eupatorium*) West Indies, northern South America 64,72,
 150
chabrense (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
chalceorithales (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 150
clementis (Alain) K. & R. (*Eupatorium*) Cuba 150
conglobatum (DC.) K. & R. (*Eupatorium*) Brasil 190
consanguineum (DC.) K. & R. (*Eupatorium*) Brasil 150,154,191
correllorum (Pleettman) K. & R. (*Eupatorium*) 164
coulteri (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala 64,150
cubense (DC.) K. & R. (*Eupatorium*) Cuba 150
cynanchifolium (DC.) K. & R. (*Eupatorium*) Cuba 150
delpachianum (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
dolicholepis (Urban) K. & R. (*Eupatorium villosum* var. *dolicholepis*) Puerto Rico 150

Koanophyllum continued

- dolphinii* (Urban) K. & R. (*Eupatorium*) Jamaica 150
droserolepis (B.L. Robins.) K. & R. (*Eupatorium*) Puerto Rico 150
dukei K. & R. 1974 Panama 120,150,229
eitenii K. & R. 1975 Brasil 150
ekmanii (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 150
flavidulum (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
flexile (B.L. Robins.) K. & R. (*Eupatorium*) Peru 64,150
fuscum (N.E. Brown) K. & R. (*Eupatorium*) Venezuela 150
gabbi (Urban) K. & R. (*Eupatorium*) Hispaniola 150
galeottii (B.L. Robins.) K. & R. (*Eupatorium*) Guatemala, Mexico 234
gibbosum (Urban) K. & R. (*Eupatorium*) Hispaniola 150
gracilicaule (Sch.-Bip. ex B.L. Robins.) K. & R. (*Eupatorium*) Mexico 150
gracilipes (Urban) K. & R. (*Eupatorium*) Jamaica 150
grandiceps (Wright) K. & R. (*Eupatorium*) 207
grisebachianum (Alain) K. & R. (*Eupatorium*) Dominican Republic 150,207
gundlachii (Urban) K. & R. (*Eupatorium*) Cuba 150
hammatocladium (B.L. Robins. & Britt.) K. & R. (*Eupatorium*) Jamaica 150
hardwarense (G.R. Proctor & C.D. Adams) K. & R. (*Eupatorium*) Jamaica 150
helianthemooides (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 150
heptaneurum (Urban) K. & R. (*Eupatorium*) Dominican Republic 150
hidrodes (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 150
hondurensse (B.L. Robins.) K. & R. (*Eupatorium*) Honduras 64,72,150
hotteanum (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
huantae (B.L. Robins.) K. & R. (*Eupatorium*) Peru 64,150
hyلونом (B.L. Robins.) K. & R. (*Eupatorium*) Central America 64,150,230
hypomalacum (B.L. Robins. ex Donn. Smith) K. & R. (*Eupatorium*) Guatemala 64,120,
 150,229
tincisum K. & R. (*Eupatorium*) 150 = *Koanophyllum grisebachianum* 207
isillumense (B.L. Robins.) K. & R. (*Eupatorium*) Peru 150
iteophyllum (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
jaegerianum (Urban) K. & R. (*Eupatorium*) Haiti 150
jensenii (Urban) K. & R. (*Eupatorium*) Haiti 150
jugipaniculatum (Rusby) K. & R. (*Eupatorium*) Bolivia 150
juninense (B.L. Robins.) K. & R. (*Eupatorium*) Peru 150
kavanayense (Badillo) K. & R. (*Eupatorium*) Venezuela 150
lindenianum (A. Rich.) K. & R. (*Eupatorium*) Cuba 150
littorale K. & R. Cuba 150
lobatifolium (Cabrera) K. & R. (*Eupatorium*) Brasil 130
longifolium (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 64,150
maestrense (Urban) K. & R. (*Eupatorium*) Cuba 150
mesoreopolum (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 150
microchaetum (Urban & Ekman) K. & R. (*Eupatorium*) Hispaniola 150
mimicum (Standl. & Steyermark) K. & R. (*Eupatorium*) Guatemala 64,150
minutifolium (Alain) K. & R. (*Eupatorium*) Cuba 150
miragoanae (Urban) K. & R. (*Eupatorium*) Haiti 150
montanum (Sw.) K. & R. (*Eupatorium*) Jamaica 150
mornicola (Urban & Ekman) K. & R. (*Eupatorium, Chromolaena*) Haiti 29,150
muricatum (Alain) K. & R. (*Eupatorium*) Cuba 150
myrtilloides (DC.) K. & R. (*Eupatorium*) Brasil 150
nervosum (Sw.) K. & R. (*Eupatorium*) Hispaniola 150
nudiflorum (A. Rich.) K. & R. (*Eupatorium*) Cuba 150

Koanophyllum continued

- obtusissimum* (DC.) K. & R. (*Eupatorium*) Dominican Republic 150
oligadenium (Alain) K. & R. (*Eupatorium*) Cuba 150
pachyneurum (Urban) K. & R. (*Eupatorium*) Hispaniola 150
palmeri (Gray) K. & R. (*Eupatorium*) Mexico 64,150
panamense K. & R. 1974 Panama 120,150,229
paucirenatum (Urban & Ekman) K. & R. (*Eupatorium*) Hispaniola 150
phanoides (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 149,150
picardae (Urban) K. & R. (*Eupatorium*) Haiti 150
pitonianum (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
pittieri (Klatt) K. & R. (*Eupatorium*) Costa Rica, Central America 64,150,229,234
†*plicatum* (Urban) K. & R. (*Eupatorium*) 64 = *Koanophyllum celtidifolium* 150
polyodon (Urban) K. & R. (*Eupatorium*) Puerto Rico 150
polystictum (Urban) K. & R. (*Eupatorium*) Cuba 150
porphyrocladum (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
prinodes (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 150
pseudoperfoliatum (Sch.-Bip. ex Klatt) K. & R. (*Eupatorium*) Mexico 64,150
puberulum (DC.) K. & R. (*Eupatorium*) Hispaniola 150
quisqueyanum (Alain) K. & R. (*Eupatorium*) 207
ravenii K. & R. 1971 Mexico 64,150,230
reversum (Urban) K. & R. (*Eupatorium*) Haiti 150
rhezioides (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 150
rubroviolaceum (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
scabriusculum (Urban & Ekman) K. & R. (*Eupatorium*) Haiti 150
sciastaphes (B.L. Robins.) K. & R. (*Eupatorium*) Hispaniola, Venezuela 150
selleanum (Urban) K. & R. (*Eupatorium*) Haiti 149,150
semicrenatum (Urban) K. & R. (*Eupatorium*) Hispaniola 150
silvacutum (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 150
simile (Proctor) K. & R. (*Eupatorium*) Jamaica 150
simillimum (B.L. Robins.) K. & R. (*Eupatorium*) Argentina, Paraguay 64,150
solidaginifolium (Gray) K. & R. (*Eupatorium*) US, Mexico 64,100,150
solidaginoides (H.B.K.) K. & R. (*Eupatorium*, *Ophryosporus*) Central America, South America 64,72,150,229,232
sorensenii K. & R. 1972 Belize 72,150
standleyi (B.L. Robins.) K. & R. (*Piqueria*) Salvador 64,131,133,150,232
stipuliferum (Rusby) K. & R. (*Eupatorium*) Argentina, Bolivia 64,150
subpurpureum (Urban & Ekman) K. & R. (*Eupatorium*) Dominican Republic 150
tapeinanthum (Urban) K. & R. (*Eupatorium*) Haiti 150
tatei (B.L. Robins.) K. & R. (*Eupatorium*) Venezuela 150
tetranthum (Griseb.) K. & R. (*Eupatorium*) Jamaica 150
thysonolepis (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 150
tinctorium Arruda de Camara 1810 Brasil, Paraguay 64,72,150,190
tricephalotes (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 150
triradiatum (Urban) K. & R. (*Eupatorium*) Haiti 150
villosum (Sw.) K. & R. (*Eupatorium*) US, West Indies 150
wetmorei (B.L. Robins.) K. & R. (*Eupatorium hypomalacum* var. *wetmorei*) Panama 120,150,229
†*Kuhnia* L. 1763 = *Brickellia* 233
†*arguta* H.B.K. 1818 = *Trichogonia arguta* 92
†*baccharoides* DC. 1836 = *Bahianthus viscosus* 70
†*eupatorioides* L. 1763 = *Brickellia eupatorioides* 229
†*podocarpa* DC. = *Trichogonia podocarpa* = *Trichogoniopsis podocarpa* 187

- †*Kyrstenia* Neck. ex Greene 1903 = *Ageratina* 18,63,229,233
 †*aromatica* (L.) Greene (*Eupatorium*) = *Ageratina aromaticata* 229
 †*betulifolia* Greene 1903 = *Ageratina betulifolia* 19
 †*donnell-smithii* (Coulter) Greene (*Eupatorium*) = *Ageratina aschenboriana* 229
 †*rufa* Greene 1903 = *Ageratina rufa* 19
 †*subintegra* Greene 1903 = *Ageratina subintegra* 19
 †*thyrsiflora* Greene 1903 = *Ageratina thyrsiflora* 19
Kyrsteniopsis K. & R. 1971 4 spp. 63,77,78,100,115,165,232,233
congesta K. & R. 1972 Mexico 76
cymulifera (B.L. Robins.) K. & R. (*Brickellia*) Mexico 76
dibollii K. & R. 1972 Mexico 76
nelsonii (B.L. Robins.) K. & R. (*Eupatorium*) Mexico 63,100
 †*Lacinaria* J. Hill 1777 = *Liatris* 11,233
 †*ohlingerae* Blake = *Ammopursus ohlingerae* 11
 †*squarrosa* (L.) Hill (*Serratula*) = *Liatris squarrosa* 11
Lasiolaena K. & R. 1972 5 spp. 96,177,233,235
blanchetii (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) Brasil 57,96,185
duartei K. & R. 1972 Brasil 96,185
mori K. & R. 1979 Brasil 185
pereirae K. & R. 1980 Brasil 191
santosii K. & R. 1979 Brasil 185,191
 †*Lavenia* Sw. 1788 = *Adenostemma* 11,229,233
 †*erecta* Sw. 1788 = *Adenostemma erecta* 11
 †*spathulatum* = *Adenostemma platyphyllum* 229
 †*Lepidesmia* Klatt 1896 = *Ayapana* 194,235
 †*squarrosa* Klatt 1894 = *Ayapana squarrosa* 30,229
 †*Leptoclinium* (Gardn.) Benth. 1873 = *Sympphyopappus* 179
 †*brasiliense* (Gardn.) Benth. (*Liatris*) = *Sympphyopappus brasiliensis* 179
 †*Leptoclinium* (Nutt.) Gray = *Garberia* 11,233
 †*fruticosa* (Nutt.) Gray (*Liatris*) = *Garberia fruticosa* 11
 †*Leto* Phil. 1891 = *Heleoeyne* 11,233
 †*tenuifolia* Phil. = *Heleoeyne tenuifolia* 11
Liabum Adans.
 †*homogamum* Heiron. 1901 = *Neomirandeaa homogama* 229
Liatris Gaertn. ex Schreber 1791 42 spp. North America 11,235,233
 †*brasiliensis* Gardn. 1846 = *Leptoclinium brasiliense* 11 = *Sympphyopappus brasiliensis*
 179
cylindracea Michx. US 225
elegans (Walt.) (*Staelhelina*, *Calostelma*) US 11,225
 †*fruticosa* Nutt. = *Leptoclinium fruticosa* = *Garberia fruticosa* 11
 †*odoratissima* Willd. = *Trilisa odoratissima* 11
spicata (L.) Willd. (*Serratula*, *Suprago*) US 11
squarrosa (L.) Michx. (*Serratula*, *Lacinaria*) US 11,225
 †*trichotoma* Gardn. 1847 = *Leptoclinium brasiliense* 11 = *Sympphyopappus brasiliensis*
 179
Lithothamnus K. & R. 1979 1 sp. 175
ellipticus K. & R. 1979 Brasil 175
Litrisa Small 1924 1 sp. 11,233
carnosa Small 1924 US 11
Lomatozoma Baker 1876 4 spp. 11,124,228,233
andersonii K. & R. 1975 Brasil 148,173,178
artemisiifolia Baker 1876 Brasil 11,148,173,178

Lomatozoma continued

- huntii* K. & R. 1978 Brasil 173,178
inaequalis K. & R. 1979 Brasil 178
- Lorentzianthus* K. & R. 1975 1 sp. 150,153,233
viscidus (H. & A.) K. & R. (*Eupatorium*) Bolivia, Argentina 153,154
- Lourteigia* K. & R. 1971 7 spp. 33,34,35,75,233
ballotifolia H.B.K. K. & R. (*Eupatorium*) Colombia, Venezuela 68
dichroa (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 35
humilis (Benth.) K. & R. (*Conoclinium*) Colombia 35
lanulata (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 35
microphylla (L.) K. & R. (*Eupatorium*) Colombia 35
ornatiloba (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 35
stoechadifolia (L.) K. & R. (*Eupatorium*) Colombia, Venezuela 35
- Lycapsus* Phil. 1870 11
tenuifolius Phil. 1870 11
- Macropodina* K. & R. 1972 3 spp. 91,233
blumenavitt (Heiron.) K. & R. (*Eupatorium*) Brasil 91
bradei K. & R. 1972 Brasil 91,93
reitzii K. & R. 1972 Brasil 91
- Macvaughiella* K. & R. 1968 2 spp. 11,15,85,168,233
mexicana (Sch.-Bip.) K. & R. (*Schaetzellia*) Mexico, Guatemala 11,15
†*standleyi* (Steyer.) K. & R. (*Schaetzellia*) = *Macvaughiella mexicana* 15
- †*Mallinoa* Coult. 1895 = *Ageratina* 11,233
†*corymbosa* Coult. = *Ageratina muelleri* 11,19,229
- Malmeanthus* K. & R. 1980 3 spp. 199
catharinensis K. & R. 1980 Brasil 199
hilarii (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 199
subintegerrimus (Malme) K. & R. (*Eupatorium*) Argentina, Brasil, Paraguay 143,199
- Malperia* Wats. 1889 1 sp. 2,3,11,165,233
tenuis Wats. 1889 (*Malperia*, *Hofmeisteria*) Mexico, SW US 3,11
- †*Margacola* Buckley 1861 = *Trichocoronis* 11,27,233
†*parvula* Buckley 1861 = *Trichocoronis wrightii* 27
- Matudina* K. & R. 1973 1 sp. 113,233
corvii (McVaugh) K. & R. (*Eupatorium*) Mexico 113,230
- Metastevia* Grashoff 1 sp. Mexico 232,235,233
- Mezianthus* B.L. Robins. 1925 1 sp. 7,11,62,64,150,233,235
mexicanus B.L. Robins. 1925 Mexico 7,11,100
- †*Microconia* Dusen = *Stomatianthes* 24,227,233
- Micropermum* Lag. 1816 8 spp. 100,131,219,232,233,235
debile Benth. Mexico 100
nummulariifolium Lag. 1816 Mexico 100
- Mikania* Willd. 1803 410 spp. 11,24,44,190,201,216,222,223,226,235
almagroii Cuatrecasas 1935 = *Mikania banisteriae* 229
alvimii K. & R. 1980 Brasil 188
amara Willd. 11,229
amara var. *guaco* (H. & B.) Baker = *Mikania guaco* 229
ambylepis B.L. Robins. 1920 229
anethifolia (DC.) Matzenbacher (*Eupatorium*) 209
†*angustifolia* H.B.K. 1818 = *Ageratina angustifolia* 19
†*antioquiensis* Heiron. var. *subcuneata* B.L. Robins. 1934 = *Mikania banisteriae* 229
†*badiieri* DC. 1836 = *Mikania hookeriana* 229
†*badiieri* var. *kittsiana* Urban 1907 = *Mikania hookeriana* 229

Mikania continued

- bakeri* K. & R. 1980 (*Kanimia gracilis* Baker) Brasil 198
banisteriae DC. Peru, Panama 211,229
 †*banisteriae* f. *lehmanniana* (Heiron.) Steyerl. = *Mikania banisteriae* 229
 †*banisteriae* f. *subglabra* (B.L. Robins.) Steyerl. = *Mikania banisteriae* 229
belemii K. & R. 1980 Brasil 188
 †*bergantinensis* Badillo 1946 = *Mikania banisteriae* 229
bishopii K. & R. 1981 Brasil 205
 †*canaquensis* Badillo 1944 = *Mikania banisteriae* 229
 †*caudata* Benth. 1845 = *Mikania banisteriae* 229
 †*convolvulacea* DC. 1836 = *Mikania cordifolia* 229
cordifolia (L.) Willd. (*Cacalia*, *Willoughbya*) Peru 100,233
cristata B.L. Robins. Honduras, Costa Rica, Panama 232
duckei Barroso Brasil 205
eriophora Sch.-Bip. Mexico, Central America 229
 †*erithalina* DC. 1836 = *Mikania nitida* 198
 †*ferruginea* Rusby var. *subglabra* B.L. Robins. = *Mikania banisteriae* 229
filgueirassii K. & R. 1981 Brasil 211
fimula Baker Brasil 205
gleasonii B.L. Robins. British Guiana 123
globosa Coult. Guatemala, Honduras, Mexico 229
globosa Spreng. Brasil 188
glomerata Spreng. 205
 †*gonoclada* DC. 1836 = *Mikania cordifolia* 229
goyazensis (B.L. Robins.) K. & R. (*Kanimia*) Brasil 198
gracilis Sch.-Bip. ex Baker 198
 †*gracilis* Sch.-Bip. ex Miq. 1850 = *Mikania hookeriana* 229
grazielae K. & R. 1980 Brasil 188
guaco H. & B. Costa Rica, Peru 229
hagei K. & R. 1980 Brasil 188,205
hastata (L.) (*Eupatorium*) 11
hemisphaerica Sch.-Bip. ex Baker Brasil 188
hookeriana DC. Brasil 188,205,229
 †*hookeriana* var. *badieri* (DC.) B.L. Robins. (*Mikania*) = *Mikania hookeriana* 229
 †*hookeriana* var. *kittsiana* (Urban) B.L. Robins. (*Mikania badieri* var. *kittsiana*) = *Mikania hookeriana* 229
 †*hookeriana* var. *platyphylla* (DC.) B.L. Robins. (*Mikania*, *Willoughbya*) = *Mikania hookeriana* 229
 †*hookeriana* var. *cardiophylla* B.L. Robins. 1934 = *Mikania hookeriana* 229
 †*hookeriana* var. *crassicaulis* Steyerl. 1953 = *Mikania hookeriana* 229
houstoniana (L.) B.L. Robins. (*Eupatorium*) Panama, Mexico 229
 †*houstonis* (L.) Willd. (*Eupatorium*) = *Willoughbya houstonis* = *Mikania houstoniana* 229
iltistii K. & R. 1974 (based on *Mikania standleyi* K. & R.) Costa Rica 130
 †*imrayana* Griseb. 1861 = *Willoughbya imrayana* = *Mikania hookeriana* 229
inordinata K. & R. 1980 Brasil 188
karuaiensis Badillo 1946 = *Mikania psilostachya* 229
kavanayensis Badillo 1946 = *Mikania banisteriae* 229
kubitzkii K. & R. 1981 Brasil 205
lanuginosa DC. Brasil 229
leiostachya Benth. 1845 Panama, Peru 114,229
ligustrifolia DC. 211
lindleyana DC. Peru 187

Mikania continued

- lucida* Blake Venezuela 123
mattossilvae K. & R. 1981 Brasil 211
meridana Badillo 1946 = *Mikania banisteriae* 229
micrantha H.B.K. Panama, Ecuador, Peru 100,114,229,230
microcephala DC. 211
micronioides B.L. Robins. 1920 Colombia, Panama 229
†*molinensis* Badillo 1946 = *Mikania banisteriae* 229
†*mollis* H.B.K. 1818 = *Mikania cordifolia* 229
mongasensis Badillo Venezuela 229
mori K. & R. 1980 Brasil 188
moronoea (Kunze) (*Corynanthelium*) 11,229
neurocaula DC. Brasil 188
nitida (DC.) K. & R. (*Kanimia*) Brasil 198
†*nubigena* B.L. Robins. 1926 = *Mikania pittieri* 229
oblongifolia DC. Brasil 11,198
odorata (*Morrenia*) 11,229
†*olivacea* Klatt 1892 = *Mikania guaco* 229
†*toniensis* Badillo 1946 = *Mikania banisteriae* 229
†*torinocensis* H.B.K. 1818 = *Mikania micrantha* 229
oxylepis Sch.-Bip. ex Baker 1876 Brasil 188
palustris (Gardn.) K. & R. (*Kanimia*) Brasil 11,198
†*panamensis* B.L. Robins. 1934 = *Mikania amblyolepis* 229
parviflora (Aubl.) Karst. Peru 123
phaeoclados Mart. ex Baker Brasil 188
pittieri B.L. Robins. 1904 Panama, Costa Rica 229
†*platyphylla* DC. 1836 = *Willoughbya platyphylla* = *Mikania hookeriana* 229
†*poepigii* Spreng. 1826 = *Mikania cordifolia* 229
pohlii (Baker) K. & R. (*Kanimia*) Brasil 198
pseudomicrocephala K. & R. 1981 Brasil 211
psilostachya DC. 1836 Panama, South America 229
†*psilostachya* var. *scabra* (DC.) Baker = *Mikania psilostachya* 229
†*psilostachya* var. *racemulosa* (Benth.) Baker = *Mikania psilostachya* 229
†*platerepiensis* Badillo 1946 = *Mikania banisteriae* 229
pteropoda 205
purpurascens (Sch.-Bip. ex Baker) K. & R. (*Kanimia*) Brasil 198
pyramidata Donn. Smith Mexico, Central America 229
†*racemulosa* Benth. 1839 = *Mikania psilostachya* 229
†*resinosa* Spreng. 1820 = *Dasycondylus resinosus* 97
rothii Barroso Brasil 188
†*ruiziana* Poepp. 1845 = *Mikania banisteriae* 229
salviifolia Gardn. 187
†*sanjacintensis* Badillo 1946 = *Mikania hookeriana* 229
santosii K. & R. 1980 Brasil 188
†*scabria* DC. 1836 = *Mikania psilostachyo* 229
scandens (L.) Willd. (*Eupatorium*, *Willoughbya*) US 11,188,229,230
†*sinuata* Rusby 1912 = *Mikania micrantha* 229
†*skutchii* Blake 1937 = *Mikania banisteriae* 229
smilacina DC. 205
standleyi B.L. Robins. 1926 Costa Rica 130
†*standleyi* K. & R. 1974 = *Mikania iltisii* 123,130
steyermarkii K. & R. 1974 Venezuela 123

Mikania continued

- stipulacea* (Vahl) Willd. Brasil 188
 †*stipulifera* L.O. Williams 1975 = *Mikania cristata* 232
stuebelii Heiron. N South America 123
 †*suaveolens* H.B.K. 1818 = *Mikania cordifolia* 229
 †*subcrenata* H. & A. 1836 = *Mikania micrantha* 229
 †*subcymosa* Gardn. 1847 = *Mikania micrantha* 229
subverticillata Sch.-Bip. ex Baker Brasil 188
sylvatica Klatt Northern South America 229
teizeirae K. & R. 1980 Brasil 188
 †*tenuiflora* Griseb. = *Eupatorium arnottii* = *Austrobrickellia arnottii* 82
thapoides DC. 188
thyrsoides Baker Brasil 205
tillettii K. & R. 1974 British Guiana 123
tonduzii B.L. Robins. 1904 Costa Rica, Panama 229
tysonii K. & R. 1974 Panama 123, 229
 †*tumbellifera* Gardn. 1845 = *Mikania micrantha* 229
vautheriana Baker 211
 †*viscosa* Spreng. 1820 = *Bahianthus viscosus* 70
vitifolia DC. Ecuador 230
 †*vitrea* B.L. Robins. 1920 = *Mikania hookeriana* 229
 †*wedelii* Holmes & McDaniel 1976 = *Mikania tysonii* 229
zonensis K. & R. 1974 Panama 123, 229
- Monogerion* Barroso & King 1971 1 sp. 87, 106, 107, 194, 195, 228, 233, 235
carajensis Barroso & King 1971 Brasil 228
- Morithamnus* K. & R. 1979 2 spp. Brasil 177, 184, 191, 213
crassus K. & R. 1979 Brasil 177, 191
ganophyllus (Mattf.) K. & R. (*Eupatorium*) Brasil 191
- †*Moronoa* Kunze orthographic error of *Morrenia* 11, 229
 †*Morrenia* Kunze 1847 nom. nud. = *Mikania* 11, 229
 †*odorata* Kunze nom. nud. = *Mikania odorata* 11, 229
- †*Mustelia* Spreng. 1801 = *Stevia* 11, 229, 233
 †*eupatoria* Spreng. 1801 = *Stevia eupatoria* 11, 229
- †*Neobarlettia* K. & R. 1971 36, 37, 61 = *Bartlettina brevipetiolata* (Sch.-Bip. ex Klatt) K. & R. (*Hebeclinium*) 36, 37 = *Bartlettina brevipetiolata* 61
- †*constipatiflora* (Klatt) K. & R. (*Eupatorium*) 36 = *Bartlettina constipatiflora* 61
 †*ehrenbergii* (Hemsl.) K. & R. (*Eupatorium*) 36 = *Bartlettina ehrenbergii* 61
 †*ehrenbergii* (Sch.-Bip. ex Hemsl.) K. & R. (*Hebeclinium*) 37
 †*hastifera* (Standl. & Steyermark) K. & R. (*Eupatorium*) 36 = *Bartlettina hastifera* 61
 †*hylobia* (B.L. Robins.) K. & R. (*Eupatorium*) 36 = *Bartlettina hylobia* 61
 †*karwinskiana* (DC.) K. & R. (*Eupatorium*) 36 = *Bartlettina karwinskiana* 61
 †*luzii* (B.L. Robins.) K. & R. (*Eupatorium*) 36 = *Bartlettina luzii* 61
 †*mazonii* (B.L. Robins.) K. & R. (*Eupatorium*) 36 = *Bartlettina mazonii* 61
 †*meziae* (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 36 = *Bartlettina hemisphaerica* 61
 †*oresbia* (B.L. Robins.) K. & R. (*Eupatorium*) 36 = *Bartlettina oresbia* 61
 †*oresbiooides* (B.L. Robins.) K. & R. (*Eupatorium*) 36 = *Bartlettina oresbiooides* 61
 †*paezensis* (Heiron.) K. & R. (*Eupatorium*) 36 = *Bartlettina paezensis* 61
 †*pansamalensis* (B.L. Robins.) K. & R. (*Eupatorium*) 36 = *Bartlettina pansamalensis* 61
 †*pinabetensis* (B.L. Robins.) K. & R. (*Eupatorium*) 36 = *Bartlettina pinabetensis* 61
 †*platyphylla* (B.L. Robins.) K. & R. (*Eupatorium*) 36 = *Bartlettina platyphylla* 61
 †*prionophylla* (B.L. Robins.) K. & R. (*Eupatorium*) 36 = *Bartlettina prionophylla* 61

Neobartlettia continued

- †ruae* (Standl.) K. & R. (*Eupatorium*) 36 = *Bartlettina ruae* 61
†sordida (Less.) K. & R. (*Eupatorium*) 36,37 = *Bartlettina sordida* 61
†tuerckheimii (Klatt) K. & R. (*Eupatorium*) = *Bartlettina tuerckheimii* 36,61

Neobartlettia Schlechtr. Orchidaceae

Neocabreria K. & R. 1972 5 spp. 65,199,207,233,235

catharinensis (Cabrera) K. & R. (*Eupatorium*, *Sympphyopappus*) Brasil, Argentina 170,

179

- concinna* (DC.) K. & R. (*Eupatorium*) Brasil 65,170
malachophylla (Klatt) K. & R. (*Eupatorium*) Brasil, Argentina 65,170
meziae K. & R. 1978 Brasil 170
pennivenia (B.L. Robins.) K. & R. (*Sympphyopappus*) Brasil 54,207,179
serrulata (DC.) K. & R. (*Eupatorium*) Brasil 65,170

Neocuatrecasia K. & R. 1970 8 spp. 32,129,223,233

- dispar* (B.L. Robins.) K. & R. (*Eupatorium*) Peru 32,86,119
hirtella K. & R. 1974 Peru 119
lobata (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 32,86,119
mancoana (B.L. Robins.) K. & R. (*Eupatorium*) Peru 32,86,119
sessilifolia K. & R. 1972 Peru 86
thymifolia (Britt.) K. & R. (*Eupatorium*) Bolivia 32,86
weddellii (B.L. Robins.) K. & R. (*Eupatorium*) Peru 86

Neohintonia K. & R. 1971 1 sp. 62,64,150,233

monantha (Sch.-Bip.) K. & R. (*Eupatorium*) Mexico 62,100,233

Neomirandeia K. & R. 1970 25 spp. 21,96,100,222

- alleni* K. & R. 1972 Panama, Colombia 116,229,230
angularis (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica 21,101,116,229,230
araliifolia (Less.) K. & R. (*Eupatorium*) Mexico, Central America 21,100,136,229
arthodes (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica 21,229
biflora K. & R. 1975 Costa Rica 136,137,229,230,232
burgeri K. & R. 1972 Costa Rica 101,116,136,229,230
carnosa (Kuntze) K. & R. (*Eupatorium*) Costa Rica 21
chiriquensis K. & R. 1973 Panama 116,136,229
costaricensis K. & R. 1970 Costa Rica 21,136,230,233
croatii K. & R. 1975 Panama 136,229
eximia (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica 21,136,229,230
gracilis K. & R. Panama 136,229
grosvenorii K. & R. Costa Rica 136
guevarii K. & R. Costa Rica 101,229
†heterolepis (B.L. Robins.) K. & R. (*Eupatorium*) 21 = *Neomirandeia araliifolia* 229
hitchcockii (B.L. Robins.) K. & R. (*Eupatorium*) 21 = *Neomirandeia araliifolia* 229
ovandensis K. & R. 1970 Mexico 21
panamensis K. & R. 1973 Panama 116,229,233
parasitica (Klatt) K. & R. (*Eupatorium*) Costa Rica 21,136,229
pithecobia (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica 21,229
pseudopsoralea K. & R. 1975 Panama 137,229
psoralea (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica 21,136,137,229
sciaphila (B.L. Robins.) K. & R. (*Eupatorium*) Colombia 21
standleyi (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica, Panama 21,101,229
turrialbae K. & R. Costa Rica 137,229

Neurolaena R. Br.

†tenuisolia Sch.-Bip. ex Klatt 1887 = *Bartlettina karwinskiana* 167

- †*Nothites* Cass. 1825 = *Stevia* 11,233
 †*latifolia* Cass. 1825 = *Stevia melissifolia* 11,229
 †*ovatifolia* DC. 1836 = *Ophryosporus ovatifolius* = *Decachaeta ovatifolia* 16
Nothobaccharis K. & R. 1979 1 sp. 174
candolleana (Steud.) K. & R. (*Baccharis*) Peru 174
Ozacanaria B.L. Robins. & Greenm. 1895 1 sp. 11,14,233,235
malvifolius B.L. Robins. & Greenm. 1895 11,15
 †*Ooclinium* DC. 1836 = *Prazelis* 11,28,233
 †*grandiflorum* DC. 1836 = *Prazelis grandiflora* 28
Ophryosporus Meyen 1834 37 spp. 11,16,75,131,133,150,174,222,233,235
angustifolius B.L. Robins. 1930 Bolivia 73
anomalus K. & R. 1972 (*Piqueria cunmingii* B.L. Robins.) Chile, Peru 111
apricus B.L. Robins. 1924 Peru 73
aziliflorus (Griseb.) Heiron. Argentina, Bolivia 73
bipinnatifidus B.L. Robins. 1919 Peru 73
charua (Griseb.) Heiron. 1897 Argentina 73
chilca (H.B.K.) Heiron. 1897 Peru 73
clavulatus Griseb. 1879 Argentina 73
cumingii (Sch.-Bip.) Benth. 1873 Bolivia 73,111
densiflorus (Benth.) K. & R. (*Piqueria*) Ecuador 111
eleutherantherus (Rusby) B.L. Robins. 1920 Bolivia, Peru 73
floribundus (DC.) K. & R. (*Piqueria*) Chile, Peru 111
freyreysia (Dallm.) Baker 1876 Brasil 73
galioides (DC.) K. & R. (*Piqueria*) Peru 111
hartwegii (B.L. Robins.) K. & R. (*Piqueria*) Peru 111
hoppii (B.L. Robins.) K. & R. (*Trychinolepis*) Peru 7,11,73,111
johnstonii B.L. Robins. 1926 Chile 73
kuntzei Heiron. 1897 Bolivia 73
laxiflorus Baker 1876 Brasil 73
lorentzii Heiron. 1897 Argentina 73
macbridei B.L. Robins. 1924 Peru 73
macrodon Griseb. 1879 Bolivia, Argentina 73
mathewsii (B.L. Robins.) K. & R. (*Piqueria*) Peru 111
organensis Cabrera 1957 Brasil 73
origanoides (Meyen & Walp.) Heiron. 1897 Bolivia, Ecuador, Peru 73
 †*ovatifolius* (DC.) Benth. & Hook. (*Nothites*) = *Decachaeta ovatifolius* 16
ovatus B.L. Robins. 1919 Peru 73
pachychaeta Baker 1876 Brasil 73
paradozus (H. & A.) Benth. 1873 Chile 73
peruvianus (Gmel.) K. & R. (*Flaveria*) Ecuador, Peru 111
 †*petraeus* (B.L. Robins.) B.L. Robins. (*Eupatorium*) = *Decachaeta ovatifolia* 16
pinifolius (Phil.) K. & R. (*Piqueria*) Chile 111
pquierioides (DC.) Benth. 1873 Argentina, Chile, Peru, Bolivia 73
pubescens (J.E. Smith) K. & R. (*Piqueria*) Peru 111
regnellii Baker 1876 Brasil 73
saltensis Heiron. 1897 Argentina 73
 †*scabrellus* (B.L. Robins.) B.L. Robins. (*Eupatorium*) = *Decachaeta scarella* 16
serratifolius (H.B.K.) B.L. Robins. 1930 Colombia 73
sodiroi Heiron. 1930 Ecuador 73
 †*solidaginoides* (H.B.K.) Heiron. (*Eupatorium*) = *Koanophyllum solidaginoides* 229
steinbachii B.L. Robins. 1926 Bolivia 73
triangularis Meyen 1834 Chile 11,73

- Ophryosporus* continued
venosissimus (Rusby) B.L. Robins. 1905 Bolivia 73
Orsinia Bert. = *Inula* 11
† *Orsinia* Bert. ex DC. 1836 = *Eupatorium* 11
 † *eupatoria* DC. 1836 = *Eupatorium armanii* 11
† *Osmia* Sch.-Bip. 1866 = *Chromolaena* 11,29,229,233
 † *boringensis* Britt. 1925 = *Chromolaena boringensis* 29
 † *divergens* (Less.) Sch.-Bip. (*Eupatorium*) = *Chromolaena odorata* 229
 † *graciliflora* (DC.) Sch.-Bip. (*Eupatorium*) = *Chromolaena odorata* 229
 † *ivifolia* (L.) Sch.-Bip. (*Eupatorium*) = *Chromolaena ivifolia* 229
 † *odorata* (L.) Sch.-Bip. (*Eupatorium*, *Heterolaena*) = *Chromolaena odorata* 229
- Osmiopsis* K. & R. 1975 1 sp. 149,156,233,235
plumieri (Urban & Ekman) K. & R. (*Eupatorium*, *Chromolaena*) Haiti 149
- Oxylobus* (Moc. ex DC.) Gray 1879 5 spp. 11,22,23,85,168,229,233,235
arbuthifolius (H.B.K.) Gray (*Ageratum*, *Phania*) Mexico 11,157
glanduliferus (Sch.-Bip. ex Benth. & Hook.) Gray Venezuela 232
† *macrocephalus* Paray 1958 = *Revealia macrocephala* 160
oaxacanus Blake Mexico 230
subglabrus K. & R. 1974 Mexico 117
trinervia (Moc.) (*Phania*) Mexico 11
- Pachythamnus* (K. & R.) K. & R. 1972 1 sp. 66,100,168,201,233
crassirameus (B.L. Robins.) K. & R. (*Ageratina*, *Eupatorium*) Mexico, Central America 66,100
- Parapiqueria* K. & R. 1980 1 sp. 194,195,235
cavalcantei K. & R. 1980 Brasil 194
- Peteravenia* K. & R. 1971 5 spp. 38,63,113,233
cyrilli-nelsonii (Molina) K. & R. (*Eupatorium*) Central America 176
grisea (Coul.) K. & R. (*Eupatorium*) Guatemala, Honduras, Nicaragua 38
malvifolia (DC.) K. & R. (*Eupatorium*) Guatemala, Mexico 38
phoenicolepis (B.L. Robins.) K. & R. (*Eupatorium*) El Salvador, Guatemala, Mexico 38, 176,230
rhodochlamydea (Gray) K. & R. (*Eupatorium*) Mexico 38
schultzii (Schnitzspahn) K. & R. (*Eupatorium*) Central America, Mexico 38
- Phalacraea* DC. 1836 5 spp. 11,131,233,235
callitricha (B.L. Robins.) K. & R. (*Piqueria*) Colombia 132
ecuadorensis K. & R. 1974 Ecuador 132,230
latifolia DC. 1836 Peru 11,132
longipetiolata (B.L. Robins.) K. & R. (*Piqueria*) 5,132,207
pittieri (King) K. & R. (*Piqueria*) 5,132 = *Phalacraea longipetiolata* 207
- Phanerostylis* (Gray) K. & R. 1972 5 spp. 81,165,223
coahuilensis (Gray) K. & R. (*Eupatorium*) Mexico 81,233
glutinosa (Brandeg.) K. & R. (*Barroetea*) Mexico 81,225
nesomii (B.L. Turner) K. & R. (*Brickellia*) Mexico 204
pedunculosa (DC.) K. & R. (*Bulbostylis*) Mexico 81,100
- Phania* DC. 1836 4 spp. 88,131,184,233
† *arbuthifolia* (H.B.K.) DC. (*Ageratum*) = *Oxylobus arbuthifolius* 157
† *dissecta* H. & A. 1841 = *Eupatorium dissectum* = *Podophania dissecta* = *Hofmeisteria dissecta* 2,4
multicaulis DC. 1836 West Indies 7,11
† *trinervia* Moc. = *Oxylobus trinervia* 11
† *urenifolia* Benth. & Hook. 1873 = *Hofmeisteria urenifolia* 4
urenifolia H. & A. 1840 = *Fleischmannia urenifolia* = *Hofmeisteria urenifolia* 2,4

Piptocarpha R. Br.*†sezangularis* Klatt 1895 = *Critonia sexangularis* 48*Piptothrix* Gray 1886 6 spp. 11,22,168,233,235*†aegiroides* B.L. Robins. = *Jaliscoa goldmanii* 23*areolare* (DC.) K. & R. (*Eupatorium*) Mexico, Guatemala 22,85,100,232*†goldmanii* B.L. Robins. 1900 = *Jaliscoa goldmanii* 22,23*jalicensis* B.L. Robins. 1904 Jalisco 22,100*†paleacea* Cronquist 1965 = *Jaliscoa paleacea* 22,23*palmeri* Gray 1886 Chihuahua 11,22*pubens* Gray 1887 Mexico 22,100*sinaloae* Blake 1919 Sinaloa 22*Piqueria* Cav. 1794 7 spp. 1,2,11,16,89,133,150,184,194,207,228,232,235*†angustata* Gardn. 1847 = *Alomia angustata* = *Gardnerina angustata* 206*†callitricha* B.L. Robins. 1906 = *Phalacraea callitricha* 132*†cunningii* B.L. Robins. 1906 = *Ophryosporus anomalus* 111*†densiflora* Benth. 1845 = *Ophryosporus densiflorus* 111*†floribunda* DC. 1836 = *Ophryosporus floribundus* 111*†foliosa* (Gardn.) Gardn. (*Isocarpha*) = *Teizeranthes foliosus* 193*†galoides* DC. 1836 = *Ophryosporus galoides* 111*†hartwegii* B.L. Robins. 1906 = *Ophryosporus hartwegii* 111*hintonii* King 1967 Mexico 5*laziflora* B.L. Robins. & Seaton Mexico 100,233*longipetiolata* Sch.-Bip. ex Baker 1876 5*†longipetiolata* B.L. Robins. 1907 = *Piqueria pittieri* 5 = *Phalacraea longipetiolata* 207*†lorenzii* Blake & Steyermark 1950 = *Guevaria lorenzii* 131*†luzuriensis* (Kuntze) B.L. Robins. ex Volkens (*Piqueria trinervia* var. *luzuriensis*) =*Piqueria trinervia* 229*†mathewsi* B.L. Robins. 1906 = *Ophryosporus mathewsi* 111*†ovata* D. Don 1830 = *Piqueria trinervia* 229*pilosa* H.B.K. Mexico 100*†pinifolia* Phil. 1891 = *Ophryosporus pinifolia* 111*†pittieri* King 1967 (*Piqueria longipetiolata* B.L. Robins.) 5 = *Phalacraea pittieri* 132 =*Phalacraea longipetiolata* 207*†pubescens* J.E. Smith = *Ophryosporus pubescens* 111*†pyramidalis* B.L. Robins. 1901 = *Erythradenia pyramidalis* 17*serrata* Gray 5,132*†setifera* Chung = *Ellenbergia glandulata* 131*†sodiroi* Heiron. ex Sodiro 1900 = *Guevaria sodiroi* 131*†standleyi* B.L. Robins. 1934 = *Koanophyllum standleyi* 64,131*triflora* Hemsl. Mexico 100*trinervia* Cav. 1794 Guatemala, Mexico 5,7,11,100,229,230,233*†trinervia* var. *luzuriensis* Kuntze 1891 = *Piqueria trinervia* 229*†vargasii* Chung 1967 = *Guevaria vargasii* 131*Piqueriella* K. & R. 1974 1 sp. 131,133,194,233*brasiliensis* K. & R. 1974 Brasil 133*Piqueriopsis* King 1965 1 sp. 1,7,11,100,131,194,233,235*michaocana* R. M. King 1965 Mexico 1,7,11,100*Planaltoa* Taubert 1896 2 spp. 11,15,165,233*lychnophoroidea* Barroso 1965 Brasil 15*salviifolia* Taubert 1896 Brasil 11,15*Platypodanthera* K. & R. 1972 1 sp. 92,94,110,233,235*melissifolia* (DC.) K. & R. (*Ageratum*, *Symphyopappus*) Brasil 92,94

- Pleurocoronis* K. & R. 1966 3 spp. 2,11,165,233,235
gentryi (Wiggins) K. & R. (*Hofmeisteria*) 2,3
laphamoides (Rose) K. & R. (*Hofmeisteria*) 2,3
pluriseta (Gray) K. & R. (*Hofmeisteria*) Mexico 3,11,230,233
†*Podophania* Baillon 1880 = *Hofmeisteria* 2,11
 †*dissecta* (H. & A.) (*Phania*) = *Eupatorium dissectum* = *Hofmeisteria dissecta* 79
 †*ghiesbreghtiana* Baillon 1880 = *Hofmeisteria dissecta* 4,11
- Polyanthina* K. & R. 1970 1 sp. 31,40,103,104,107,233
nemorosa (Klatt) K. & R. (*Eupatorium*) Costa Rica, northern South America 9,31,37,
 229,230
- Prazeliosis* Barroso 1949 1 sp. 11,28,97,124,178,228,233,235
mattogrossensis Barroso 1949 Brasil 11
- Prazelis* Cass. 1826 14 spp. 22,28,124,143,164,228,233
asperulacea (Baker) K. & R. (*Eupatorium*) Brasil 28,233
basifolia (Malme) K. & R. (*Eupatorium*) Brasil 28
capillaris Sch.-Bip. 1866 Brasil 28,233
chiquitensis (B.L. Robins.) K. & R. (*Eupatorium*) Bolivia 164
clematidea (Griseb.) K. & R. (*Eupatorium*) Argentina, Bolivia, Brasil 28
conoclinantha (Heiron.) K. & R. (*Eupatorium*) Bolivia 28
grandiflora (DC.) K. & R. (*Ooclinium*) Brasil 11,28
insignis (Malme) K. & R. (*Eupatorium*) Brasil 28,164,200
karuuiensis (Badillo) K. & R. (*Eupatorium*) Venezuela 28
kleinoides (H.B.K.) K. & R. (*Eupatorium*) South America 28
missione (Malme) K. & R. (*Eupatorium*) Argentina, Brasil 28
odontodactyla (B.L. Robins.) K. & R. (*Eupatorium*) Brasil 28
ostenii (B.L. Robins.) K. & R. (*Eupatorium*) Paraguay 28
pauciflora (H.B.K.) K. & R. (*Eupatorium*) northern South America 28
- Prolobus* K. & R. 1982 1 sp. 213
nitidulus (Baker) K. & R. (*Eupatorium*) Brasil 213
- Pseudobrickettia* K. & R. 1972 3 spp. 83,165,233
angustissima (Spreng. ex Baker) K. & R. (*Eupatorium*) Brasil 83
brasiliensis (Spreng.) K. & R. (*Eupatorium*) Brasil 83
irwini K. & R. 1972 Brasil 83
- Pseudokyrtiopsis* K. & R. 1973 1 sp. 115,165,233,235
perpetiolata K. & R. 1973 Guatemala 115,232
- †*Psiloanthus* Necker 1790 = *Liatris* 11
- Radikoferotoma* O. Ktze. 1891 3 spp. 11,44,233,235
berroi (Hutch.) K. & R. (*Carelia*) Uruguay, Brasil 44
cistifolium (Less.) Kuntze (*Carelia*) Brasil, Uruguay 11,44
ramboi (Cabrera) K. & R. (*Carelia*) Brasil 44
- Raulinoreitzia* K. & R. 1971 3 spp. 51,52,53,165,233
crenulata (Spreng.) K. & R. (*Baccharis*) Argentina, Bolivia, Paraguay, Peru 53,164,179
leptophlebia (B.L. Robins.) K. & R. (*Symphyopappus*) Brasil 54,164
tremula (H. & A.) K. & R. (*Eupatorium*) Argentina, Brasil, Uruguay 53,164
- Revealia* K. & R. 1976 1 sp. 157,233
macrocephala (Paray) K. & R. (*Ozylobus*) Mexico 160
 †*stevooides* K. & R. 1976 157 = *Revealia macrocephala* 160
- †*Rosalesia* Llave & Lex. = *Brickellia* 11,229,233
 †*glandulosa* La Llave = *Brickellia cavanillesii* 11,229
- Santosia* K. & R. 1980 1 sp. 190
talmonii K. & R. 1980 Brasil 190

- †*Sartoria* Sch.-Bip. nom. nud. = *Sartorina* 122
 †*eupatorioides* Sch.-Bip. nom. nud. = *Sartorina schultzii* 122
Sartorina K. & R. 1974 1 sp. 122,233
 schultzii K. & R. 1974 (*Sartoria eupatorioides*) Mexico 122
Schaetzellia Klotsch 1849 = *Onoseris* 11
 †*Schaetzellia* Sch.-Bip. 1850 = *Macvaughiella* 11,15,232,233
 †*mexicana* Sch.-Bip. 1850 = *Macvaughiella mexicana* 11,15
 †*standleyi* Steyermark. 1944 = *Macvaughiella mexicana* 15
Scherya K. & R. 1977 1 sp. 166,189
bahiensis K. & R. 1977 Brasil 166
Sciadiocephala Mattf. 1938 5 spp. 11
 amazonica K. & R. 1974 Colombia 127,233
asplundii K. & R. 1976 Ecuador 160
dressleri K. & R. 1975 Panama 134,229
pakaraimae (Maguire & Wurdack) K. & R. (*Adenostemma*) British Guiana 127,160
schultze-rhombifolia Mattf. 1938 Ecuador 11,127,134,229
Sclerolepis Cass. 1816 1 sp. 233
uniflora (Walt.) Porter US 11,230
Serratula L.
 †*spicata* L. = *Suprago spicata* = *Liatris spicata* 11
 †*squarrosa* L. = *Lacinaria squarrosa* = *Liatris squarrosa* 11
Shinnersia K. & R. 1970 1 sp. 12,233
rivularis (Gray) K. & R. (*Trichocoronis*) Mexico, US 12
Spaniopappus B.L. Robins. 1926 5 spp. 11,168,201,233,235
ekmanii B.L. Robins. 1926 Cuba 11,20
hygrophilus (Alain) K. & R. (*Eupatorium*) Cuba 20
idiostylus (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 20
ruckeri (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 20
shafieri (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 20
Sparganophorus Vaillant ex Crantz 1766 11
verticillatus Michx. = *Sclerolepis uniflora* 11
Sphaereupatorium (Hoffm.) O. Ktze. ex B.L. Robins. 1920 3 spp. 11,62,64,150,153,233
hoffmannii (Kuntze) Kuntze ex B.L. Robins. 1920 11
sphaerocephalum (Sch.-Bip. ex Baker) K. & R. (*Eupatorium*) 207
Staelhelina 11
 †*elegans* Walt. = *Calostelma elegans* = *Liatris elegans* 11
Standleyanthus K. & R. 1971 1 sp. 46,168,233
triptychus (B.L. Robins.) K. & R. (*Eupatorium*) Costa Rica 46
Stevia Cav. 1797 229 spp. 11,29,64,111,157,168,225,232,233,235
alatipes B.L. Robins. Mexico 8
amabayensis B.L. Robins. 214
 †*amabilis* Lemmon = *Stevia viscida* 8
ambylepis B.L. Robins. Mexico 8
ammotropha B.L. Robins. Paraguay 8
aplezicaulis Hassler. Paraguay 214
andina B.L. Robins. Peru 8
aristata D. Don ex H. & A. Brasil 8
aschenboriana Sch.-Bip. Mexico 8,100
balansae Heiron. Brasil 8
bangii Rusby 8
beckii K. & R. 1982 Bolivia 214
benderi Perkins 8

Stevia continued

- †benthamiana* Heiron. 1901 = *Stevia ovata* 229
berlandieri Gray Mexico 8,230
bridgesii Rusby 8,214
burkartii B.L. Robins. Brasil 8
camachensis Heiron. 8
carcasana DC. 1836 Panama, Mexico 100,229
chacoensis R.E. Fries 8
chamaedrys Griseb. 8
clinopodioides Greenm. Mexico 8
ciliicola B.L. Robins. 8
†compacta Benth. 1845 = *Stevia triflora* 229
conferta Mexico 8
connata Lag. Mexico 8
cordifolia Benth. Mexico 8
†decumbens (B.L. Robins. & Greenm.) Greene = *Stevia liebmannii* 8
deltoidea Greene Mexico 8
dictyophylla B.L. Robins. Mexico 8,100
†diffusa Greenm. = *Stevia aschenboriana* 8
discolor B.L. Robins. 8
dissitifolia DC. 8
eclipes B.L. Robins. 8
†ehrenbergiana Schlecht. 1842 = *Stevia ovata* 229
eliator H.B.K. Guatemala, Bolivia, Mexico 8,100,230
†elliptica H. & A. 1841 Mexico 8 = *Stevia caracasana* 229
elongata H.B.K. Mexico, Venezuela 8,10
†elongata var. *caracasana* (DC.) B.L. Robins. = *Stevia caracasana* 229
entreriensis Heiron. Brasil 8
eupatoria (Spreng.) Willd. (*Mustelia*) Mexico 8,11,100,229
†fascicularis Less. 1830 = *Stevia ovata* 229
†fastigiata H.B.K. 1818 = *Stevia lucida* 229
febrifuga Moc. ex DC. 1836 nom. nud. = *Piqueria trinervia* 229
fiebrigii Heiron. 8
filipes Rusby 8
flourensioides Blake 8
gilliesii H. & A. 8
glandulosa H. & A. Mexico 8,100
†glutinosa H.B.K. 1818 8 = *Stevia lucida* 229
grandidentata Sch.-Bip. 1865 229
†grandidentata Sch.-Bip. ex Klatt 1884 = *Stevia lucida* 229
guaranitica Chod. Brasil 8
†hassleriana Chod. = *Stevia balansae* 8
heptachaeta DC. Brasil 191
hirsuta DC. Mexico, Guatemala 100
†hirtiflora Sch.-Bip. 1853 = *Stevia caracasana* 229
hypericifolia Heiron. 8
hypomalaca B.L. Robins. 8
jalicensis B.L. Robins. Mexico 8,100
jorullensis H.B.K. Mexico, Guatemala 8,100
karwinskiana Steud. 8
latifolia Benth. Mexico 100
laza B.L. Robins. & Seaton Mexico 8

Stevia continued

- lehmanni* Heiron. Mexico 8
lemonii Gray Mexico 8
leucosticta B.L. Robins. 8
leibmannii Sch.-Bip. ex Klatt Mexico 8
illoi B.L. Robins. 8
†*flozanoi* B.L. Robins. = *Stevia viscida* 8
lucida Lag. 1816 Mexico, Venezuela, Panama 8,100,229,230
macbridei B.L. Robins. 8
†*macella* Gray = *Stevia micrantha* 8
mandonii Sch.-Bip. Peru, Bolivia 8
melissifolia (Lam.) Sch.-Bip. (*Nothites latifolia*) 11,229
menthifolia Sch.-Bip. 8
micradenia B.L. Robins. Mexico 8,100
micrantha Lag. Mexico 8,100
microchaeta Sch.-Bip. 8
mitopoda B.L. Robins. 8
monardifolia H.B.K. Mexico 8,100
morii K. & R. 1980 Brasil 191
myricoides McVaugh 100
neglecta Rusby 8
nelsonii B.L. Robins. Mexico 8,100
nepetifolia H.B.K. Mexico 8
†*nervosa* DC. 1836 = *Stevia ovata* 229
neurophylla B.L. Robins. & Greenm. 8
†*nitida* Walp. 1840 = *Stevia lucida*? 229
†*oaxacana* Sch.-Bip. ex Klatt 1884 nom. nud. = *Stevia lucida* 229
obovata Rusby 8
organensis Gardn. 8
origanoides H.B.K. Mexico 8,100
orizabensis B.L. Robins. Mexico 8
orphryophylla B.L. Robins. Brasil 8
†*ovata* Lag. 1816 = *Stevia ovata* Willd. 229
ovata Willd. 1809 Panama, Guatemala, Mexico 8,100,229,230
palmeri Gray 8
†*paniculata* Lag. 1816 = *Stevia ovata* 229
parvifolia Hassl. 214
pelophila Blake 8
pennellii B.L. Robins. 8
phlebophylla Gray Mexico 8,100
pilosa Lag. Mexico 8,100,224
plummerae Gray Mexico, US 8
polycephala Bert. Mexico, Guatemala 8,230
porphyrea McVaugh Mexico 8,100,224
potosiensis K. & R. 1982 Bolivia 214
†*pringlet* Wats. 1888 = *Cronquistia pringlei* 6
purdei B.L. Robins. 8
†*purpurea* Pers. = *Stevia porphyrea* 100
purpusii B.L. Robins. Mexico 8
pyrolifolia Schlecht. 8
†*quitensis* H.B.K. 1818 = *Stevia ovata* 229
†*rapunculoides* DC. 1836 = *Steviopsis rapunculoides* 59,77

Stevia continued

- rebaudiana* (Bert.) Bert. Paraguay 8,85
reclinata Rusby 8
†reglensis Benth. 1840 = *Stevia ovata* 229
revoluta B.L. Robins. 8
†rhombifolia H.B.K. 1818 8 = *Stevia ovata* 229
†rhombifolia var. *stephanocoma* Sch.-Bip. 1853 = *Stevia triflora* 229
riedleii Sch.-Bip. 8
rosei B.L. Robins. Mexico 100
rzedowskii McVaugh Mexico 100
salicifolia Cav. US, Mexico 8,11,100,229
sarensis B.L. Robins. Brasil 8
satureiifolia (Lamk.) Sch.-Bip. Uruguay, Argentina 8
scabrella Benth. 8,100
scabridula B.L. Robins. 8
schreiteri B.L. Robins. 8
seemannii Sch.-Bip. 8,100
seleriana B.L. Robins. Mexico 8
selloi 8
serrata Cav. 1797 Mexico, Guatemala, Venezuela, Colombia 11,100,230
simulans B.L. Robins. 1906 = *Cronquistia pringlei* 6
subpubescens Lag. Mexico 100,230
†tephra B.L. Robins. = *Stevia serrata* 8
tephrophylla Blake 8,230
†ternifolia H.B.K. 1818 = *Stevia ovata* 229
tomentosa H.B.K. Mexico 8,100
tracheloides DC. 8
trifida Lag. Mexico 100,230
triflora DC. Mexico, Nicaragua 229
uniaristata DC. 1836 = *Stevia ovata* 229
urticifolia Thunb. 8
venosa Gray Mexico 8
vernicosa Greenm. Mexico 8
†vigintiseta DC. 1836 = *Steviopsis vigintiseta* 207
villaregalis McVaugh Mexico 100
villaricensis (B.L. Robins.) Cabrera & Vittet Brasil 8
viscida H.B.K. Mexico 100
weberbaueri B.L. Robins. 8
westonii K. & R. 1977 Costa Rica 161
yacoensis Heiron. 8
Steviopsis K. & R. 1971 5 spp. 59,60,63,79,165,233
adenolepis (B.L. Robins.) K. & R. Mexico 100
amblyolepis (B.L. Robins.) K. & R. (*Brickellia*) Mexico 77 see also *Stevia amblyolepis*
arsenei K. & R. 1972 Mexico 77
pulcherrima (B.L. Robins.) K. & R. (*Brickellia*) Mexico 77
rapunculoides (DC.) K. & R. (*Stevia*) Mexico 59,77,100
vigintiseta (DC.) K. & R. (*Stevia*) 207
Steyermarkina K. & R. 1971 4 spp. 47,48,199,201,233
displata (Gardn.) K. & R. (*Eupatorium*) Brasil 47
dusenii (Malme) K. & R. (*Eupatorium*) Brasil 47
†naiguatensis Badillo 1976 = *Critonia naiguatensis* 162
pyrifolia (DC.) K. & R. (*Eupatorium*) Brasil 47

Steyermarkina continued

- triflora* K. & R. 1971 Venezuela 47
- Stomatianthes* K. & R. 1970 15 spp. 24,71,150,233
- africanus* (Oliver & Heiron.) K. & R. (*Eupatorium*) Africa 24,227
 - corumbensis* (B.L. Robins.) H. Robins. (*Eupatorium*) Brasil 227
 - dentatus* (Gardn.) H. Robins. (*Eupatorium*) Brasil, Bolivia 227
 - dictyophyllus* (DC.) H. Robins. (*Eupatorium*) Brasil 227
 - hirsutus* H. Robins. 1970 Brasil 227
 - loesgrenii* (B.L. Robins.) H. Robins. (*Eupatorium*) Brasil 227
 - oblongifolius* (Sch.-Bip. ex Baker) H. Robins. (*Eupatorium, Gyptis*) 33,215,227
 - pernambucensis* (B.L. Robins.) H. Robins. (*Eupatorium*) Brasil 227
 - polyccephalus* (Sch.-Bip. ex B.L. Robins.) H. Robins. (*Eupatorium*) Brasil 227
 - subcapitatus* (Malme) H. Robins. (*Eupatorium*) Brasil 227
 - trigonus* (Gardn.) H. Robins. (*Eupatorium*) Brasil 227
 - warmingii* (Baker) H. Robins. (*Eupatorium*) Brasil 227
- Stylotrichum* Mattf. 1923 4 spp. 11,96,177,184,191,233,235
- corymbosum* (DC.) Mattf. (*Ageratum*) Brasil 11,186,191
 - edmundoi* Barroso 1957 Brasil 186
 - rotundifolium* Mattf. 1923 Brasil 186
 - sacrei* K. & R. 1980 Brasil 186
- †*Suprago* Gaertn. 1791 = *Liatris* 11,233
- †*glauca* (L.) Gaertn. = *Vernonia noveboracensis* 11
 - †*spicata* (L.) Gaertn. (*Serratula*) = *Liatris spicata* 11
- Sympyopappus* Turcz. 1848 11 spp. 11,48,51,55,56,130,170,233,235
- angustifolius* Cabrera 1959 Brasil 54
 - brasiliensis* (Gardn.) K. & R. (*Liatris, Leptoclinium*) Brazil 11,179
 - †*catharinensis* (Cabrera) K. & R. (*Eupatorium*) 130 = *Neocabreria catharinensis* 170
 - cassarettoi* B.L. Robins. 1934 Brasil 54,179
 - compressus* (Gardn.) B.L. Robins. Brasil 54,179
 - cuneatus* Sch.-Bip. ex Baker 1876 Brasil 54,179
 - decussatus* Turcz. 1848 11,54,179
 - italayensis* (Heiron.) K. & R. (*Eupatorium*) Brasil 54,164,179
 - †*leptophlebius* B.L. Robins. 1931 = *Raulinoreitzia leptophlebia* 164,165,179
 - lymansmithii* B.L. Robins. 1931 Brasil 54,179
 - myricifolius* B.L. Robins. 1923 Brasil 54,179
 - †*pennivenus* B.L. Robins. 1923 = *Neocabreria pennivenia* 207
 - reitzii* (Cabrera) K. & R. (*Eupatorium*) Brasil 54,179
 - reticulatus* Baker 1876 Brasil 54,55,67,179,209
 - †*tetrastichus* B.L. Robins. 1934 = *Goyazianthus tetrastichus* 54,165
 - †*viscosus* Sch.-Bip. ex Baker 1876 = *Bahianthus viscosus* 33,70
- Tamaulipa* K. & R. 1971 1 sp. 58,59,144,233
- azurea* (DC.) K. & R. (*Eupatorium*) Texas, NE Mexico 58
- †*Tamayoa* Badillo = *Ayapana* 233
- paraguanensis* Badillo 1944 229
- Teixeiranthus* K. & R. 1980 2 spp. 193,235
- foliosus* (Gardn.) K. & R. (*Isocarpha, Piqueria*) 193,212
 - pohlii* (Baker) K. & R. (*Alomia*) Brasil 212
- †*Traganthes* Wallr. 1822 = *Eupatorium* 11,226,233
- †*tenuifolia* (Willd.) Wallr. (*Artemisia*) = *Eupatorium capillifolium* 11
- Trichocoronis* Gray 1849 2 spp. 11,27,64,233
- †*greggii* Gray 1850 = *Trichocoronis sessilifolia* 27
 - †*triparia* (Greene) Greene (*Biolettia*) = *Trichocoronis wrightii* 27

Trichocoronis continued

- trivularis* Gray 1849 US = *Shinnersia rivularis* 12
sessilifolia (Schauer) B.L. Robins. (*Ageratum*) Mexico 27,100
wrightii (Gray) Gray (*Ageratum*) US 11,27
- Trichogonia* (DC.) Gardn. 1846 30 spp. 11,86,94,107,130,145,232,233,235
 †*apparicioi* Barroso = *Trichogonia hirtiflora* DC. 181
arguta (H.B.K.) Benth. & Hook. ex Klatt (*Kuhnla*) Colombia, Venezuela 11,92
attenuata Barroso 1951 Brasil 92,187
 †*barrosoana* Barroso 1951 = *Campuloclinium barrosoana* 187
bishopii K. & R. 1978 Bolivia 181,187
campestris Gardn. 1846 Brasil 92,187
capitata (Rusby) B.L. Robins. Bolivia 92,187
chodatii (Hassl.) K. & R. (*Eupatorium*) Paraguay 92
cineræa (Benth. ex Baker) K. & R. (*Alomia*) Brasil 92,187
dubia (B.L. Robins.) K. & R. (*Alomia*) Brasil 92,187
eupatorioides (Gardn.) K. & R. (*Isocarpha*) 187
fiebrigii Mattf. 1923 Brasil, Paraguay 92,187
gardneri Gray Brasil 93
grazielae K. & R. 1980 Brasil 187
harleyi K. & R. 1978 Brasil 181
hassleri Mattf. 1923 Paraguay 92
heringeri K. & R. 1980 Brasil 187
herlingii 187
hirtiflora Sch.-Bip. ex Baker 1876 Brasil 92,187
hirtifolia DC. Brasil 181
laza Gardn. 1847 Brasil 92,187
 †*macrolepis* Baker 1876 = *Trichogoniopsis macrolepis* 93
martii Baker 1876 Brasil 92,187
 †*melissifolia* (DC.) Mattf. (*Ageratum*) = *Platypodanthera melissifolia* 94
menthifolia Gardn. 1847 Brasil 92,187
phlebodes (B.L. Robins.) K. & R. (*Eupatorium*) Paraguay 92
 †*podocarpa* (DC.) Sch.-Bip. ex Baker (*Kuhnla*) = *Trichogoniopsis podocarpa* 187
prancii Barroso 1969 Brasil 187
pseudocampestris K. & R. 1980 Brasil 187
rhabdocarpa B.L. Robins. 181
rhadinocarpa B.L. Robins. 1906 Colombia, Venezuela 92,181,187
rhodotricha Malme 1933 Brasil 92,187
salviifolia Gardn. 1846 Paraguay, Brasil 92,181,187
santosii K. & R. 1980 187
 †*scabria* Klatt 1890 = *Campuloclinium tubaraense* 187
scottmorii K. & R. 1980 Brasil 187
spathulifolia Mattf. 1923 Brasil 92,181,187
tombadorensis K. & R. 1980 Brasil 187
villosa Sch.-Bip. ex Baker Brasil 92,187,233
zehntneri Mattf. 1923 Brasil 92,187
- Trichogoniopsis* K. & R. 1972 4 spp. 92,233
 †*adenantha* (DC.) K. & R. (*Eupatorium*) Brasil 91,93,187
 †*macrolepis* (Baker) K. & R. (*Trichogonia*) Brasil 93 = *Trichogoniopsis podocarpa* 187
mori K. & R. 1980 Brasil 187
podocarpa (DC.) K. & R. (*Trichogonia*, *Kuhnla*) Brasil 92,187
- Trilisa* (Cass.) Cass. 1823 2 spp. 11,233
odoratissima (Willd.) Cass. (*Liatris*) US 11

- †*Trychinolepis* B.L. Robins. 1928 = *Ophryosporus* 7,16,73,233
 †*hoppii* B.L. Robins. 1928 = *Ophryosporus hoppii* 7,73
- Tuberostyles* Steetz 1853 2 spp. 74,235
azillaris Blake 233
rhizophorae Steetz 1853 Panama-Ecuador 11,229
- Uleophytum* Heiron. 1906 1 sp. 11,233
scandens Heiron. 1906 Peru 11
- †*Uncasia* Greene 1903 = *Eupatorium* 11,226,233
perfoliatum (L.) Greene (*Eupatorium*) = *Eupatorium perfoliatum* 11
- Urbananthus* K. & R. 1971 2 spp. 48,49,50,233
critoniformis (Urban) K. & R. (*Eupatorium*) Jamaica 50,158
pluriseriatus (B.L. Robins.) K. & R. (*Eupatorium*) Cuba 50
- Urolepis* (DC.) K. & R. 1 sp. 40,69,129,229,233
hecatantha (DC.) K. & R. (*Hebeclinium*) Argentina, Bolivia, Paraguay, Brasil 37,40
- Viereckia* K. & R. 1975 1 sp. 144,233
tamaulipasensis K. & R. 1975 Mexico 144
- Vittetia* K. & R. 1974 2 spp. 129,150,153,154,233
bishopii K. & R. 1981 Brasil 210
orbiculata (DC.) K. & R. (*Eupatorium*) Brasil 129,210
- †*Wikstroemia* Spreng. 1821 = *Critonia* 11,48,233
 †*glandulosa* Spreng. 1821 = *Critonia dalea* 11,229
- Wikstroemia* Schrad. Theaceae 11,229
- Wikstroemia* Endl. Thymelaeaceae 11,229
- †*Willoughbya* Necker ex O. Ktze. 1891 = *Mikania* 11,233
 †*cordifolia* (L. f.) Kuntze (*Cacalia*) = *Mikania cordifolia* 229
 †*ferruginea* Rusby 1896 = *Mikania banisteriae* 229
 †*guaco* (H. & B.) Kuntze = *Mikania guaco* 229
 †*houstonis* (L.) Kuntze (*Eupatorium*, *Mikania*) = *Mikania houstoniana* 229
 †*imrayana* (Griseb.) Kuntze (*Mikania*) = *Mikania hookeriana* 229
 †*platyphylla* (DC.) Kuntze (*Mikania*) = *Mikania hookeriana* 229
 †*scandens* (L.) Kuntze 1891 (*Eupatorium*) = *Mikania scandens* 11,229
- Willoughbya* Schreber Apocynaceae 11
- Willoughbya* Rob. Apocynaceae 11
- †*Xetoligus* Raf. 1836 = *Stevia* 11,229,233
 †*salicifolia* (Cav.) Raf. (*Stevia*) = *Stevia salicifolia* 11,229

LITERATURE CITED

1. King, R.M. 1965. *Piqueropsis*, a new genus of Compositae from southwestern Mexico. *Brittonia* 17:352-353.
2. King, R.M. and H. Robinson. 1966. Generic limitations in the *Hofmeisteria* complex (Compositae, Eupatoreiae) *Phytologia* 25:65-67.
3. King, R.M. 1967. Studies in the Eupatoreiae (Compositae). I-III. *Rhodora* 69:35-47.
4. King, R.M. 1967. Studies in the Eupatoreiae (Compositae). IV. *Rhodora* 69:352-371.

5. King, R.M. 1967. Studies in the Eupatorieae (Compositae). V. Notes on the genus *Piqueria*. *Sida* 3:107-109.
6. King, R.M. 1968. Studies in the Eupatorieae (Compositae). VI. *Brittonia* 20:11-12.
7. King, R.M. 1967. Studies in the Eupatorieae (Compositae). VII. Key to the genera of subtribe Piquierinae. *Sida* 3:163-164.
8. King, R.M. and H. Robinson. 1968. Studies in the Eupatorieae (Compositae). VIII. Observations on the microstructure of *Stevia*. *Sida* 3:257-269.
9. King, R.M. and H. Robinson. 1969. Studies in the Eupatorieae (Compositae). IX. A review of the genus *Eupatorium* section *Hebeclinium* in Colombia. *Sida* 3:321-326.
10. King, R.M. and H. Robinson. 1969. Studies in the Eupatorieae (Compositae). X. A new species of *Heleogyne* Nuttall. *Sida* 3:327-328.
11. King, R.M. and H. Robinson. 1969. Studies in the Eupatorieae (Compositae). XI. Typification of genera. *Sida* 3:329-342.
12. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XII. A new genus *Shinnersia*. *Phytologia* 19:297-298.
13. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XIII. The genus *Conoclinium*. *Phytologia* 19:299-300.
14. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XIV. Another example of dimorphic pollen? *Phytologia* 19:301-302.
15. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XV. *Jaliscoa*, *MacVaughella*, *Oazacanaria* and *Planaltoa*. *Rhodora* 72:100-105.
16. King, R.M. and H. Robinson. 1969. Studies in the Eupatorieae (Compositae). XVI. A monograph of the genus *Decachaeta* DC. *Brittonia* 21:275-284.
17. King, R.M. and H. Robinson. 1969. Studies in the Eupatorieae (Compositae). XVII. The genus *Erythradenia*. *Brittonia* 21:285.
18. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XVIII. New combinations in *Fleischmannia*. *Phytologia* 19:201-207.
19. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XIX. New combinations in *Ageratina*. *Phytologia* 19:208-229.
20. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XX. New combinations in *Spaniopappus*. *Phytologia* 19:303-304.
21. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XXI. A new genus *Neomirandeja*. *Phytologia* 19:305-310.
22. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XXII. The genus *Piptothrix*. *Phytologia* 19:425-426.
23. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XXIII. New combinations in *Jaliscoa*. *Phytologia* 19:427-428.
24. King, R.M. and H. Robinson. 1970. Studies in the Eupatorieae (Compositae). XXIV. A new genus *Stomatianthes*. *Phytologia* 19:429-430.

25. King, R.M. and H. Robinson. 1970. Studies in the Eupatoreiae (Compositae). XXV. A new genus *Eupatoriadelphus*. *Phytologia* 19:431-432.
26. King, R.M. and H. Robinson. 1970. Studies in the Eupatoreiae (Compositae). XXVI. A new genus *Austroeupatorium*. *Phytologia* 19:425-426.
27. King, R.M. and H. Robinson. 1970. Studies in the Eupatoreiae (Compositae). XXVII. A monograph of the genus *Trichocoronis*. *Phytologia* 19:497-500.
28. King, R.M. and H. Robinson. 1970. Studies in the Eupatoreiae (Compositae). XXVIII. The genus *Prazelis*. *Phytologia* 20:193-195.
29. King, R.M. and H. Robinson. 1970. Studies in the Eupatoreiae (Compositae). XXIX. The genus *Chromolaena*. *Phytologia* 20:196-209.
30. King, R.M. and H. Robinson. 1970. Studies in the Eupatoreiae (Compositae). XXX. The genus *Ayapana*. *Phytologia* 20:210-212.
31. King, R.M. and H. Robinson. 1970. Studies in the Eupatoreiae (Compositae). XXXI. A new genus *Polyanthina*. *Phytologia* 20:213-214.
32. King, R.M. and H. Robinson. 1970. Studies in the Eupatoreiae (Compositae). XXXII. A new genus *Neocuatrecasia*. *Phytologia* 20:332-333.
33. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Compositae). XXXIII. The genus *Gyptis*. *Phytologia* 21:22-25.
34. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Compositae). XXXIV. A new genus *Barrosa*. *Phytologia* 21:26-27.
35. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Compositae). XXXV. A new genus *Lourteiga*. *Phytologia* 21:28-30.
36. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Compositae). XXXVI. A new genus *Neobartlettia*. *Phytologia* 21:294-297.
37. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Compositae). XXXVII. The genus *Hebeclinium*. *Phytologia* 21:298-301.
38. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Compositae). XXXVIII. A new genus *Peteravenia*. *Phytologia* 21:394-395.
39. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Compositae). XXXIX. A new genus *Guayania*. *Phytologia* 21:302-303.
40. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Compositae). XL. The genus *Urolepis*. *Phytologia* 21:304-305.
41. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Compositae). XLI. The genus *Eupatoriastrum*. *Phytologia* 21:306-307.
42. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Asteraceae). XLII. A new genus *Eupatorina*. *Phytologia* 21:396-397.
43. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Asteraceae). XLIII. A new genus *Antillia*. *Phytologia* 21:398-399.
44. King, R.M. and H. Robinson. 1971. Studies in the Eupatoreiae (Asteraceae). XLIV. The genus *Radkoferotoma*. *Phytologia* 21:400-401.

45. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). XLV. A new genus *Fleischmanniopsis*. *Phytologia* 21:402-404.
46. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). XLVI. A new genus *Standleyanthus*. *Phytologia* 22:41-42.
47. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). XLVII. A new genus *Steyermarkina*. *Phytologia* 22:43-45.
48. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). XLVIII. The genus *Critonia*. *Phytologia* 22:46-51.
49. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). XLIX. A new genus *Critoniadelphus*. *Phytologia* 22:52-53.
50. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). L. A new genus *Urbananthus*. *Phytologia* 22:54-55.
51. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LI. The *Disynaphioid* complex. *Phytologia* 22:109-110.
52. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LII. A new genus *Acanthostyles*. *Phytologia* 22:111-112.
53. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LIII. A new genus *Raulinoreitzia*. *Phytologia* 22:113-114.
54. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LIV. The genus *Sympyopappus*. *Phytologia* 22:115-117.
55. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LV. The genus *Dimorpholepis*. *Phytologia* 22:118-120.
56. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LVI. A new genus *Campovassouria*. *Phytologia* 22:121-122.
57. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LVII. The genus *Disynaphia*. *Phytologia* 22:123-125.
58. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LVIII. A new genus *Tamaulipa*. *Phytologia* 22:153-155.
59. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LIX. A new genus *Steviopsis*. *Phytologia* 22:156-157.
60. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LX. A new genus *Discritogyne*. *Phytologia* 22:158-159.
61. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LXI. Additions to the *Hebeclinium* complex with *Bartlettina*, a new generic name. *Phytologia* 22:160-162.
62. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LXII. A new genus *Neohintonia*. *Phytologia* 22:143-144.
63. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LXIII. A new genus *Kyrsteniopsis*. *Phytologia* 22:145-146.

64. King, R.M. and H. Robinson. 1971. Studies in the Eupatorieae (Asteraceae). LXIV. The genus *Koanophyllum*. *Phytologia* 22:147-152.
65. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXV. A new genus *Neocabreria*. *Phytologia* 23:151-152.
66. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXVI. The genus *Pachythamnus*. *Phytologia* 23:153-154.
67. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXVII. *Grazielia*, nom. nov. for *Dimorpholepis*. *Phytologia* 23:305-306.
68. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXVIII. A new genus *Conocliniopsis*. *Phytologia* 23:307-309.
69. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXIX. A new genus *Gyptidium*. *Phytologia* 23:310-311.
70. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXX. A new genus *Bahianthus*. *Phytologia* 23:312-313.
71. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXI. A new genus *Hatschbachiella*. *Phytologia* 23:393-394.
72. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXII. Note on the genus *Koanophyllum*. *Phytologia* 23:395-396.
73. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXIII. The genus *Ophryosporus*. *Phytologia* 23:397-400.
74. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXIV. New species of *Critonia*, *Fleischmannia* and *Hebeclinium*. *Phytologia* 23:405-408.
75. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXV. A new genus *Cronquistianthus*. *Phytologia* 23:409-412.
76. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXVI. Additions to the genus *Kyrsteniopsis*. *Phytologia* 24:57-59.
77. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXVII. Additions to the genus *Steviopsis*. *Phytologia* 24:60-62.
78. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXVIII. A new genus *Brickelliastrum*. *Phytologia* 24:63-64.
79. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXIX. A new genus *Asanthus*. *Phytologia* 24:65-66.
80. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXX. A new genus *Flyriella*. *Phytologia* 24:67-69.
81. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXXI. The genus *Phanerostylis*. *Phytologia* 24:70-71.
82. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXXII. A new genus *Austrobrickellia*. *Phytologia* 24:72-73.
83. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). LXXXIII. A new genus *Pseudobrickellia*. *Phytologia* 24:74-75.

84. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). LXXXIV. A new genus *Crossothamnus*. *Phytologia* 24:77-78.
85. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). LXXXV. Additions to the genus *Ageratina* with a key to the Costa Rican species. *Phytologia* 24:79-104.
86. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). LXXXVI. Additions to the genus *Neocuatrecasia*. *Phytologia* 24:105-107.
87. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). LXXXVII. The genus *Alomia*. *Phytologia* 24:108-111.
88. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). LXXXVIII. Additions to the genus *Ageratum*. *Phytologia* 24:112-117.
89. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). LXXXIX. A new genus *Blakeanthus*. *Phytologia* 24:118-119.
90. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XC. The genus *Campuloclinium*. *Phytologia* 24:170-172.
91. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XCI. A new genus *Macropodina*. *Phytologia* 24:173-175.
92. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XCII. A new genus *Trichogonia*. *Phytologia* 24:176-179.
93. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XCIII. A new genus *Trichogoniopsis*. *Phytologia* 24:180-181.
94. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XCIV. A new genus *Platypodanthera*. *Phytologia* 24:182-183.
95. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XCV. Additions to the genus *Barrosoa*. *Phytologia* 24:184.
96. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XCVI. A new genus *Lasiolaena*. *Phytologia* 24:185-186.
97. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XCVII. A new genus *Dasycondylus*. *Phytologia* 24:187-191.
98. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XCVIII. A new genus *Diacranthera*. *Phytologia* 24:192-194.
99. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). XCIX. A new genus *Amolina* and a new combination in *Bartlettina*. *Phytologia* 24:265-266.
100. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). C. A key to the genera of Nueva Galicia, Mexico. *Phytologia* 24:267-280.
101. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). CI. New species of *Fleischmannia* and *Neomirandeja*. *Phytologia* 24:281-284.
102. King, R.M. and H. Robinson. 1972. Studies in the Eupatoreae (Asteraceae). CII. A new genus *Condylidium*. *Phytologia* 24:380-381.

103. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). CIII. A new genus *Ayapanopsis*. *Phytologia* 24:382-386.
104. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). CIV. A new genus *Gongrostylus*. *Phytologia* 24:387-388.
105. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). CV. A new genus *Heterocondylus*. *Phytologia* 24:389-392.
106. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). CVI. A new genus *Gymnocondylus*. *Phytologia* 24:393-394.
107. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). CVII. A new genus *Alomiella*. *Phytologia* 24:395-396.
108. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). CVIII. A new genus *Condylolopodium*. *Phytologia* 24:397-400.
109. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). CIX. A new genus *Acriopappus*. *Phytologia* 24:401-403.
110. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). CX. Additions to the genus *Campuloclinium*. *Phytologia* 24:404-406.
111. King, R.M. and H. Robinson. 1972. Studies in the Eupatorieae (Asteraceae). CXI. Additions to the genus *Ophryosporus*. *Phytologia* 25:65-67.
112. King, R.M. and H. Robinson. 1973. Studies in the Eupatorieae (Asteraceae). CXII. A new species of *Ferreyrella*. *Phytologia* 26:167-169.
113. King, R.M. and H. Robinson. 1973. Studies in the Eupatorieae (Asteraceae). CXIII. A new genus *Matudina*. *Phytologia* 26:170-173.
114. King, R.M. and H. Robinson. 1973. Studies in the Eupatorieae (Asteraceae). CXIV. The genera of Barro Colorado Island Panama. *Phytologia* 27:233-240.
115. King, R.M. and H. Robinson. 1973. Studies in the Eupatorieae (Asteraceae). CXV. A new genus and species *Pseudokyrsteniopsis perpetiolata*. *Phytologia* 27:241-244.
116. King, R.M. and H. Robinson. 1973. Studies in the Eupatorieae (Asteraceae). CXVI. New species of *Neomirandea*. *Phytologia* 27:245-251.
117. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXVII. A new species of *Oxylobus* from Oaxaca Mexico. *Phytologia* 27:385-386.
118. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXVIII. New species of *Ageratum*, *Fleischmannia* and *Hebeclinium* from northern South America. *Phytologia* 27:387-394.
119. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXIX. Additions to the genera *Cronquistianthus*, *Helogyne* and *Neocuatrecasia* from Peru. *Phytologia* 27:395-401.
120. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXX. Additions to the genus *Koanophyllum* in Panama. *Phytologia* 28:67-72.
121. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXI. Additions to the genus *Fleischmannia*. *Phytologia* 28:73-96.

122. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXII. A new genus *Sartorina*. *Phytologia* 28:97-100.
123. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXIII. Additions to the genus *Mikania*. *Phytologia* 28:272-281.
124. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXIV. A new genus *Eitenia*. *Phytologia* 28:282-285.
125. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXV. Additions to the genus *Bartlettina*. *Phytologia* 28:286-293.
126. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXVI. A new species of *Ageratum*. *Phytologia* 28:491-493.
127. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXVII. Additions to the American and Pacific Adenostemmatinae. *Adenostemma*, *Gymnocoronis* and *Sciadocephala*. *Phytologia* 29:1-20.
128. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXVIII. Four additions to the genus *Ageratina* from Mexico and Central America. *Phytologia* 29:494-502.
129. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXIX. A new genus *Vittetia*. *Phytologia* 29:121-122.
130. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXX. Notes on *Campuloclinium*, *Konaophyllum*, *Mikania* and *Symphyopappus*. *Phytologia* 29:123-129.
131. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXXI. A new genus *Guevaria*. *Phytologia* 29:257-263.
132. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXXII. The genus *Phalacraea*. *Phytologia* 29:251-256.
133. King, R.M. and H. Robinson. 1974. Studies in the Eupatorieae (Asteraceae). CXXXIII. A new genus *Piquerilla*. *Phytologia* 29:264-266.
134. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXXXIV. A new species of *Sciadocephala* from Panama. *Phytologia* 29:343-346.
135. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXXXV. A new species of *Ageratina* from Panama. *Phytologia* 29:347-350.
136. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXXXVI. Four new species of *Neomirandea*. *Phytologia* 29:351-361.
137. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXXXVII. Two new species of *Neomirandea*. *Phytologia* 30:9-14.
138. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXXXVIII. A new genus *Critoniella*. *Phytologia* 30:284-285.
139. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXXXIX. A new genus *Aristeguietia*. *Phytologia* 30:217-220.
140. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXL. A new genus *Grosvenoria*. *Phytologia* 30:221-222.

141. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXLI. A new genus *Asplundianthus*. *Phytologia* 30:223-228.
142. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXLII. A new genus *Badilloa*. *Phytologia* 30:229-234.
143. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXLIII. A new genus *Austocrinaria*. *Phytologia* 31:115-117.
144. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXLIV. A new genus *Viereckia*. *Phytologia* 31:118-121.
145. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXLV. A new species of *Bartlettina*. *Phytologia* 31:62-65.
146. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXLVI. Two new species of *Fleischmannia* from Central America. *Phytologia* 31:305-310.
147. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXLVII. Additions to the genera *Amboroa*, *Ayapanopsis* and *Hebeclinium* in South America. *Phytologia* 31:311-316.
148. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXLVIII. A new species of *Lomatozoma*. *Phytologia* 32:246-249.
149. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CXLIX. A new genus *Osmiopsis*. *Phytologia* 32:250-251.
150. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CL. Limits of the genus *Koanophyllum*. *Phytologia* 32:252-267.
151. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CLI. A new genus *Grisebachianthus*. *Phytologia* 32:268-270.
152. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CLII. A new genus *Imeria*. *Phytologia* 32:271-272.
153. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CLIII. A new genus *Lorentzianthus*. *Phytologia* 32:273-274.
154. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CLIV. A new genus *Chacoa*. *Phytologia* 32:275-276.
155. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CLV. A new genus *Idiothamnus*. *Phytologia* 32:277-282.
156. King, R.M. and H. Robinson. 1975. Studies in the Eupatorieae (Asteraceae). CLVI. Various new combinations. *Phytologia* 32:283-285.
157. King, R.M. and H. Robinson. 1976. Studies in the Eupatorieae (Asteraceae). CLVII. A new genus *Revealia* from Mexico. *Phytologia* 33:277-280.
158. King, R.M. and H. Robinson. 1976. Studies in the Eupatorieae (Asteraceae). CLVIII. A new genus *Adenocritonia* from Jamaica. *Phytologia* 33:281-284.
159. King, R.M. and H. Robinson. 1976. Studies in the Eupatorieae (Asteraceae). CLIX. Additions to the genus *Ayapana*. *Phytologia* 34:57-66

160. King, R.M. and H. Robinson. 1976. Studies in the Eupatorieae (Asteraceae). CLX. A new species of *Sciadocephala* from Ecuador. *Phytologia* 34:375-377.
161. King, R.M. and H. Robinson. 1977. Studies in the Eupatorieae (Asteraceae). CLXI. A new species of *Stevia* from Costa Rica. *Phytologia* 35:229-232.
162. King, R.M. and H. Robinson. 1977. Studies in the Eupatorieae (Asteraceae). CLXII. New species and combinations from Venezuela. *Phytologia* 35:497-504.
163. King, R.M. and H. Robinson. 1977. Studies in the Eupatorieae (Asteraceae). CLXIII. Additions to the genus *Fleischmanniopsis*. *Phytologia* 36:193-200.
164. King, R.M. and H. Robinson. 1977. Studies in the Eupatorieae (Asteraceae). CLXIV. Various notes and additions. *Phytologia* 37:455-460.
165. King, R.M. and H. Robinson. 1977. Studies in the Eupatorieae (Asteraceae). CLXV. A new genus *Goyazianthus*. *Phytologia* 37:461-466.
166. King, R.M. and H. Robinson. 1977. Studies in the Eupatorieae (Asteraceae). CLXVI. A new genus *Scherya* and additions to *Acritopappus*. *Phytologia* 38:99-105.
167. King, R.M. and H. Robinson. 1977. Studies in the Eupatorieae (Asteraceae). CLXVII. Four new species of *Bartlettina*. *Phytologia* 38:106-117.
168. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXVIII. Additions to the genus *Ageratina*. *Phytologia* 38:323-355.
169. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXIX. Two new species of *Fleischmannia* from Guatemala. *Phytologia* 38:417-423.
170. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXX. Additions to the genus *Neocabreria*. *Phytologia* 38:424-428.
171. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXXI. A new genus *Corethamnium*. *Phytologia* 39:54-57.
172. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXXII. A new genus *Castenedia*. *Phytologia* 39:58-60.
173. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXXIII. A new species of *Lomatozoma*. *Phytologia* 39:129-131.
174. King, R.M. and H. Robinson. 1979. Studies in the Eupatorieae (Asteraceae). CLXXIV. A new genus *Nothobaccharis*. *Phytologia* 41:396-397.
175. King, R.M. and H. Robinson. 1979. Studies in the Eupatorieae (Asteraceae). CLXXV. A new genus from Bahia, *Litothamnus*. *Phytologia* 44:79-83.
176. King, R.M. and H. Robinson. 1979. Studies in the Eupatorieae (Asteraceae). CLXXVI. The relationships of *Eupatorium cyrili-nelsonii*. *Phytologia* 44:84-88.
177. King, R.M. and H. Robinson. 1979. Studies in the Eupatorieae (Asteraceae). CLXXVII. A new genus *Morithamnus*. *Phytologia* 44:451-454.
178. King, R.M. and H. Robinson. 1979. Studies in the Eupatorieae (Asteraceae). CLXXVIII. Additions to *Eitenia* and *Lomatozoma*. *Phytologia* 44:455-462.
179. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXXIX. Notes on the genus *Symphyopappus*. *Phytologia* 39:132-135.

180. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXXX. Three new eritroloid species from tropical America. *Phytologia* 39:136-142.
181. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXXXI. Two new species of *Trichogonia*. *Phytologia* 39:334-338.
182. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXXXII. A new genus *Bishovia*. *Phytologia* 39:339-342.
183. King, R.M. and H. Robinson. 1978. Studies in the Eupatorieae (Asteraceae). CLXXXIII. A new genus *Bejaranoa*. *Phytologia* 40:51-53.
184. King, R.M. and H. Robinson. 1979. Studies in the Eupatorieae (Asteraceae). CLXXXIV. A new species of *Arrojadocharis*. *Phytologia* 44:463-465.
185. King, R.M. and H. Robinson. 1979. Studies in the Eupatorieae (Asteraceae). CLXXXV. Additions to the genus *Lasiolaena*. *Phytologia* 44:466-472.
186. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CLXXXVI. A review of the genus *Stylotrichum*. *Phytologia* 45:101-104.
187. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CLXXXVII. Additions to *Trichogonia* and *Trichogoniopsis*. *Phytologia* 45:105-123.
188. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CLXXXVIII. New species of *Mikania* from Brazil. *Phytologia* 45:124-141.
189. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CLXXXIX. Additions to *Acritopappus*. *Phytologia* 45:142-157.
190. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CXC. A new genus *Santosia*. *Phytologia* 45:463-465.
191. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CXCI. Various new species from Brasil. *Phytologia* 46:295-307.
192. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CXCII. Validation of subtribes. *Phytologia* 46:446-450.
193. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CXCIII. A new genus *Teizeiranthus*. *Phytologia* 47:108-109.
194. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CXCIV. A new genus *Parapiqueria*. *Phytologia* 47:110-112.
195. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CXCV. A new genus *Cavalcantia*. *Phytologia* 47:113-116.
196. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CXCVI. A new genus *Jaramilloa*. *Phytologia* 47:117-120.
197. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CXCVII. Three additions to *Bartlettina*. *Phytologia* 47:121-123.
198. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CXCVIII. Reduction of the genus *Kanimia*. *Phytologia* 47:126-127.
199. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CIC. A new genus *Malmeanthus*. *Phytologia* 47:225-229.

200. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CC. Additions to the genus *Chromolaena*. *Phytologia* 47:230-251.
201. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CCI. A new genus *Hughesia*. *Phytologia* 47:252-256.
202. King, R.M. and H. Robinson. 1980. Studies in the Eupatorieae (Asteraceae). CCII. A new genus *Kaunia*. *Phytologia* 47:257-260.
203. King, R.M. and H. Robinson. 1981. Studies in the Eupatorieae (Asteraceae). CCIII. A new genus *Bishopiella*. *Phytologia* 48:218-220.
204. King, R.M. and H. Robinson. 1981. Studies in the Eupatorieae (Asteraceae). CCIV. New combinations in Brasilian and Mexican species. *Phytologia* 48:221-222.
205. King, R.M. and H. Robinson. 1981. Studies in the Eupatorieae (Asteraceae). CCV. Two new species of *Mikania* from Brasil. *Phytologia* 48:223-228.
206. King, R.M. and H. Robinson. 1981. Studies in the Eupatorieae (Asteraceae). CCVI. A new genus *Gardnerina*. *Phytologia* 49:1-2.
207. King, R.M. and H. Robinson. 1981. Studies in the Eupatorieae (Asteraceae). CCVII. Additional new combinations. *Phytologia* 49:3-6.
208. King, R.M. and H. Robinson. 1981. Studies in the Eupatorieae (Asteraceae). CCVIII. Additions to *Badilloa* and *Bartlettina* from Ecuador. *Phytologia* 49:7-9.
209. King, R.M. and H. Robinson. 1981. Studies in the Eupatorieae (Asteraceae). CCIX. Two new species of *Grazielia* from Brasil. *Phytologia* 49:284-290.
210. King, R.M. and H. Robinson. 1981. Studies in the Eupatorieae (Asteraceae). CCX. A second species of *Vittetia* from Brasil. *Phytologia* 49:281-283.
211. King, R.M. and H. Robinson. 1981. Studies in the Eupatorieae (Asteraceae). CCXI. Three new species of *Mikania* from Brasil. *Phytologia* 49:488-495.
212. King, R.M. and H. Robinson. 1982. Studies in the Eupatorieae (Asteraceae). CCXII. Additions to *Austroeupatorium*, *Flyriella* and *Teizeiranthus*. *Phytologia* 50:379-384.
213. King, R.M. and H. Robinson. 1982. Studies in the Eupatorieae (Asteraceae). CCXIII. A new genus *Prolobus* from Bahia. *Phytologia* 50:385-387.
214. King, R.M. and H. Robinson. 1982. Studies in the Eupatorieae (Asteraceae). CCXIV. New species of *Chromolaena* and *Stevia* from Bolivia. *Phytologia* 51:172-178.
215. King, R.M. and H. Robinson. 1982. Studies in the Eupatorieae (Asteraceae). CCXV. Additions to *Austroeupatorium* and *Cronquistianthus*. *Phytologia* 51:179-186.
216. King, R.M. and H. Robinson. 1983. Studies in the Eupatorieae (Asteraceae). CCXVI. New combinations for South American species. *Phytologia* 53:392.
217. King, R.M. and H. Robinson. 1983. Studies in the Eupatorieae (Asteraceae). CCXVI. Various new species from the Andes and Panama. *Phytologia* 54:36-51.
218. King, R.M. and H. Robinson. 1983. Studies in the Eupatorieae (Asteraceae). CCXVII. Three new species of *Adenostemma*. *Phytologia* 54:29-35.
219. King, R.M. and H. Robinson. 1984. Studies in the Eupatorieae (Asteraceae). CCXVIII. A second species of *Iltisia*. *Phytologia* 56:249-251.

- 1987 Warnock, Epithets treated by King & Robinson 431
220. King, R.M. and H. Robinson. 1984. Studies in the Eupatorieae (Asteraceae). CCXIX. A new species of *Cronquistianthus*. *Phytologia* 56:252-255.
221. King, R.M. and H. Robinson. 1984. Studies in the Eupatorieae (Asteraceae). CCXX. A new species of *Alomiella* from Brasil. *Phytologia* 56:256-258.
222. King, R.M. and H. Robinson. 1985. Studies in the Eupatorieae (Asteraceae). CCXXI. Additional species from tropical America. *Phytologia* 58:258-272.
223. King, R.M. and H. Robinson. 1986. Studies in the Eupatorieae (Asteraceae). CCXXII. New combinations and new species from tropical America. *Phytologia* 58:258-272.
224. King, R.M. and H. Robinson. 1967. Multiple pollen forms in two species of the genus *Stevia* (Compositae). *Sida* 3:165-169.
225. King, R.M. and H. Robinson. 1970. The new synantherology. *Taxon* 19:6-11.
226. King, R.M. and H. Robinson. 1970. *Eupatorium*, a Composite genus of arcto-tertiary distribution. *Taxon* 19:769-774.
227. Robinson, H. 1970. South American species of *Stomatianthes* (Eupatorieae, Compositae). *Phytologia* 20:334-338.
228. Bartoso, G.M. and R.M. King. 1971. New taxa of Compositae (Eupatorieae) from Brasil. *Brittonia* 23:118-121.
229. King, R.M. and H. Robinson. 1975. Flora of Panama. Eupatorieae. *Ann. Missouri Bot. Gard.* 62:888-1004.
230. King, R.M., D.W. Kyhos, A.M. Powell, P.H. Raven and H. Robinson. 1976. Chromosome numbers in Asteraceae XIII. Eupatorieae. *Ann. Missouri Bot. Gard.* 64:366-370.
231. King, R.M. and H. Robinson. 1977. *Guayana davidseni* and *Hebeclinium gentryi*, new species from northern South America (Eupatorieae, Asteraceae). *Ann. Missouri Bot. Gard.* 64:366-370.
232. King, R.M. and H. Robinson. 1977. Compositae in Flora of Guatemala: A review. *Taxon* 26:435-442.
233. Robinson, H. and R.M. King. 1977. Chapter 15 in Heywood, V.H., J.B. Harborne and B.L. Turner. *The Biology and Chemistry of the Compositae*. pp. 437-485.
234. King, R.M. and H. Robinson. 1978. New records and new species of Central American Eupatorieae (Asteraceae). *Wrightia* 6:23-25.
235. Robinson, H. and R.M. King. 1985. Comments on the generic concepts in the Eupatorieae. *Taxon* 34:11-16.